



Safety Data Sheet

according to 1907/2006/EC, as amended by UK REACH
Regulations SI 2019/758

Printing date 11.01.2023

Version number 8

Revision: 01.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: ATE Assembly and Preserving Fluid VP 1449/8

Article number: 03.9902-03xx.x / 70000x

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Preservative

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Continental Aftermarket & Services GmbH

Sodener Straße 9

D-65824 Schwalbach am Taunus

Tel: +49-6196-87-0

Further information obtainable from:

Gefahrstoffmanagement Konzern, Zentrales Materiallabor

ate.sicherheit@contiautomotive.com

1.4 Emergency telephone number: +49-6132-84463 (24 h) 190 languages spoken

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified according to the GB CLP regulation.

Hazard pictograms GHS09

Signal word Void

Hazard statements

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 5892-47-7	2,4,6-Tri-sec-butylphenol	< 10%
EINECS: 227-572-6	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit.	
Reg.nr.: 01-2119978209-24-0000	2, H315	

(Contd. on page 2)

Safety Data Sheet

according to 1907/2006/EC, as amended by UK REACH
Regulations SI 2019/758

Printing date 11.01.2023

Version number 8

Revision: 01.12.2022

Trade name: ATE Assembly and Preserving Fluid VP 1449/8

<i>(Contd. of page 1)</i>		
CAS: 15520-05-5 EINECS: 239-555-0 Reg.nr.: 01-2120136161-71-0000 01-2120136161-71-0001	2,2'-(Octylimino)bisethanol Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	< 3%
CAS: 85507-95-5 EINECS: 287-418-9 Reg.nr.: 01-2120115532-69-0000	9-Oxadeceonic acid (Z)-compd.with N-coco alkyl-1,1'-iminobis(2-propanol) Aquatic Acute 1, H400; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	< 1%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove contaminated clothes and shoes immediately.

After inhalation: Supply fresh air and to be sure call for a doctor.

After skin contact:

Treat affected skin with cotton wool or cellulose. Then wash and rinse thoroughly with water and a mild cleaning agent.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

 CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

 May be released in case of fire: CO, CO₂, NO_x

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose of the material collected according to regulations.

(Contd. on page 3)

Safety Data Sheet
according to 1907/2006/EC, as amended by UK REACH
Regulations SI 2019/758

Printing date 11.01.2023

Version number 8

Revision: 01.12.2022

Trade name: ATE Assembly and Preserving Fluid VP 1449/8

(Contd. of page 2)

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling** Open and handle receptacle with care.**Information about fire - and explosion protection:** No special measures required.**7.2 Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** Store cool and dry.**Information about storage in one common storage facility:**

Store away from flammable substances.

Store away from foodstuffs.

Further information about storage conditions:

This product is hygroscopic.

Store in dry conditions.

Storage class according to TRGS 510: 10 combustible liquids.**7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Additional information about design of technical facilities:** No further data; see item 7.**Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls**Personal protective equipment:****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Use skin protection cream for skin protection.

Respiratory protection: Not necessary if room is well-ventilated.**Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

Butyl caoutchouc (butyl rubber): minimum breakthrough time 480 min; minimum layer thickness: 0.7 mm

NBR (nitrile rubber): minimum breakthrough time 30 min; minimum layer thickness: 0.4 mm

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Safety glasses

(Contd. on page 4)



Safety Data Sheet

according to 1907/2006/EC, as amended by UK REACH
Regulations SI 2019/758

Printing date 11.01.2023

Version number 8

Revision: 01.12.2022

Trade name: ATE Assembly and Preserving Fluid VP 1449/8

(Contd. of page 3)

Limitation and supervision of exposure into the environment
See section 6 and 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form:	Fluid
Colour:	Yellow
Odour:	Weak, characteristic
Odour threshold:	Not determined.

pH-value at 20 °C: 8-9 (FMVSS 116)

Change in condition

Melting point/freezing point: <-30 °C (DIN 51583)
Initial boiling point and boiling range: >300 °C (FMVSS 116)

Flash point: >145 °C (DIN EN 22719 - closed cup)

Flammability (solid, gas): Not applicable.

Ignition temperature: >300 °C (DIN 51794)

Decomposition temperature: 345 °C

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined.
Upper: Not determined.

Vapour pressure at 20 °C: 0.1 hPa

Density at 20 °C: 1 g/cm³ (DIN 51757)

Relative density: Not determined.

Vapour density: Not determined.

Evaporation rate: Not determined.

water: Insoluble.

Partition coefficient: n-octanol/water: Not determined.

Viscosity:

Dynamic: Not determined.

Kinematic at 20 °C: 600-800 mm²/s

9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)

Safety Data Sheet

according to 1907/2006/EC, as amended by UK REACH
Regulations SI 2019/758

Printing date 11.01.2023

Version number 8

Revision: 01.12.2022

Trade name: ATE Assembly and Preserving Fluid VP 1449/8

(Contd. of page 4)

10.6 Hazardous decomposition products:Carbon monoxide and carbon dioxide
Nitrogen oxides (NOx)

SECTION 11: Toxicological information

11.1 Information on toxicological effects**Acute toxicity** Based on available data, the classification criteria are not met.**LD/LC50 values relevant for classification:**

Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
------	------	-------------------------------

5892-47-7 2,4,6-Tri-sec-butylphenol

Oral	LD50	>2,000 mg/kg (rat)
------	------	--------------------

15520-05-5 2,2'-(Octylimino)bisethanol

Oral	LD50	1,157 mg/kg (rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)

Primary irritant effect:**Skin corrosion/irritation** Slight irritant effect - does not require labelling.**Serious eye damage/irritation** Based on available data, the classification criteria are not met.**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**Additional toxicological information:****CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)** None.**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity**Aquatic toxicity:**

LC50	>100 mg/L (fish) (OECD 203 96 h)
------	----------------------------------

5892-47-7 2,4,6-Tri-sec-butylphenol

EC50	0.675 mg/l (daphnia) (OECD 202 48 h)
LC50 (static)	2.2-5 mg/L (fish) (OECD 203 96 h)
NOEC	0.0675 mg/L (Algae)
ErC50 (static)	0.391 mg/L (Algae) (OECD 201 72 h)
ErC10 (static)	0.258 mg/L (Algae) (OECD 201 72 h)

15520-05-5 2,2'-(Octylimino)bisethanol

EC50 (static)	1.35 mg/l (Algae) (OECD 201 72 h)
	>100 mg/l (bacteria) (OECD 209)
	19.1 mg/l (daphnia) (OECD 202 48 h)
LC50	22 mg/L (fish) (OECD 203 96 h)
ErC10 (static)	0.402 mg/L (Algae) (OECD 201 72 h)

12.2 Persistence and degradability

This product is, corresponding to the desired stability, heavily biodegradable.

12.3 Bioaccumulative potential No further relevant information available.**12.4 Mobility in soil** No further relevant information available.

(Contd. on page 6)



Safety Data Sheet

according to 1907/2006/EC, as amended by UK REACH
Regulations SI 2019/758

Printing date 11.01.2023

Version number 8

Revision: 01.12.2022

Trade name: ATE Assembly and Preserving Fluid VP 1449/8

(Contd. of page 5)

Additional ecological information:**General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal should be based on the relevant state and local laws and regulations, the disposal process should avoid pollution of the environment.

Recommendation

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

Uncleaned packaging:**Recommendation:**

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

14.1 UN-Number

ADR, IMDG, IATA

UN3082

14.2 UN proper shipping name

ADR

ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S. (2,4,6-Tri-sec-
butylphenol)

IMDG

ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S. (2,4,6-Tri-sec-
butylphenol), MARINE POLLUTANT

IATA

ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S. (containing 2,4,6-
Tri-sec-butylphenol)**14.3 Transport hazard class(es)**

ADR, IMDG, IATA

**Class**9 Miscellaneous dangerous substances and
articles.**Label**

9

14.4 Packing group

ADR, IMDG, IATA

III

14.5 Environmental hazards:Product contains environmentally hazardous
substances: 2,4,6-Tri-sec-butylphenol**Marine pollutant:**

Symbol (fish and tree)

Special marking (ADR):

Symbol (fish and tree)

(Contd. on page 7)

Safety Data Sheet
according to 1907/2006/EC, as amended by UK REACH
Regulations SI 2019/758

Printing date 11.01.2023

Version number 8

Revision: 01.12.2022

Trade name: ATE Assembly and Preserving Fluid VP 1449/8

(Contd. of page 6)

Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
Danger code:	90
EMS Number:	F-A,S-F
Stowage Category	A
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	(-)
Remarks:	Emergency CONTACT (24-Hour-Number) GBK/Infotrac ID 110607: (USA domestic) 1 800 535 5053 or international (001) 352 323 3500 Special Provision 375
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Remarks:	Emergency CONTACT (24-Hour-Number) GBK/Infotrac ID 110607: (USA domestic) 1 800 535 5053 or international (001) 352 323 3500 Special Provision 2.10.2.7
IATA	
Remarks:	Emergency CONTACT (24-Hour-Number) GBK/Infotrac ID 110607: (USA domestic) 1 800 535 5053 or international (001) 352 323 3500 Special Provision A197
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4,6-TRI-SEC-BUTYLPHENOL), 9, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Seveso category E2 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

(Contd. on page 8)

Safety Data Sheet
according to 1907/2006/EC, as amended by UK REACH
Regulations SI 2019/758

Printing date 11.01.2023

Version number 8

Revision: 01.12.2022

Trade name: ATE Assembly and Preserving Fluid VP 1449/8

(Contd. of page 7)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Recommended restriction of use For industrial or professional purposes only.**Department issuing SDS:**

Gefahrstoffmanagement Konzern

ate.sicherheit@contiautomotive.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

Sources<http://echa.europa.eu/information-on-chemicals/cl-inventory><http://echa.europa.eu/web/guest/information-on-chemicals/registered-substances>[http://www.reach-clp-biozid-helpdesk.de/de/Downloads/GB CLP-VO/GB](http://www.reach-clp-biozid-helpdesk.de/de/Downloads/GB_CLP-VO/GB)

CLP_VO_Anhang_VI_Tabelle_3_2.pdf

<http://www.safeworkaustralia.gov.au/>*** Data compared to the previous version altered.**