

Printing date 05.02.2024

Version number 4

Revision: 01.02.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: Original ATE Brake Fluid SUPER DOT 5.1

Article number: 03.9901-66xx.x/7066xx

**1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available. **Application of the substance / the mixture** hydraulic liquid

# 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Continental Aftermarket & Services GmbH Sodener Straße 9 D-65824 Schwalbach am Taunus Tel: +49-6196-87-0

#### Further information obtainable from:

Gefahrstoffmanagement Konzern, Zentrales Materiallabor ate.sicherheit@contiautomotive.com **1.4 Emergency telephone number:** NHS (National Health Service): 111

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Repr. 2 H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

#### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008

The product is classified according to the GB CLP regulation. **Hazard pictograms** GHS08

Signal word Warning

### Hazard-determining components of labelling:

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate

#### Hazard statements

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

#### Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 2.3 Other hazards

## Results of PBT and vPvB assessment

#### PBT: Not applicable.

## vPvB: Not applicable.

(Contd. on page 2)

GB



Printing date 05.02.2024

Version number 4

Revision: 01.02.2024

## Trade name: Original ATE Brake Fluid SUPER DOT 5.1

(Contd. of page 1)

## **SECTION 3: Composition/information on ingredients**

### 3.2 Chemical characterisation: Mixtures

**Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:			
CAS: 30989-05-0 EINECS: 250-418-4 Reg.nr.: 01-2119462824-33- XXXX	Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate Repr. 2, H361fd	<70%	
CAS: 110-97-4 EINECS: 203-820-9 Reg.nr.: 01-21194754444-34- XXXX	1,1'-iminodipropan-2-ol Eye Irrit. 2, H319	<5%	
	Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol	<3%	
	Eye Dam. 1, H318 Specific concentration limits: Eye Dam. 1; H318: C ≥ 30 % Eye Irrit. 2; H319: 20 % ≤ C < 30 %		

Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General information: Remove contaminated clothes and shoes immediately.

After inhalation: Supply fresh air or oxygen; call for doctor.

After skin contact: Immediately wash with water and soap and rinse thoroughly. After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor. **After swallowing:** Call a doctor immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

### Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Nitrogen oxides (NOx)

# 5.3 Advice for firefighters

Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

## Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

(Contd. on page 3)

GB



Printing date 05.02.2024

Version number 4

Revision: 01.02.2024

### Trade name: Original ATE Brake Fluid SUPER DOT 5.1

(Contd. of page 2)

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

### 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose of the material collected according to regulations.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

**7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by storerooms and receptacles:
Keep container tightly closed
Storage at room temperature.
Information about storage in one common storage facility:
Store away from flammable substances.
Store away from foodstuffs.
Further information about storage conditions: This product is hygroscopic.
Storage class according to TRGS 510: 10 combustible liquids.
7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Additional information about design of technical facilities: No further data; see section 7. Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### 8.2 Exposure controls

Personal protective equipment:

#### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Use skin protection cream for skin protection.

#### **Respiratory protection:**

If the occupational exposure limit is exceeded, a suitable respiratory protective device must be worn. Short term filter device:

Filter ABEK

Filter P3

#### Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

GB



Printing date 05.02.2024

Version number 4

Revision: 01.02.2024

# Trade name: Original ATE Brake Fluid SUPER DOT 5.1

	degradation Material of gloves
T O	The selection of the suitable gloves does not only depend on the material, but also on further mark of quality and varies from manufacturer to manufacturer.
	Penetration time of glove material
	3utyl caoutchouc (butyl rubber): minimum breakthrough time 480 min; minimum layer thickness: 0 nm
	NBR (nitrile rubber): minimum breakthrough time 30 min; minimum layer thickness: 0.4 mm
Т	The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
Ε	Eye protection: Safety glasses
E	Body protection: Protective work clothing
	-imitation and supervision of exposure into the environment
	See section 6 and 7. No additional measures necessary.
	Risk management measures
	Ensure that activities are executed by specialists or authorised personnel only.
	Use at industrial site in closed process with occasional controlled exposure or processes with equivalent containment conditions:
1 n	to 3 air changes per hour (90 % effectiveness) - basic standard of general ventilation naximum 8 h exposure duration per day
n	naximum 40 °C process temperature
5	Transfer of substance or mixture into small containers (dedicated filling line, including weighing) 5 to 10 air changes per hour (90 % effectiveness) - good standard of controlled ventilation
n	naximum 1 h exposure duration per day naximum 40 °C process temperature
	Jse of functional fluids in small devices:
	5 to 10 air changes per hour (80 % effectiveness) - good standard of controlled ventilation
	naximum 8 h exposure duration per day
	naximum 40 °C process temperature
	Jse by private consumers.
	Frequency of Exposure: ≤ 1 days per year Supervision in place to check that the risk management measures installed are being used correc
	and operation conditions followed.
	Ensure control measures are regularly inspected and maintained.
_	
6	SECTION 9: Physical and chemical properties

General Information Appearance:		
Form:	Fluid	
Colour:	Yellow	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value (50 g/l) at 20 °C:	9 (ASTM D 1287)	
Change in condition Melting point/freezing point: Initial boiling point and boiling ra	Undetermined. Inge: 270 °C (ASTM D 1120)	
Flash point:	130 °C (DIN EN22719/ISO2719) (closed cup)	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	>450 °C (DSC)	
		(Contd. on page



Printing date 05.02.2024

Version number 4

Revision: 01.02.2024

## Trade name: Original ATE Brake Fluid SUPER DOT 5.1

	(Contd. of page
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	0.27 Pa
Density at 20 °C:	1.06 g/cm³ (DIN 51757)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic at 20 °C:	12.6 mm²/s (DIN 51562)
9.2 Other information	No further relevant information available.

## **SECTION 10: Stability and reactivity**

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:
- Carbon monoxide

Nitrogen oxides (NOx)

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

## LD/LC50 values relevant for classification:

### 30989-05-0 Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate

- Oral | LD50 | >2,000 mg/kg (rat) (OECD 401)
- Dermal LD50 >2,000 mg/kg (rat) (OECD 402)

## 110-97-4 1,1'-iminodipropan-2-ol

- Oral LD50 >2,000 mg/kg (rat) (OECD 401)
- Dermal LD50 >5,000 mg/kg (rabbit)

### Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol

- Oral LD50 >5,000 mg/kg (rat)
- Dermal LD50 >3,000 mg/kg (rabbit)

## Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/irritation Based on available data, the classification criteria are not met. Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 05.02.2024

Version number 4

Revision: 01.02.2024

## Trade name: Original ATE Brake Fluid SUPER DOT 5.1

(Contd. of page 5)

## Additional toxicological information:

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Suspected of damaging fertility. Suspected of damaging the unborn child. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 1	SECTION 12: Ecological information					
12.1 Toxicity						
Aquatic toxic	Aquatic toxicity:					
EC50	>100 mg/l (bacteria) (OECD 209)					
LC50	>100 mg/L (fish) (DIN 38412 96 h)					
30989-05-0 T	ris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate					
EC50	>100 mg/l (Algae) (72 h)					
	>100 mg/l (daphnia) (48 h)					
LC50	>100 mg/L (fish) (96 h)					
•	-iminodipropan-2-ol					
EC50 (static)	>100 mg/l (Algae) (72 h)					
	>100 mg/l (daphnia) (92/69/EWG 48 h)					
· · ·	>100 mg/L (fish) (OECD 203 96 h)					
	Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol					
EC50	>100 mg/l (Algae)					
LC50	>100 mg/L (daphnia)					
	>100 mg/L (fish) (DIN 38412 96 h)					
	12.2 Persistence and degradability No further relevant information available.					
	nation: The product is easily biodegradable.					
	<ol> <li>12.3 Bioaccumulative potential No further relevant information available.</li> <li>12.4 Mobility in soil No further relevant information available.</li> </ol>					
Additional e	Additional ecological information:					
	General notes:					
	Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water					
	Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.					
	12.5 Results of PBT and vPvB assessment					
	PBT: Not applicable.					
vPvB: Not applicable.						
12.6 Other adverse effects No further relevant information available.						

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Disposal should be based on the relevant state and local laws and regulations, the disposal process should avoid pollution of the environment.

### Recommendation

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

(Contd. on page 7)

GB



Printing date 05.02.2024

Version number 4

Revision: 01.02.2024

### Trade name: Original ATE Brake Fluid SUPER DOT 5.1

(Contd. of page 6)

## Uncleaned packaging:

Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

<b>SECTION 14: Transport information</b>	n	
14.1 UN-Number ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to An of Marpol and the IBC Code	nex II Not applicable.	
UN "Model Regulation":	Void	

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Act

#### **Regulated explosives precursors**

None of the ingredients are listed.

### Regulated poisons

None of the ingredients are listed.

## Reportable explosives precursors

None of the ingredients are listed.

## Reportable poisons

None of the ingredients are listed.

#### National regulations:

### Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H318 Causes serious eye damage.

(Contd. on page 8)

GB



Printing date 05.02.2024

Version number 4

Revision: 01.02.2024

# Trade name: Original ATE Brake Fluid SUPER DOT 5.1

	(Contd. of page 7)
H319 Causes serious eye irritation.	
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.	
Recommended restriction of use For industrial or professional purposes only.	
Department issuing SDS:	
Gefahrstoffmanagement Konzern	
ate.sicherheit@contiautomotive.com	
Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agre the International Carriage of Dangerous Goods by Road)	ement Concerning
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Repr. 2: Reproductive toxicity – Category 2	
Sources	
http://echa.europa.eu/information-on-chemicals/cl-inventory	
http://echa.europa.eu/web/guest/information-on-chemicals/registered-substances	
http://www.reach-clp-biozid-helpdesk.de/de/Downloads/GB CLP-VO/GB	
CLP_VO_Anhang_VI_Tabelle_3_2.pdf	
http://www.safeworkaustralia.gov.au/	
* Data compared to the previous version altered.	
	GB