

The right solution for every requirement.



Brakethrough Technology

Top quality for optimum performance.

Wide selection for all applications

ATE SecuBrake

is the new, pioneering brake fluid that combines sustainability and work safety. For the first time, it meets the legal requirements for a DOT 4 brake fluid without containing boric acid esters, and it is manufactured using a certified process with renewable raw materials.

ATE SUPER DOT 5.1

offers top performance in hot as well as cold conditions: very high wet boiling point and low viscosity. Thus it currently complies with the most stringent requirements of vehicle manufacturers. Ideal for vehicles with advanced driver assistance systems like ESP, ABS and ASR.



- | ATE SL as a proven DOT 4 grade, ATE TYPE 200 brake fluid for racing enthusiasts and ATE DOT 3 Blue for classic cars and vehicles for which the manufacturer specifies a DOT 3 brake fluid
- | ATE SL 6 is optimal for ESP, ABS and ASR: low viscosity even at low temperatures, with a fast reaction time
- | Boiling points and viscosities are better than in statutory and technical regulations
- | Protection from corrosion by high-grade additives

BENEFITS

Take a look at Expert Talk to learn more about the various kinds of brake fluids:
www.youtube.com/watch?v=eSxZKAn1fts



Properties of ATE brake fluids

	Boiling point	Wet boiling point	Viscosity at -40 °C
ATE SecuBrake	min. 260 °C	min. 155 °C	max. 700 mm ² /s
ATE SUPER DOT 5.1	min. 265 °C	min. 180 °C	max. 700 mm ² /s
ATE TYP 200 DOT 4 Racing quality	min. 280 °C	min. 198 °C	max. 1,400 mm ² /s
ATE SL 6 DOT 4 Ideal for ESP, ABS, ASR	min. 265 °C	min. 175 °C	max. 700 mm ² /s
ATE SL DOT 4	min. 260 °C	min. 165 °C	max. 1,400 mm ² /s
ATE DOT 3 Blau	min. 245 °C	min. 150 °C	max. 1,500 mm ² /s

Always follow manufacturer's instructions when using brake fluid. To maintain the operational reliability of the brake system, you must change the brake fluid in accordance with the vehicle manufacturer's recommendations on replacement intervals.

ATE service equipment simplifies work.

Of course we also offer devices for testing, bleeding and disposing of brake fluids. The devices work accurately and reliably, are easy to use and their technology is state-of-the-art.

INFORMATIONEN

To learn more about ATE brake fluids go to www.ate-brakes.com/brakefluid.
Information on our service units is available at www.ate-info.de/en.



Type		ATE item code	EAN No. 4006633	Container	Pallet unit
	SAE specification, J1704-FMVSS 116/DOT 4 ISO 4925, Class 4 – low viscosity	706803 03.9901-6803.2	50307 5	5 l	144 cans ³
		706811 03.9901-6811.2	50309 9	20 l	36 cans
	SAE specification, J1704-FMVSS 116/DOT 5.1 ISO 4925, Class 7 – low viscosity	706602 03.9901-6602.2	45757 6	1 l	600 cans ²
		706603 03.9901-6603.2	45759 0	5 l	144 cans ³
		706611 03.9901-6611.2	45761 3	20 l	36 cans
		706620 03.9901-6620.2	48735 1	30 l	22 cans
		706614 03.9901-6614.2	48734 4	50 l	6 cans
	SAE specification, J1704-FMVSS 116/DOT 4 ISO 4925, Class 4	706202 03.9901-6202.2	10825 6	1 l	600 cans ²
		706203 03.9901-6203.2	12166 8	5 l	144 cans ³
		706220 03.9901-6220.2	12780 6	30 l	22 cans
	SAE specification, J1704-FMVSS 116/DOT 4 ISO 4925, Class 6 – low viscosity	706402 03.9901-6402.2	20746 1	1 l	600 cans ²
		706403 03.9901-6403.2	20748 5	5 l	144 cans ³
		706411 03.9901-6411.2	20750 8	20 l	36 cans
		706420 03.9901-6420.2	23120 6	30 l	22 cans
		706414 03.9901-6414.2	23005 6	50 l	6 cans
		706405 03.9901-6405.2	23121 3	200 l	2 items
	SAE specification, J1704-FMVSS 116/DOT 4 ISO 4925, Class 4	705801 03.9901-5801.2	49001 6	1/2 l	1,200 cans ¹
		705802 03.9901-5802.2	49002 3	1 l	600 cans ²
		705803 03.9901-5803.2	49003 0	5 l	144 cans ³
		705811 03.9901-5811.2	29907 7	20 l	36 cans
		705820 03.9901-5820.2	10824 9	30 l	22 cans
		705814 03.9901-5814.2	10366 4	50 l	6 cans
		705805 03.9901-5805.2	49005 4	200 l	2 items
	SAE specification, J1703-FMVSS 116/DOT 3 ISO 4925, Class 3	700301 03.9901-0301.2	10188 2	1/2 l	1,200 cans ¹
		700302 03.9901-0302.2	10190 5	1 l	600 cans ²
		700303 03.9901-0303.2	10192 9	5 l	144 cans ³
		700304 03.9901-0304.2	10194 3	12 oz	2,160 cans ⁴

Item codes may be different for countries of delivery other than Germany.

Pallet unit:

¹ 20 cans per box.
² 10 cans per box.

³ 4 cans per box.
⁴ 60 cans per box.

Continental Aftermarket &
Services GmbH
Sodener Str. 9
65824 Schwalbach
Germany

Phone: +49 6196 87-0

www.ate-brakes.com