

ATE New Parts ATE Neuteile

09/2025



Brakethrough Technology



- EN** Index of vehicles
- DE** Herstellerverzeichnis
- ES** Índice de vehículos
- FR** Liste des véhicules
- IT** Indice autovetture



AUDI 14

80 B4 Avant (8C5)	14
80 B4 Saloon (8C2)	14
A3 (8V1, 8VK)	14
A3 Allstreet (8YJ)	14
A3 Convertible (8V7, 8VE)	14
A3 Limousine (8VS, 8VM)	14
A3 Limousine (8YS, 8YM)	15
A3 Sportback (8PA)	15
A3 Sportback (8VA, 8VF)	15
A3 Sportback (8YA, 8YF)	16
Q2 (GAB, GAG)	16
TT (8J3)	16
TT Roadster (8J9)	16

BMW 16

1 (F20)	16
1 (F21)	17
1 Van (F20)	17
2 Convertible (F23)	17
2 Coupe (F22, F87)	18
2 Coupe (G42, G87)	18
3 (F30, F80)	18
3 (G20, G80, G28)	19
3 Gran Turismo (F34)	19
3 Touring (F31)	20
3 Touring (G21, G81)	20
3 Touring Van (F31)	21
3 Touring Van (G21)	21
4 Convertible (F33, F83)	21
4 Convertible (G23, G83)	21
4 Coupe (F32, F82)	22
4 Coupe (G22, G82)	22
4 Gran Coupe (F36)	22
4 Gran Coupe (G26)	23
5 (F10)	23
5 (G30, F90)	23
5 (G60, G90, G68)	24
5 Sedan (E60)	24
5 Touring (E61)	25
5 Touring (F11)	25
5 Touring (G31)	26
5 Touring Van (G31)	26
6 (E63)	26
6 Convertible (E64)	26
6 Gran Turismo (G32)	26
7 (G11, G12)	27
i4 (G26)	27
X3 (G01, F97, G08)	27
X3 Van (G01)	27
X4 (G02, F98)	27
X5 (G05, F95)	27
X5 Van (G05)	27
X6 (G06, F96)	28

CITROËN 28

C3 AIRCROSS I (2R_, 2C_)	28
C3 AIRCROSS II Van (2C_, 2R_)	28
C4 III (BA_, BB_, BC_)	28

CUPRA 28

ATECA (KH7, KHP, KBP)	28
FORMENTOR (KM7, KMP)	28
LEON (KL1, KU1, KUG)	28
LEON Sportstourer (KL8, KU8, KUD)	29

FORD 29

TOURNEO CONNECT / GRAND	29
TOURNEO CONNECT V761 MPV (SK)	
TRANSIT CONNECT V761 Box Body/MPV (SKN)	29

INFINITI 29

Q30	29
QX30	29



MERCEDES-BENZ 29

A-CLASS (W176)	29
B-CLASS Sports Tourer (W245)	30
B-CLASS Sports Tourer (W246, W242)	30
C-CLASS (W205)	30
C-CLASS Convertible (A205)	30
C-CLASS Coupe (C205)	30
C-CLASS T-Model (S205)	30
CLA Coupe (C117)	30
CLA Shooting Brake (X117)	31
E-CLASS (W213)	31
E-CLASS T-Model (S213)	31
EQC (N293)	31
GLA-CLASS (X156)	31
GLC (X253)	31
GLC Coupe (C253)	32
MARCO POLO Camper (W447)	32
MB-TRAC	32
UNIMOG	32
VALENTE (W447)	33
VITO Mixto (Double Cabin) (W447)	33
VITO Tourer (W447)	33
VITO Van (W447)	33

MINI 33

MINI (F55)	33
MINI (F56)	33
MINI Convertible (F57)	33

MITSUBISHI 34

ASX (GA_W_, XA, XB, XC, XD)	34
ASX Van (GA_W_)	34
ECLIPSE CROSS (GK_, GL_, YA, YB)	34
OUTLANDER III Van (GF_W, GG_W)	34
OUTLANDER III Wagon (GG_W, GF_W, ZJ, ZL, ZK)	34

OPEL 34

CORSA F (P2JO)	34
CROSSLAND X / CROSSLAND (P17, P2QO)	35
CROSSLAND X Van	35
SIGNUM Hatchback (Z03)	35
VECTRA C Estate (Z02)	35

PEUGEOT 35

208 II (UB_, UP_, UW_, UJ_)	35
-----------------------------	----

RENAULT 35

CAPTUR I (J5_, H5_)	35
CLIO IV (BH_)	35
CLIO IV Estate Van (KH_)	36
CLIO IV Grandtour (KH_)	36
CLIO IV Hatchback Van (BH_)	36
ZOE (BFM_)	36

SAAB 36

9-3 (YS3F, E79, D79, D75)	36
9-3 Convertible (YS3F)	36
9-3 Estate (E50)	36

SEAT 36

ATECA (KH7, KHP)	37
LEON (5F1)	37
LEON (KL1, KLG)	37
LEON Hatchback Van (5F1)	37
LEON SC (5F5)	37
LEON Sportstourer (KL8, KLD)	38
LEON ST (5F8)	38
LEON ST Estate Van (5F8)	38



SKODA 38

KAROQ (NU7, ND7)	38
OCTAVIA IV (NX3, NN3, PV3)	39
OCTAVIA IV Combi (NX5, PV5)	39

SUBARU 39

IMPREZA Hatchback (GR, GH, G3, GE)	39
IMPREZA Saloon (GE, GV)	39

TOYOTA 39

C-HR (_X1_)	39
C-HR (_X2_, _H2_)	39
C-HR VAN (_X1_)	39
COROLLA COMMERCIAL (_E21_)	40
COROLLA Estate (_E21_)	40
COROLLA Hatchback (_E21_, _EA1_, _EH_)	40
COROLLA Saloon (_E21_)	40

VAUXHALL 40

CROSSLAND X / CROSSLAND (P17)	40
SIGNUM (Z03)	40
VECTRA Mk II (C) Estate (Z02)	40

VOLVO 41


C40 (539)	41
EX40 (536)	41
S60 III (224)	41
S90 II (234)	41
V60 II (225)	42
V60 II Cross Country (227)	42
V90 II Cross Country (236)	42
V90 II Estate (235)	42
XC40 (536)	43
XC60 II (246)	43
XC90 II (256)	44

VW 44

CADDY CALIFORNIA V Camper (SBB, SBJ)	45
CADDY V Box Body/MPV (SBA, SBH)	44
CADDY V MPV (SBB, SBJ)	44
CC B6 (357)	45
CC B7 (358)	45
GOLF ALLTRACK VIII (CG5)	47
GOLF ALLTRACK VII Variant (BA5, BV5)	47
GOLF IV (1J1)	45
GOLF IV Van (1J1)	45
GOLF SPORTSVAN VII (AM1, AN1)	47
GOLF VAN VII Variant (BA5)	47
GOLF VII (5G1, BQ1, BE1, BE2)	45
GOLF VIII (CD1, DA1)	46
GOLF VIII Variant (CG5, DB5)	47
GOLF VII Van (5G1)	46
GOLF VII Variant (BA5, BV5)	46
PASSAT ALLTRACK B7 Variant (365)	47
PASSAT B6 Sedan (3C2)	47
PASSAT B6 Variant (3C5)	48
PASSAT B7 (362)	48
PASSAT B7 (A32, A33)	48
PASSAT B7 Estate Van (365)	48
PASSAT B7 Variant (365)	48
TAOS (CL1, CP1, CQ1)	49
T-ROC (A11, D11)	49



- EN** Product details
- DE** Produktdetails
- ES** Descripción del producto
- FR** Présentation du produit
- IT** Panoramica prodotti

03.0137-0535.2**650535****Brake Shoe Set**


Test Mark: E11 90R- / 02B01260/35714

Supplementary Article/Supplementary Info: - HEB

MAPP code available:

Width [mm]: 41

Inner brake drum diameter [mm]: 254

SUBARU**13.0460-7373.2****607373****Brake Pad Set, disc brake**

Test Mark: E9 90R-02A1248/5783

Wear Warning Contact: + WE / - WK


Thickness [mm]: 17.2

MAPP code available:

Width [mm]: 155

Height [mm]: 66.9

Brake System: ATE

CUPRA, FORD, VW**13.0460-7377.2****607377****Brake Pad Set, disc brake**

Height 2 [mm]: 75

Thickness 2 [mm]: 18.3

Thickness 1 [mm]: 18.8

MAPP code available:

Brake System: ATE

Test Mark: E1 90R-02A0515/0266


Wear Warning Contact: + WE / - WK

Supplementary Article/Supplementary Info: + Zub

Height 1 [mm]: 75

Width 1 [mm]: 180.1

Width 2 [mm]: 181.5

VOLVO**13.0470-7373.2****LD7373****Brake Pad Set, disc brake**

Thickness [mm]: 17.2

MAPP code available:

Width [mm]: 155

Height [mm]: 66.9

Brake System: ATE

Test Mark: E9 90R-02A1396/5783


Wear Warning Contact: + WE / - WK

Permissible up to vehicle capacity [kW]: 225

CUPRA, FORD, VW

24.0124-0274.2

424274

**Brake Disc**

Bolt Hole Circle Ø [mm]: 120

Bore Diameter [mm]: 14.5

Number of Holes: 5

Centering Diameter [mm]: 75

MAPP code available:

Minimum thickness [mm]: 22.4

Height [mm]: 63.2

Test Mark: E1 90R-02C0504/2520

Machining: HC

Brake Disc Thickness [mm]: 24

Brake Disc Type: two-piece brake disc / Vented

Inner Diameter [mm]: 185

Outer Diameter [mm]: 345


Surface: B

Supplementary Article/Supplementary Info 2: + S

BMW

24.0124-0277.2

424277

**Brake Disc**

Bolt Hole Circle Ø [mm]: 120

Bore Diameter [mm]: 16.5

Number of Holes: 5

Centering Diameter [mm]: 75

MAPP code available:

Minimum thickness [mm]: 22.4

Height [mm]: 66

Test Mark: E1 90R-02C0391/2518

Machining: HC

Brake Disc Thickness [mm]: 24

Brake Disc Type: two-piece brake disc / Vented

Inner Diameter [mm]: 172

Outer Diameter [mm]: 330


Surface: B

Supplementary Article/Supplementary Info 2: + S

BMW

24.0130-0270.2

430270

**Brake Disc**

Bolt Hole Circle Ø [mm]: 112

Bore Diameter [mm]: 16.5

Number of Holes: 5

Centering Diameter [mm]: 67

MAPP code available:

Minimum thickness [mm]: 28.4

Height [mm]: 66.1

Test Mark: E1 90R-02C0391/2529

Machining: HC

Brake Disc Thickness [mm]: 30

Brake Disc Type: two-piece brake disc / Vented

Inner Diameter [mm]: 186.8

Outer Diameter [mm]: 348


Surface: B

Supplementary Article/Supplementary Info 2: + S

BMW

24.0130-0275.2

430275

**Brake Disc**

Bolt Hole Circle Ø [mm]: 120

Bore Diameter [mm]: 16.5

Number of Holes: 5

Centering Diameter [mm]: 79

MAPP code available:

Minimum thickness [mm]: 28.4

Height [mm]: 73.2

Test Mark: E1 90R-02C0391/2524

Machining: HC

Brake Disc Thickness [mm]: 30

Brake Disc Type: two-piece brake disc / Vented

Inner Diameter [mm]: 153.7

Outer Diameter [mm]: 340

Surface: B

Supplementary Article/Supplementary Info 2: + S

BMW

24.0710-2209.3

360746

**Wheel Speed Sensor**

Length [mm]: 1134

MAPP code available:

INFINITI, MERCEDES-BENZ

24.0710-2229.3**360747****Wheel Speed Sensor**

Length [mm]: 1024

MAPP code available:

INFINITI, MERCEDES-BENZ**24.0710-2230.3****360733****Wheel Speed Sensor**

Length [mm]: 700

MAPP code available:

RENAULT**24.3384-1793.5****241285****Brake Caliper**

Exchange Part:

Brake Caliper Type:

Supplementary Article/Supplementary Info: without holder

paired article number: 24.3384-1794.5

Brake System: TRW

Piston Diameter [mm]: 38

AUDI**24.3407-7003.5****241105****Brake Caliper**

Brake Caliper Type: + FSB

Material: ALU

paired article number: 24.3407-7004.5

MAPP code available:

Brake System: ATE

Piston Diameter [mm]: 40

Exchange Part:

Supplementary Article/Supplementary Info: without holder

OPEL, SAAB, VAUXHALL

24.5101-0301.3**331830****Brake Hose**

Internal Thread [mm]: M12x1
External Thread [mm]: M12x1
Length [mm]: 330
MAPP code available:

MERCEDES-BENZ**24.5101-0400.3****331835****Brake Hose**

Internal Thread [mm]: M12x1
External Thread [mm]: M12x1
Length [mm]: 430
MAPP code available:
Spanner Size 1 [mm]: 15
Spanner Size 2 [mm]: 19

MERCEDES-BENZ**24.5140-0494.3****331893****Brake Hose**

Spanner Size: 14
Internal Thread [mm]: M10x1
External Thread [mm]: M10x1
Length [mm]: 495
MAPP code available:

MERCEDES-BENZ**24.5140-0530.3****331881****Brake Hose**

Spanner Size: 14
Internal Thread [mm]: M10x1
External Thread [mm]: M10x1
Length [mm]: 530
MAPP code available:

MERCEDES-BENZ**24.5141-0360.3****331892****Brake Hose**

Spanner Size: 11
Internal Thread [mm]: M10x1
External Thread [mm]: M10x1
Length [mm]: 404.2
MAPP code available:

MINI

24.5141-0505.3**331885****Brake Hose**

Spanner Size: 11

Internal Thread [mm]: M10x1

External Thread [mm]: M10x1

Length [mm]: 545

MAPP code available:

CITROËN, OPEL, VAUXHALL**24.5141-0553.3****331883****Brake Hose**

Spanner Size: 11

Internal Thread [mm]: M10x1

External Thread [mm]: M10x1

Length [mm]: 588

MAPP code available:

BMW**24.5141-0615.3****331865****Brake Hose**

Internal Thread [mm]: M10x1

External Thread [mm]: M10x1

Length [mm]: 615

MAPP code available:

Spanner Size 1 [mm]: 11

Spanner Size 2 [mm]: 17

VW**24.5143-0291.3****331862****Brake Hose**

Internal Thread [mm]: M10x1

Thread Size: M10x1,5

Flange Hole Diameter [mm]: 10

Length [mm]: 293

MAPP code available:

Spanner Size 1 [mm]: 11

Spanner Size 2 [mm]: 17

Supplementary Article/Supplementary Info 2: with banjo bolt

AUDI, CUPRA, SEAT, SKODA, VW

24.5143-0603.3**331859****Brake Hose**

Internal Thread [mm]: M10x1

Thread Size: M10x1,5

Length [mm]: 605

MAPP code available:

Spanner Size 1 [mm]: 11

Spanner Size 2 [mm]: 17

Supplementary Article/Supplementary Info 2: with banjo bolt

VW**24.5151-0640.3****331870****Brake Hose**

Spanner Size: 11

Internal Thread [mm]: M10x1

External Thread [mm]: M10x1

Length [mm]: 650

MAPP code available:

AUDI**24.5265-0553.3****331872****Brake Hose**

Internal Thread [mm]: M10x1

Flange Hole Diameter [mm]: 10

Length [mm]: 565

paired article number: 24.5265-0556.3

MAPP code available:

Supplementary Article/Supplementary Info 2: without banjo bolt

TOYOTA**24.5265-0556.3****331871****Brake Hose**

Internal Thread [mm]: M10x1

Flange Hole Diameter [mm]: 10


Length [mm]: 565

paired article number: 24.5265-0553.3

MAPP code available:

Supplementary Article/Supplementary Info 2: without banjo bolt

TOYOTA

24.5270-0492.3**331889****Brake Hose**

Internal Thread [mm]: M10x1

Thread Size: M10x1,5

Flange Hole Diameter [mm]: 10

Length [mm]: 530

paired article number: 24.5270-0498.3

MAPP code available:

Supplementary Article/Supplementary Info 2: with banjo bolt

CITROËN, OPEL, PEUGEOT**24.5270-0498.3****331890****Brake Hose**

Internal Thread [mm]: M10x1

Thread Size: M10x1,5

Flange Hole Diameter [mm]: 10

Length [mm]: 530

paired article number: 24.5270-0492.3

MAPP code available:

Supplementary Article/Supplementary Info 2: with banjo bolt

CITROËN, OPEL, PEUGEOT**24.5275-0260.3****331882****Brake Hose**

Internal Thread [mm]: M10x1

Flange Hole Diameter [mm]: 10

Length [mm]: 260

MAPP code available:

Supplementary Article/Supplementary Info 2: without banjo bolt

MITSUBISHI



EN Applications of vehicles

DE Fahrzeugverwendungen

ES Aplicaciones

FR Applications

IT Applicazioni autoveicoli

	kW			 	! #		
AUDI - 80 B4 Avant (8C5) 09/91→01/96							
 Brake Caliper							
2.0 E 16V quattro 2.3 E quattro 2.8 quattro S2 quattro	103 98 128 169	12/92→07/95 09/91→11/94 08/92→07/95 02/93→07/95	➡			24.3384-1793.5 241285	TRW without holder
2.0 quattro	79	11/93→01/96	➡	→ 12/95; 		24.3384-1793.5 241285	TRW without holder
2.6 quattro	110	07/92→07/95	➡	08/92→; 		24.3384-1793.5 241285	TRW without holder
AUDI - 80 B4 Saloon (8C2) 09/91→07/95							
 Brake Caliper							
2.0 E 16V quattro 2.0 E quattro 2.3 E quattro 2.8 quattro S2 quattro	103 85 98 128 169	04/92→12/94 09/91→12/94 09/91→12/94 09/91→12/94 02/93→12/94	➡			24.3384-1793.5 241285	TRW without holder
2.6 quattro	110	06/92→12/94	➡	08/92→; 		24.3384-1793.5 241285	TRW without holder
AUDI - A3 (8V1, 8VK) 04/12→10/20							
 Brake Hose							
1.0 TFSI 1.2 TFSI 1.4 TFSI 1.4 TSI 1.5 TFSI 1.6 TDI 1.8 TFSI 1.8 TFSI quattro 2.0 TDI 2.0 TDI quattro 2.0 TFSI 2.0 TFSI quattro S3 quattro	85 77 - 81 90 - 103 110 110 77 - 85 132 132 81 - 135 110 - 135 140 140 206 - 228	07/16→12/17 02/13→08/16 04/12→08/16 05/14→12/17 05/17→12/17 10/12→10/20 04/12→08/16 08/12→08/16 04/12→10/20 10/12→12/17 05/16→12/17 05/16→12/17 11/12→12/17	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
AUDI - A3 Allstreet (8YJ) 02/24→							
 Brake Hose							
35 TDi 35 TFSi 35 TFSi Mild Hybrid 40 TFSi e	110 110 110 150	02/24→ 09/24→ 02/24→ 11/24→	➡		2	24.5143-0291.3 331862	L= 293
AUDI - A3 Convertible (8V7, 8VE) 10/13→04/21							
 Brake Hose							
1.4 TFSI 1.4 TSI 1.5 TFSI 1.6 TDI 1.8 TFSI 1.8 TFSI quattro 2.0 TDI 2.0 TDI quattro 2.0 TFSI 2.0 TFSI quattro 35 TFSi 40 TFSi 40 TFSi quattro S3 quattro	85 - 103 110 110 81 - 85 125 - 132 132 100 - 135 110 - 135 140 140 - 162 110 140 140 210 - 228	10/13→10/20 05/14→10/20 05/17→10/18 02/14→10/20 10/13→10/20 03/14→07/16 10/13→10/20 03/14→10/20 05/16→10/20 05/14→10/20 10/18→10/20 11/18→10/20 11/18→10/20 03/14→10/20	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
AUDI - A3 Limousine (8VS, 8VM) 05/13→08/21							
 Brake Hose							
1.0 TFSI 1.2 TFSI 1.4 TFSI	85 77 - 81 90 - 103	07/16→10/20 10/13→08/16 05/13→10/20	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
→							

	kW			 	! #		
AUDI - A3 Limousine (8VS, 8VM) 05/13→08/21							
 Brake Hose							
1.4 TSI 1.5 TFSI 1.6 TDI 1.6 TDI quattro 1.8 TFSI 1.8 TFSI quattro 2.0 TDI 2.0 TDI quattro 2.0 TFSI 2.0 TFSI quattro 30 TDI 30 TFSI 35 TDI 35 TFSI 40 TDI quattro 40 TFSI 40 TFSI quattro RS3 quattro S3 quattro	110 110 77 - 85 81 125 - 132 132 81 - 135 110 - 135 140 - 162 140 85 85 110 110 135 140 140 294 206 - 228	05/14→10/20 05/17→10/18 09/13→10/20 05/15→08/16 05/13→10/20 11/13→08/16 05/13→10/20 10/13→10/20 11/15→10/20 05/16→10/20 07/18→10/20 07/18→10/20 07/18→10/20 10/18→10/20 07/18→07/19 07/18→10/20 07/18→10/20 07/18→10/20 04/17→10/20 10/13→10/20	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
AUDI - A3 Limousine (8YS, 8YM) 03/20→							
 Brake Hose							
30 TDI 30 TFSI 30 TFSI Mild Hybrid 35 TDI 35 TFSi 35 TFSI 35 TFSI Mild Hybrid 40 TDI quattro 40 TFSI quattro S3 TFSI quattro	85 81 - 85 81 - 85 110 110 110 110 147 140 228 - 245	06/20→ 06/20→ 06/20→ 04/20→ 08/20→ 04/20→ 04/20→ 12/20→ 07/21→ 06/20→	➡		2	24.5143-0291.3 331862	L= 293
AUDI - A3 Sportback (8PA) 09/04→12/15							
 Brake Hose							
RS3 quattro	250	01/11→12/12	➡	04/11→	2	24.5151-0640.3 331870	L= 650
AUDI - A3 Sportback (8VA, 8VF) 09/12→08/21							
 Brake Hose							
1.0 TFSI 1.2 TFSI 1.4 TFSI 1.4 TFSI e-tron 1.4 TFSI g-tron 1.4 TSI 1.5 TFSI 1.6 TDI 1.6 TDI quattro 1.8 TFSI 1.8 TFSI quattro 2.0 TDI 2.0 TDI quattro 2.0 TFSI 2.0 TFSI quattro 30 g-tron 30 TDI 30 TFSI 35 TDI 35 TFSI 40 e-tron 40 TDI quattro 40 TFSI 40 TFSI quattro RS3 quattro S3 quattro	85 77 - 81 90 - 103 150 81 110 110 77 - 85 81 132 132 81 - 135 110 - 135 140 140 96 85 85 110 110 150 135 140 140 140 270 - 294 206 - 228	07/16→10/20 05/13→08/16 09/12→10/20 05/14→10/20 11/13→10/20 05/14→10/20 05/17→10/18 10/12→10/20 05/15→08/16 09/12→08/16 05/13→08/16 09/12→10/20 02/13→10/20 05/16→10/20 05/16→10/20 11/18→10/20 07/18→10/20 07/18→10/20 07/18→10/20 10/18→10/20 07/18→10/20 07/18→10/20 07/18→10/20 07/18→10/20 07/18→10/20 03/15→10/20 11/12→10/20	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293

	kW			 	! #		
AUDI - A3 Sportback (8YA, 8YF) 11/19→							
 Brake Hose							
30 g-tron 30 TDI 30 TFSI 30 TFSI Mild Hybrid 35 TDI 35 TFSi 35 TFSI 35 TFSI Mild Hybrid 40 TDI quattro 40 TFSI 40 TFSI quattro 45 TFSI S3 TFSI quattro	96 85 81 81 110 110 110 110 147 150 140 180 228 - 245	07/20→ 11/19→ 06/20→ 06/20→ 11/19→ 08/21→ 11/19→ 04/20→ 12/20→ 06/20→ 07/21→ 07/21→ 06/20→	→		2	24.5143-0291.3 331862	L= 293
AUDI - Q2 (GAB, GAG) 06/16→							
 Brake Hose							
1.0 TFSI 1.4 TFSI 1.6 TDI 2.0 TDI 30 TDI 30 TFSI 35 TDI 35 TFSI	85 110 85 110 85 81 - 85 110 110	10/16→10/20 06/16→08/18 06/16→07/18 09/16→ 07/18→ 07/18→ 09/16→ 07/18→	→		2	24.5143-0291.3 331862	L= 293
AUDI - TT (8J3) 07/06→02/15							
 Brake Hose							
2.5 RS quattro	250 - 265	07/09→06/14	←		2	24.5151-0640.3 331870	L= 650
AUDI - TT Roadster (8J9) 03/07→09/14							
 Brake Hose							
2.5 RS quattro	250 - 265	07/09→06/14	←		2	24.5151-0640.3 331870	L= 650
BMW - 1 (F20) 07/11→06/19							
 Brake Disc							
114 d 116 d 116 i 118 d 118 d xDrive 118 i 120 d 120 d xDrive 120 i 125 d 125 i	70 85 80 - 100 100 - 110 105 - 110 100 140 - 151 135 - 151 130 - 135 155 - 165 160 - 175	11/12→06/19 07/11→06/19 07/11→06/19 07/11→06/19 07/13→06/19 03/15→06/19 03/15→06/19 11/12→06/19 03/15→06/19 03/12→06/19 03/12→06/19	←	for vehicles with M-sport brakes		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
114 i	75	07/12→02/15	←	09/12→; for vehicles with M-sport brakes		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
M 135 i	235	07/12→02/15	←	09/12→		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
M 135 i M 135 i xDrive M 140 i M 140 i xDrive	240 235 - 240 250 250	03/15→06/16 11/12→06/16 07/16→06/19 07/16→06/19	←			24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S

	kW			 	! #		
BMW - 1 (F21) 12/11→12/19							
 Brake Disc							
114 d 116 d 116 i 118 d 118 d xDrive 118 i 120 d 120 d xDrive 120 i 125 d 125 i	70 85 80 - 100 100 - 110 105 - 110 100 140 - 151 140 - 151 130 - 135 165 165 - 175	06/15→05/19 12/11→05/19 12/11→06/19 12/11→06/19 05/13→05/19 03/15→06/19 03/15→06/19 03/15→06/19 03/15→06/19 03/15→05/19 03/13→06/19	←	for vehicles with M-sport brakes		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
114 d	70	07/12→05/19	←	10/12→; for vehicles with M-sport brakes		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
114 i	75	07/12→01/15	←	09/12→; for vehicles with M-sport brakes		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
120 d xDrive	135 - 147	01/12→02/15	←	07/12→; for vehicles with M-sport brakes		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
125 d 125 i	155 - 160 160	12/11→05/19 12/11→12/19	←	03/12→; for vehicles with M-sport brakes		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
M 135 i	235	12/11→06/16	←	09/12→		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
M 135 i M 135 i xDrive M 140 i M 140 i xDrive	240 240 250 250	03/15→06/16 03/15→06/16 10/15→06/19 09/15→06/19	←			24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
M 135 i xDrive	235	02/12→06/16	←	07/12→		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
BMW - 1 Van (F20) 03/15→06/19							
 Brake Disc							
118 d 118 i 120 d 120 i	110 100 140 135	03/15→06/19 07/15→06/19 03/15→06/19 07/16→06/19	←	for vehicles with M-sport brakes		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
M 140 i	250	07/16→06/19	←			24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
BMW - 2 Convertible (F23) 03/14→06/21							
 Brake Disc							
218 d 218 i 220 i 225 d 225 i 228 i 230 i	100 - 110 100 135 165 135 180 185	07/15→09/20 03/15→06/21 09/15→06/21 07/15→05/19 10/17→06/21 11/14→06/16 07/16→06/21	←	+ Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
220 d 220 i	120 - 151 135	03/14→09/20 04/14→06/21	←	11/14→; + Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
M 235 i M 235 i xDrive M 240 i M 240 i xDrive	240 240 250 250	11/14→06/16 07/15→06/16 09/15→06/21 09/15→06/21	←			24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S

	kW			 	! #		
BMW - 2 Coupe (F22, F87) 10/12→06/21							
 Brake Disc							
218 d 218 i 220 d 220 d xDrive 220 i 225 d 225 i 228 i 230 i	100 - 110 100 120 - 135 120 135 160 - 165 135 180 185	03/14→09/20 03/15→06/21 10/13→09/20 03/15→09/20 10/13→06/21 01/14→05/19 10/17→06/21 07/14→06/16 07/16→06/21	←	+ Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
220 d	140 - 151	03/14→09/20	←	11/14→; + Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
220 d	147	10/12→11/14	←	10/13→; + Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
220 d xDrive	140 - 151	06/14→09/20	←	03/15→; + Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
M 235 i M 235 i xDrive M 240 i M 240 i xDrive	240 240 250 250	10/13→06/16 07/14→06/16 09/15→06/21 09/15→06/21	←			24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
BMW - 2 Coupe (G42, G87) 08/21→							
 Brake Disc							
230 i	180	04/22→	←	for vehicles without M-sport brakes		24.0130-0270.2 430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
BMW - 3 (F30, F80) 11/11→10/18							
 Brake Disc							
316 d 318 d 318 d xDrive 318 i 320 d 320 d xDrive 320 i 320 i xDrive	85 100 - 110 105 - 110 100 140 120 - 147 134 - 135 135	03/12→10/18 03/12→10/18 07/13→02/18 07/15→10/18 07/15→10/18 08/12→10/18 03/12→10/18 07/12→10/18	←	+ Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
316 i	100	07/12→08/16	←	11/12→; + Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
320 d	120 - 147	11/11→10/18	←	02/12→; + Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
330 e	185	11/15→10/18	←	01/16→; + Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
335 d xDrive 335 i 335 i xDrive 340 i 340 i xDrive ActiveHybrid	230 250 225 - 250 240 - 265 240 - 265 250	07/13→10/18 07/13→07/15 07/12→07/15 07/15→10/18 07/15→10/18 07/12→06/15	←	- Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
335 i	225 - 240	11/11→07/15	←	02/12→; - Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S

	kW			 	! #		
BMW - 3 (G20, G80, G28) 11/18→							
 Brake Disc							
320 i xDrive 330 d 330 d Mild-Hybrid 330 d Mild-Hybrid xDrive 330 d xDrive 330 e Plug-in-Hybrid 330 e Plug-in-Hybrid xDrive 330 i 330 i xDrive	135 195 210 210 195 215 215 180 - 190 180 - 190	07/19→ 03/19→ 11/20→ 11/20→ 07/19→ 07/19→ 07/20→ 11/18→ 11/18→	←	for vehicles without M-sport brakes		24.0130-0270.2 430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
 Brake Hose							
316 d 316 d Mild-Hybrid 318 d 318 d Mild-Hybrid 318 i 320 d 320 d Mild-Hybrid 320 d Mild-Hybrid xDrive 320 d xDrive 320 e Plug-in-Hybrid 320 i 320 i 1.6 320 i xDrive 330 d 330 d Mild-Hybrid 330 d Mild-Hybrid xDrive 330 d xDrive 330 e Plug-in-Hybrid 330 e Plug-in-Hybrid xDrive 330 i 330 i xDrive M340 d Mild-Hybrid xDrive M 340 i M 340 i Mild-Hybrid xDrive M 340 i xDrive	85 - 90 85 - 90 100 - 110 100 - 110 115 120 - 140 120 - 140 120 - 140 120 - 140 150 135 125 135 195 210 210 195 215 215 180 - 190 180 - 190 250 285 275 275 - 285	03/20→ 08/20→ 03/19→03/20 04/20→ 03/20→ 11/18→ 03/20→ 03/20→ 11/18→02/20 07/20→ 03/19→ 03/19→ 07/19→ 03/19→ 11/20→ 11/20→ 07/19→ 07/19→ 07/20→ 11/18→ 11/18→ 04/20→ 03/19→ 11/20→ 03/19→	←		2	24.5141-0553.3 331883	L= 588
BMW - 3 Gran Turismo (F34) 07/12→							
 Brake Disc							
318 d 320 d 320 d xDrive 320 i 320 i xDrive	100 - 110 120 - 147 120 - 147 120 - 135 120 - 135	03/13→ 03/13→ 07/13→ 03/13→ 07/13→	←	+ Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
320 i xDrive	135	11/12→06/16	←	03/13→; + Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
335 d xDrive 335 i 335 i xDrive 340 i 340 i xDrive	230 225 - 250 225 - 250 240 - 265 240 - 265	03/14→ 03/13→06/16 03/13→06/16 07/16→ 07/16→	←	- Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S

	kW			 	! #		
BMW - 3 Touring (F31) 07/12→06/19							
 Brake Disc							
316 d 316 i 318 d 318 d xDrive 318 i 320 d 320 i 320 i xDrive	85 100 100 - 110 105 - 110 100 120 120 - 135 120 - 135	11/12→06/19 03/13→06/15 11/12→06/19 07/13→02/18 07/15→06/19 07/12→06/19 11/12→06/19 03/13→06/19	←	+ Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
320 d 320 d xDrive 328 i xDrive	135 - 147 120 - 147 180	07/12→06/19 03/13→06/19 03/13→06/16	←	+ Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
			←	for vehicles with reinforced brakes		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
325 d	155 - 160	03/13→02/16	←	04/13→; for vehicles with reinforced brakes		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
325 d 328 i 330 d 330 d xDrive	165 180 190 190	03/16→02/18 07/12→06/15 07/12→06/19 03/13→06/19	←	for vehicles with reinforced brakes		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
330 d 330 d M Performance Power Kit xDrive	210 210	07/12→06/19 03/13→06/19	←	09/15→; for vehicles with reinforced brakes		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
335 d xDrive 335 i 335 i xDrive 340 i 340 i xDrive	230 225 - 250 225 - 250 240 - 265 240 - 265	11/13→06/19 03/13→06/15 03/13→06/15 07/15→06/19 07/15→06/19	←	- Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
BMW - 3 Touring (G21, G81) 07/19→							
 Brake Disc							
330 d 330 d Mild-Hybrid 330 d Mild-Hybrid xDrive 330 d xDrive 330 e Plug-in-Hybrid 330 e Plug-in-Hybrid xDrive 330 i 330 i xDrive	195 210 210 195 215 215 180 - 190 180 - 190	11/19→ 11/20→ 11/20→ 07/19→ 07/20→ 07/20→ 07/19→ 07/19→	←	for vehicles without M-sport brakes		24.0130-0270.2 430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
 Brake Hose							
316 d 316 d Mild-Hybrid 318 d 318 d Mild-Hybrid 318 i 320 d 320 d Mild-Hybrid 320 d Mild-Hybrid xDrive 320 d xDrive 320 e Plug-in-Hybrid 320 e Plug-in-Hybrid xDrive 320 i 330 d 330 d Mild-Hybrid →	85 - 90 85 - 90 100 - 110 100 - 110 115 120 - 140 120 - 140 120 - 140 120 - 140 150 150 135 195 210	11/20→ 07/20→ 11/19→07/20 08/20→ 03/20→ 07/19→02/20 03/20→ 03/20→ 07/19→02/20 07/20→ 03/21→ 11/19→ 11/19→ 11/20→	←		2	24.5141-0553.3 331883	L= 588

	kW			 	! #								
BMW - 3 Touring (G21, G81) 07/19→													
 Brake Hose													
330 d Mild-Hybrid xDrive	210	11/20→			2	24.5141-0553.3	331883	L= 588					
330 d xDrive	195	07/19→											
330 e Plug-in-Hybrid	215	07/20→											
330 e Plug-in-Hybrid xDrive	215	07/20→											
330 i	180 -	07/19→											
	190												
330 i xDrive	180 -	07/19→											
	190												
M 340 d Mild-Hybrid xDrive	250	04/20→											
M 340 i Mild-Hybrid xDrive	275	11/20→											
M 340 i xDrive	275 -	11/19→											
	285												
M3 Competition xDrive	375	07/22→07/24											
BMW - 3 Touring Van (F31) 07/12→06/19													
 Brake Disc													
330 d	190	07/12→06/19		for vehicles with reinforced brakes		24.0130-0275.2	430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S					
330 d xDrive	190	03/13→06/19											
340 i	240	07/15→06/19		- Performance Parts		24.0130-0275.2	430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S					
BMW - 3 Touring Van (G21) 07/19→													
 Brake Disc													
330 d	195	11/19→		for vehicles without M-sport brakes		24.0130-0270.2	430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S					
330 d xDrive	195	11/19→											
330 i	190	07/19→											
 Brake Hose													
318 d	110	11/19→06/22			2	24.5141-0553.3	331883	L= 588					
320 d	140	07/19→02/20											
320 d Mild-Hybrid	140	03/20→											
320 d Mild-Hybrid xDrive	140	03/20→											
320 d xDrive	140	07/19→02/20											
320 i	135	11/19→											
330 d	195	11/19→											
330 d xDrive	195	11/19→											
330 i	190	07/19→											
M 340 i xDrive	275	11/19→											
BMW - 4 Convertible (F33, F83) 10/13→08/20													
 Brake Disc													
420 d	120 -	10/13→07/20		+ Performance Parts		24.0130-0275.2	430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S					
	151												
420 i	120 -	07/14→07/20											
	135												
425 i	135	06/17→07/20											
435 d xDrive	230	07/14→07/20		- Performance Parts		24.0130-0275.2	430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S					
435 i	225 -	11/13→02/16											
	250												
435 i xDrive	225 -	07/14→02/16											
	250												
440 i	240 -	03/16→07/20											
	265												
440 i xDrive	240 -	03/16→07/20											
	265												
BMW - 4 Convertible (G23, G83) 11/20→													
 Brake Disc													
430 d Mild-Hybrid	210	07/21→		for vehicles without M-sport brakes		24.0130-0270.2	430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S					
430 i	180 -	11/20→											
	190												
430 i xDrive	180	07/21→											
 Brake Hose													
420 d Mild-Hybrid	120 -	11/20→			2	24.5141-0553.3	331883	L= 588					
	140												
420 i	135	11/20→											
430 d Mild-Hybrid	210	07/21→											
→													

	kW			 	! #		
BMW - 4 Convertible (G23, G83) 11/20→							
 Brake Hose							
430 i	180 - 190	11/20→	←		2	24.5141-0553.3 331883	L= 588
430 i xDrive	180	07/21→					
M440 d Mild-Hybrid xDrive	250	11/21→					
M 440 i Mild-Hybrid xDrive	275	07/21→					
M 440 i Mild-Hybrid xDrive	275 - 285	11/20→					
M4 Competition M xDrive	375	07/21→02/24					
BMW - 4 Coupe (F32, F82) 07/13→06/20							
 Brake Disc							
418 d	100 - 110	03/15→10/17	←	+ Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
418 i	100	03/16→06/20					
420 d	120 - 147	07/13→06/20					
420 d xDrive	120 - 147	11/13→06/20					
420 i	120 - 135	11/13→06/20					
420 i xDrive	120 - 135	11/13→06/20					
425 i	135	06/17→06/20					
435 d xDrive	230	11/13→06/20	←	- Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
435 i	225 - 250	07/13→02/16					
435 i xDrive	225 - 250	07/13→02/16					
440 i	240 - 265	03/16→06/20					
440 i xDrive	240 - 265	03/16→06/20					
BMW - 4 Coupe (G22, G82) 07/20→							
 Brake Disc							
430 d Mild-Hybrid xDrive	210	03/21→	←	for vehicles without M-sport brakes		24.0130-0270.2 430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
430 i	180 - 190	07/20→					
430 i xDrive	180 - 190	07/20→					
 Brake Hose							
3.0 CSL	412	11/22→02/23	←		2	24.5141-0553.3 331883	L= 588
420 d Mild-Hybrid	120 - 140	07/20→					
420 d Mild-Hybrid xDrive	140	07/20→					
420 i	135	07/20→					
420 i 1.6	125	11/20→					
420 i xDrive	135	07/21→					
430 d Mild-Hybrid xDrive	210	03/21→					
430 i	180 - 190	07/20→					
430 i xDrive	180 - 190	07/20→					
M4	353	11/20→					
M440 d Mild-Hybrid xDrive	250	03/21→					
M 440 i Mild-Hybrid xDrive	275	07/21→					
M 440 i Mild-Hybrid xDrive	275 - 285	07/20→					
M4 Competition xDrive	375	11/20→					
M4 Competition M xDrive	375	05/21→02/24					
M4 CSL	405	05/22→02/23					
BMW - 4 Gran Coupe (F36) 03/14→05/21							
 Brake Disc							
418 d	100 - 110	03/14→12/20	←	+ Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
418 i	100	07/15→12/20					
420 d	120 - 147	03/14→12/20					
420 d xDrive	120 - 147	03/14→12/20					
420 i	120 - 135	03/14→05/21					
→							

	kW			 	! #		
BMW - 4 Gran Coupe (F36) 03/14→05/21							
 Brake Disc							
420 i xDrive	120 - 135	07/14→05/21	←	+ Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
425 i	135	06/17→12/20					
435 d xDrive	230	07/14→12/20	←	- Performance Parts		24.0130-0275.2 430275	Ø 340 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
435 i	225 - 250	03/14→02/16					
435 i xDrive	225 - 250	07/14→02/16					
440 i	240 - 265	03/16→05/21					
440 i xDrive	240 - 265	03/16→05/21					
BMW - 4 Gran Coupe (G26) 07/21→							
 Brake Hose							
420 d Mild-Hybrid	140	07/21→	←		2	24.5141-0553.3 331883	L= 588
420 d Mild-Hybrid xDrive	140	07/21→					
420 i	135	07/21→					
430 d Mild-Hybrid xDrive	210	05/22→					
430 i	180	07/21→					
430 i xDrive	180 - 190	07/21→					
M440 i Mild-Hybrid	275	09/22→					
M440 i Mild-Hybrid xDrive	275	07/21→					
BMW - 5 (F10) 01/09→10/16							
 Brake Disc							
518 d	100 - 110	07/13→10/16	←			24.0124-0277.2 424277	Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
520 d	100 - 151	06/10→10/16					
520 d xDrive	100 - 151	01/13→10/16					
520 i	120 - 135	09/11→10/16					
518 d	120	10/13→10/16	←	07/14→		24.0124-0277.2 424277	Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
520 d	155	10/13→10/16					
520 d xDrive	155	10/13→10/16					
520 d xDrive	147	01/13→06/14	←	02/13→		24.0124-0277.2 424277	Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
523 i	150 - 155	06/09→08/11	←	03/10→		24.0124-0277.2 424277	Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
530 i	190 - 200	03/10→06/13	←	09/11→		24.0124-0277.2 424277	Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
BMW - 5 (G30, F90) 09/16→							
 Brake Disc							
520 E PLUG-IN-HYBRID	150	03/21→05/22	←	for vehicles without M-sport brakes		24.0130-0270.2 430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
525 d	170	07/17→06/19					
530 d	195	09/16→06/20					
530 d Mild-Hybrid	183 - 210	07/20→06/23					
530 d Mild-Hybrid xDrive	183 - 210	07/20→06/23					
530 d xDrive	183 - 195	09/16→06/20					
530 e Plug-in Hybrid	185	03/17→06/20					
530 e Plug-in-Hybrid	170 - 215	07/19→06/23					
530 e Plug-in-Hybrid xDrive	170 - 215	03/17→06/23					
530 i	180 - 185	09/16→06/23					
530 i Mild-Hybrid	180 - 185	07/20→06/23					
530 i Mild-Hybrid xDrive	180 - 185	07/20→06/23					
530 i xDrive	180 - 185	09/16→06/23					
→							

	kW			 	! #		
BMW - 5 (G30, F90) 09/16→							
 Brake Disc							
525 d	155	07/17→06/19	←			24.0130-0270.2 430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
BMW - 5 (G60, G90, G68) 07/23→							
 Brake Disc							
520 d Mild-Hybrid	128 - 145	07/23→	←	for vehicles with M-sport brakes		24.0130-0270.2 430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
520 d xDrive Mild-Hybrid	145	07/23→					
520 i Mild-Hybrid	133 - 153	07/23→					
523 d Mild-Hybrid	145	07/23→					
523 d Mild-Hybrid xDrive	145	07/23→					
530e Plug-in Hybrid	220	11/23→					
BMW - 5 Sedan (E60) 12/01→03/10							
 Brake Disc							
525 d	145	01/07→03/10	→	03/07→ 02/10; for government vehicles		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
525 i	137 - 160	07/03→12/09	→	03/07→; Engine Code: N53; for government vehicles		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
525 i	155 - 160	07/05→03/10	→	03/07→ 02/10; Engine Code: N53; for government vehicles		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
525 i	160	03/05→03/07	→	07/05→; for government vehicles		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
530 i	190	03/05→03/07					
528 i	172	03/07→12/09	→	Engine Code: N53		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
530 i	200	03/07→12/09					
			→	for government vehicles; Engine Code: N52N		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
530 d	155 - 160	09/02→12/09	→	07/03→; for government vehicles; → 08/05		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
530 d	170	09/05→03/07	→	for government vehicles		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
530 d	173	02/07→12/09	→	03/07→; for government vehicles		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
530 i	187	03/05→03/10	→	07/05→ 03/07; for government vehicles		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
535 d	200	09/04→03/10	→	→ 03/07		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
535 d	210	01/07→03/10	→	03/07→ 02/10		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
535 i	225	04/06→12/09	→			24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
540 i	220 - 225	09/05→12/09					
545 i	245	07/03→08/05					
550 i	270	09/05→12/09					

	kW			 	! #		
BMW - 5 Touring (E61) 03/04→12/10							
 Brake Disc							
525 d	145	03/07→05/10	➡	for government vehicles		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
525 i	155 - 160	03/05→05/10	➡	03/07→; for government vehicles; Engine Code: N53		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
525 i	155 - 160	01/07→12/10	➡	03/07→ 05/10; for government vehicles; Engine Code: N53		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
530 d	155 - 160	03/04→05/10	➡	05/04→; for government vehicles		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
530 d	170	02/05→02/07	➡	07/05→; for government vehicles		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
530 d	173	02/07→05/10	➡	03/07→; for government vehicles		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
530 i	200	09/06→03/10	➡	03/07→; for government vehicles; Engine Code: N52N		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
			➡	03/07→; Engine Code: N53		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
530 i	200	01/07→12/10	➡	03/07→ 05/10; for government vehicles; Engine Code: N52N		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
			➡	03/07→ 05/10; Engine Code: N53		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
535 d	200	09/04→12/10	➡	→ 03/07		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
535 d	210	01/07→12/10	➡	03/07→ 05/10		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
545 i	245	06/04→12/10	➡	→ 08/05		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
550 i	270	07/05→12/10	➡	→ 05/10		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
BMW - 5 Touring (F11) 11/09→02/17							
 Brake Disc							
518 d	100 - 120	07/13→02/17	⬅	not for vehicles with reinforced brakes		24.0124-0277.2 424277	Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
520 d	140 - 155	07/14→02/17					
520 d xDrive	100 - 155	07/13→02/17					
520 d	100 - 147	06/10→02/17	⬅	09/10→; not for vehicles with reinforced brakes		24.0124-0277.2 424277	Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
520 i	120	09/11→02/17	⬅			24.0124-0277.2 424277	Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
→							

	kW			 	! #		
BMW - 5 Touring (F11) 11/09→02/17							
 Brake Disc							
520 i	135	10/10→02/17	←	09/11→		24.0124-0277.2 424277	Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
523 i	150	11/09→08/11	←	09/10→		24.0124-0277.2 424277	Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
BMW - 5 Touring (G31) 03/17→							
 Brake Disc							
520 E PLUG-IN-HYBRID	150	03/21→05/22	←	for vehicles without M-sport brakes		24.0130-0270.2 430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
525 d	155 - 170	07/17→06/19					
530 d	195	03/17→06/20					
530 d Mild-Hybrid	183 - 210	07/20→					
530 d Mild-Hybrid xDrive	183 - 210	07/20→					
530 d xDrive	195	03/17→06/20					
530 e Plug-in-Hybrid	200 - 215	11/20→					
530 e Plug-in-Hybrid xDrive	200 - 215	11/20→					
530 i	180 - 185	03/17→					
530 i Mild-Hybrid	180 - 185	07/20→					
530 i Mild-Hybrid xDrive	180 - 185	07/20→					
530 i xDrive	180 - 185	07/17→					
BMW - 5 Touring Van (G31) 03/17→							
 Brake Disc							
530 d	195	03/17→	←	for vehicles without M-sport brakes		24.0130-0270.2 430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
530 d xDrive	195	03/17→					
530 i	185	03/17→					
530 i xDrive	185	07/17→					
BMW - 6 (E63) 09/03→12/10							
 Brake Disc							
630 i	200	09/07→08/10	→			24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
645 Ci	245	09/03→08/05					
650 i	270	09/05→08/10					
635 d	210	07/07→07/10	→	09/07→		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
BMW - 6 Convertible (E64) 03/04→12/10							
 Brake Disc							
630 i	200	09/07→08/10	→			24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
645 Ci	245	04/04→08/05					
650 i	270	09/05→08/10					
635 d	210	07/07→07/10	→	09/07→		24.0124-0274.2 424274	Ø 345 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
BMW - 6 Gran Turismo (G32) 06/17→							
 Brake Disc							
620 d	120 - 140	07/18→06/20	←			24.0130-0270.2 430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
620 d xDrive	120 - 140	07/18→06/20					
620 d Mild-Hybrid	120 - 140	07/20→	←	for vehicles without M-sport brakes		24.0130-0270.2 430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
620 d Mild-Hybrid xDrive	140	07/20→					
630 d Mild-Hybrid	155 - 210	07/20→					
630 d Mild-Hybrid xDrive	210	07/20→					

	kW			 	! #		
BMW - 7 (G11, G12) 07/15→06/22							
 Brake Disc							
725 d	155 - 170	07/16→02/19	←	- Performance Parts		24.0130-0270.2 430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
Ld	155 - 170	07/16→02/19					
730 i	183 - 190	11/15→06/22					
Li	190	11/15→02/19					
BMW - i4 (G26) 11/21→							
 Brake Hose							
eDrive35	210	11/22→	←		2	24.5141-0553.3 331883	L= 588
eDrive40	250	11/21→					
M50 xDrive	400	11/21→					
BMW - X3 (G01, F97, G08) 07/17→							
 Brake Disc							
iX3	210	09/20→	←			24.0130-0270.2 430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
xDrive 20 i Mild Hybrid	135	08/21→	←	for vehicles without sports package		24.0130-0270.2 430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
xDrive 25 d	155 - 170	04/18→					
xDrive 30 d	183 - 195	08/17→06/20					
xDrive 30 d Mild-Hybrid	183 - 210	07/20→					
xDrive 30 i Mild Hybrid	180	08/21→					
xDrive 30 e Plug-in-Hybrid	200 - 215	12/19→	←	for vehicles without M-sport brakes		24.0130-0270.2 430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
BMW - X3 Van (G01) 07/17→							
 Brake Disc							
xDrive 30 d	195	08/17→	←	for vehicles without sports package		24.0130-0270.2 430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
BMW - X4 (G02, F98) 04/18→							
 Brake Disc							
xDrive 25 d	155 - 170	04/18→	←	for vehicles without sports package		24.0130-0270.2 430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
xDrive 30 d	183 - 195	04/18→06/20					
xDrive 30 d Mild-Hybrid	183 - 210	07/20→					
BMW - X5 (G05, F95) 08/18→							
 Brake Disc							
xDrive 25 d	155 - 170	08/19→03/23	←	for vehicles without M-sport brakes		24.0130-0270.2 430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
xDrive 30 d	195	08/18→07/20	←	for vehicles without M-sport brakes; for vehicles without 3rd seating row		24.0130-0270.2 430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
xDrive 30 d Mild-Hybrid	183 - 210	08/20→					
xDrive 30 i	195	09/19→12/21					
xDrive 40 i	250	08/18→03/23	←	for vehicles without sports package		24.0130-0270.2 430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
xDrive 45 e Plug-in-Hybrid	290	06/19→03/23					
xDrive 45 e Plug-in-Hybrid	235	06/19→03/23					
BMW - X5 Van (G05) 11/19→							
 Brake Disc							
xDrive 40 i	250	11/19→03/23	←	for vehicles without sports package		24.0130-0270.2 430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S

	kW			 	! #		
BMW - X6 (G06, F96) 08/19→							
 Brake Disc							
xDrive 30 d	155 - 195	08/19→07/20	←	for vehicles without M-sport brakes		24.0130-0270.2 430270	Ø 348 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28.4 two-piece brake disc / Vented + S
xDrive 30 d Mild-Hybrid	155 - 219	08/20→					
xDrive 40 d Mild-Hybrid	259	06/23→					
CITROËN - C3 AIRCROSS I (2R_, 2C_) 06/17→							
 Brake Hose							
1.2 PureTech 110	81	06/17→	←		2	24.5141-0505.3 331885	L= 545
1.2 PureTech 130	96	07/17→					
1.2 PureTech 82	60	06/17→					
1.5 BlueHDi 100	73 - 75	08/18→					
1.5 BlueHDi 110	81	10/20→					
1.5 BlueHDi 120	88	08/18→					
1.6 BlueHDi 100	73	07/17→08/18					
1.6 BlueHDi 115	85	06/17→05/18					
1.6 BlueHDi 120	88	07/17→05/18					
1.6 HDi 92	68	10/17→					
CITROËN - C3 AIRCROSS II Van (2C_, 2R_) 06/17→							
 Brake Hose							
1.5 BlueHDi 100	73	05/19→	←		2	24.5141-0505.3 331885	L= 545
1.5 BlueHDi 120	88	05/19→					
1.6 BlueHDi 100	73	05/19→					
PureTech 82	60 - 81	05/19→					
CITROËN - C4 III (BA_, BB_, BC_) 10/20→							
 Brake Hose							
1.2 PureTech 100	74	04/21→	←	☐		24.5270-0492.3 331889	L= 530
1.2 PureTech 130	96	10/20→					
1.2 PureTech 155	114	01/21→	←	☐		24.5270-0498.3 331890	L= 530
1.5 BlueHDi 130	96	10/20→					
BLUEHDi 110	81	12/20→					
ë-C4	100 - 115	10/20→					
CUPRA - ATECA (KH7, KHP, KBP) 09/18→							
 Brake Hose							
1.5 TSI	110	07/23→	→		2	24.5143-0291.3 331862	L= 293
CUPRA - FORMENTOR (KM7, KMP) 07/20→							
 Brake Pad Set, disc brake							
1.4 e-Hybrid	150	01/21→	←	+PR 1ZA		13.0460-7373.2 607373	ATE + WE / - WK
1.4 e-Hybrid VZ	180	02/21→				13.0470-7373.2 LD7373	ATE + WE / - WK Ceramic
1.5 e-HYBRID	150	07/24→					
1.5 e-HYBRID VZ	200	06/24→					
1.5 eTSI	110	05/24→					
1.5 TSI	110	11/20→					
2.0 TDI	110	03/21→					
2.0 TDI 4Drive	110	03/21→					
2.0 TSI	140 - 180	01/21→					
2.0 TSI 4Drive	140	08/20→					
2.0 VZ	195	11/24→					
2.0 TSI 4Drive	228	07/20→	←	+PR 1ZA		13.0460-7373.2 607373	ATE + WE / - WK
2.0 VZ 4Drive	245	08/24→					
2.5 VZ5 4Drive	287	10/21→					
CUPRA - LEON (KL1, KU1, KUG) 09/20→							
 Brake Hose							
1.4 e-HYBRID	150	09/20→	→		2	24.5143-0291.3 331862	L= 293
2.0 TSI	180	06/21→					
2.0 TSI VZ	221	01/21→					
1.4 e-HYBRID	180	09/20→	→	+PR 0N1	2	24.5143-0291.3 331862	L= 293
1.5 e-HYBRID	150	07/24→					
1.5 eTSI	110	08/22→					
1.5 TSI	110	09/22→					
1.5 VZ e-HYBRID	200	05/24→					
2.0 TDI	110	11/22→					
2.0 TSI	140	09/22→					

	kW			 	! #		
CUPRA - LEON Sportstourer (KL8, KU8, KUD) 09/20→							
 Brake Hose							
1.4 e-HYBRID 2.0 TDI 4Drive 2.0 TSI 2.0 TSI 4Drive 2.0 VZ 4Drive	150 110 180 - 221 228 245	09/20→ 11/22→ 06/21→ 06/21→ 07/24→	➡		2	24.5143-0291.3 331862	L= 293
1.5 eTSI 1.5 TSI 2.0 TDI 2.0 TSI e-HYBRID VZ e-HYBRID	110 110 110 140 150 - 180 200	09/22→ 09/22→ 11/22→ 09/22→ 09/20→ 05/24→	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
FORD - TOURNEO CONNECT / GRAND TOURNEO CONNECT V761 MPV (SK) 02/22→							
 Brake Pad Set, disc brake							
1.5 EcoBoost 2.0 EcoBlue 2.0 EcoBlue 4WD	84 55 - 90 90	02/22→08/24 02/22→ 02/22→	➡	Brake Size: 16"; 07/22→		13.0460-7373.2 607373 13.0470-7373.2 LD7373	ATE + WE / - WK ATE + WE / - WK Ceramic
1.5 EcoBoost 1.5 Plug-in Hybrid	85 110	07/24→ 10/24→	➡	Brake Size: 16"		13.0460-7373.2 607373 13.0470-7373.2 LD7373	ATE + WE / - WK ATE + WE / - WK Ceramic
FORD - TRANSIT CONNECT V761 Box Body/MPV (SKN) 05/24→							
 Brake Pad Set, disc brake							
1.5 Plug-in Hybrid EcoBlue EcoBlue 4WD EcoBoost	110 55 - 90 90 84 - 85	10/24→ 05/24→ 05/24→ 05/24→	➡	Brake Size: 16"		13.0460-7373.2 607373 13.0470-7373.2 LD7373	ATE + WE / - WK ATE + WE / - WK Ceramic
INFINITI - Q30 11/15→							
 Wheel Speed Sensor							
1.5 D 1.6 2.0 T 2.0 T AWD 2.2 D 2.2 D AWD	80 90 - 115 155 155 125 125	11/15→ 11/15→ 11/15→ 11/15→ 11/15→ 11/15→	➡ ➡		2 2	24.0710-2229.3 360747 24.0710-2209.3 360746	L= 1024 L= 1134
INFINITI - QX30 04/16→							
 Wheel Speed Sensor							
2.0 AWD 2.2 D AWD	155 125	09/16→ 04/16→	➡ ➡		2 2	24.0710-2229.3 360747 24.0710-2209.3 360746	L= 1024 L= 1134
MERCEDES-BENZ - A-CLASS (W176) 06/12→05/18							
 Wheel Speed Sensor							
A 160 A 160 CDI / d A 180 A 180 CDI / d A 180 CDI A 200 A 200 CDI / d A 200 CDI / d 4-matic A 220 4-matic A 220 CDI A 220 CDI 4-matic A 220 d A 220 d 4-matic A 250 A 250 4-matic A 45 AMG 4-matic AMG A 45 4-matic	75 66 90 80 80 115 100 100 135 120 - 125 125 130 130 155 - 160 155 - 160 265 280	07/15→05/18 06/13→05/18 09/12→05/18 06/12→05/18 06/12→10/14 06/12→05/18 02/14→05/18 02/14→05/18 05/14→05/18 09/12→05/18 02/14→05/18 07/15→05/18 07/15→05/18 06/12→05/18 06/13→05/18 06/13→05/18 07/15→05/18	➡ ➡		2 2	24.0710-2229.3 360747 24.0710-2209.3 360746	L= 1024 L= 1134
A 200 CDI	100	06/12→10/14	➡	→ 02/14	2	24.0710-2229.3 360747	L= 1024
			➡	→ 02/14	2	24.0710-2209.3 360746	L= 1134

	kW					! #		
MERCEDES-BENZ - B-CLASS Sports Tourer (W245) 03/05→11/11								
 Wheel Speed Sensor								
F-CELL	100	01/10→11/11	←		2	24.0710-2229.3	360747	L= 1024
			→		2	24.0710-2209.3	360746	L= 1134
MERCEDES-BENZ - B-CLASS Sports Tourer (W246, W242) 10/11→12/18								
 Wheel Speed Sensor								
B 160	75	07/15→12/18	←		2	24.0710-2229.3	360747	L= 1024
B 160 CDI / d	66	05/13→12/18	→		2	24.0710-2209.3	360746	L= 1134
B 180	90	11/11→12/18						
B 180 CDI / d	80	02/13→12/18						
B 180 CDI	80	11/11→08/14						
B 200	115	11/11→12/18						
B 200 CDI / d	100	08/14→12/18						
B 200 CDI / d 4-matic	100	08/14→12/18						
B 200 CDI	100	11/11→08/14						
B 200 Natural Gas	115	11/12→12/17						
Drive / B 200 c								
B 220 4-matic	135	05/13→12/18						
B 220 CDI / d	120 -	06/13→12/18						
	130							
B 220 CDI / d 4-matic	130	08/14→12/18						
B 220 d 4-matic	125	06/18→12/18						
B 250 4-matic	155	08/14→12/18						
Electric Drive / B 250 e	65 -	11/14→10/17						
	132							
B 220 CDI / d	125	11/11→12/18	←	12/12→	2	24.0710-2229.3	360747	L= 1024
			→	12/12→	2	24.0710-2209.3	360746	L= 1134
B 250	155	05/12→12/18	←	09/12→	2	24.0710-2229.3	360747	L= 1024
			→	09/12→	2	24.0710-2209.3	360746	L= 1134
MERCEDES-BENZ - C-CLASS (W205) 07/13→02/23								
 Brake Hose								
AMG C 43 4-matic	270 -	04/16→05/21	←		2	24.5140-0494.3	331893	L= 495
	287							
C 450 AMG 4-matic	270	04/15→05/18						
MERCEDES-BENZ - C-CLASS Convertible (A205) 06/16→04/23								
 Brake Hose								
AMG C 43 4-matic	270 -	10/16→04/23	←		2	24.5140-0494.3	331893	L= 495
	287							
MERCEDES-BENZ - C-CLASS Coupe (C205) 10/15→04/23								
 Brake Hose								
AMG C 43 4-matic	270 -	04/16→04/23	←		2	24.5140-0494.3	331893	L= 495
	287							
MERCEDES-BENZ - C-CLASS T-Model (S205) 09/14→02/23								
 Brake Hose								
AMG C 43 4-matic	270 -	04/16→02/21	←		2	24.5140-0494.3	331893	L= 495
	287							
C 450 AMG 4-matic	270	04/15→05/18						
MERCEDES-BENZ - CLA Coupe (C117) 01/13→03/19								
 Wheel Speed Sensor								
AMG CLA 45 4-matic	280	07/15→03/19	←		2	24.0710-2229.3	360747	L= 1024
CLA 180	90	01/13→03/19	→		2	24.0710-2209.3	360746	L= 1134
CLA 180 CDI / d	80	10/13→05/18						
CLA 200	110 -	01/13→03/19						
	115							
CLA 200 CDI / d	100	07/14→03/19						
CLA 200 CDI / d 4-matic	100	07/14→03/19						
CLA 200 CDI	100	06/13→08/14						
CLA 220 4-matic	135	04/16→03/19						
CLA 220 CDI / d	120 -	01/13→03/19						
	130							
CLA 220 CDI / d 4-matic	120 -	08/14→03/19						
	130							
CLA 220 CDI 4-matic	125	07/14→03/19						
CLA 250	155 -	01/13→03/19						
	160							
CLA 250 4-matic	155 -	07/13→03/19						
	160							
CLA 45 AMG 4-matic	265	07/13→03/19						

	kW			 	! #		
MERCEDES-BENZ - CLA Shooting Brake (X117) 01/15→03/19							
 Wheel Speed Sensor							
AMG CLA 45 4-matic	280	07/15→03/19	←		2	24.0710-2229.3 360747	L= 1024
CLA 180	90	01/15→03/19					
CLA 180 d	80	07/15→05/18	→		2	24.0710-2209.3 360746	L= 1134
CLA 200	115	01/15→03/19					
CLA 200 CDI / d	100	01/15→03/19					
CLA 200 CDI / d 4-matic	100	01/15→03/19					
CLA 220 4-matic	135	04/16→03/19					
CLA 220 CDI / d	120 - 130	01/15→03/19					
CLA 220 CDI / d 4-matic	120 - 130	01/15→03/19					
CLA 220 d	125	07/18→03/19					
CLA 220 d 4-matic	125	07/18→03/19					
CLA 250	155	01/15→03/19					
CLA 250 4-matic	155 - 160	01/15→03/19					
CLA 45 AMG 4-matic	265	01/15→07/15					
MERCEDES-BENZ - E-CLASS (W213) 01/16→							
 Brake Hose							
AMG E 43 4-matic	295	07/16→05/18	←	for vehicles with Airmatic DC	2	24.5140-0494.3 331893	L= 495
MERCEDES-BENZ - E-CLASS T-Model (S213) 07/16→10/23							
 Brake Hose							
AMG E 43 4-matic	295	10/16→05/18	←	for vehicles with Airmatic DC	2	24.5140-0494.3 331893	L= 495
MERCEDES-BENZ - EQC (N293) 05/19→07/23							
 Brake Hose							
EQC 400 4-matic	300	05/19→07/23	←		2	24.5140-0494.3 331893	L= 495
MERCEDES-BENZ - GLA-CLASS (X156) 12/13→05/22							
 Wheel Speed Sensor							
AMG GLA 45 4-matic	280	07/15→06/19	←		2	24.0710-2229.3 360747	L= 1024
GLA 180	90	02/15→12/19					
GLA 180 CDI / d	80	07/14→05/18	→		2	24.0710-2209.3 360746	L= 1134
GLA 200	110 - 115	12/13→12/19					
GLA 200 CDI / d	100	12/13→12/19					
GLA 200 CDI 4-matic	100	12/13→05/19					
GLA 220 4-matic	135	01/17→12/19					
GLA 220 CDI / d	120	12/13→05/19					
GLA 220 CDI / d 4-matic	120	12/13→12/19					
GLA 220 CDI	125	12/13→05/19					
GLA 220 CDI 4-matic	125	12/13→12/19					
GLA 220 d	130	07/15→05/19					
GLA 220 d 4-matic	130	07/15→12/19					
GLA 250	155	12/13→12/19					
GLA 250 4-matic	155	12/13→12/19					
GLA 250 Flex	155	01/15→12/19					
GLA 45 AMG 4-matic	265	05/14→06/19					
MERCEDES-BENZ - GLC (X253) 06/15→06/22							
 Brake Hose							
200 d	120	04/19→06/22	←		2	24.5140-0494.3 331893	L= 495
200 d 4-matic	120	04/19→06/22					
200 EQ Boost	145	04/19→06/22					
200 EQ Boost 4-matic	145	04/19→06/22					
220 d	143	04/19→06/22					
220 d 4-matic	120 - 143	06/15→06/22					
250 4-matic	155	06/15→04/19					
250 CNG 4-matic	155	06/15→04/19					
250 d 4-matic	150	06/15→04/19					
250 Flexfuel 4-matic	155	06/15→04/19					
300	180	01/16→04/19					
300 4-matic	180	07/15→04/19					
300 d 4-matic	180	04/19→06/22					
300 de 4-matic	225	05/20→06/22					
300 e 4-matic	235	11/19→06/22					
300 EQ Boost 4-matic	190	04/19→06/22					
350 d 4-matic	190	10/16→04/19					
350 e 4-matic	235	01/16→04/19					
400 d 4-matic	243	08/19→06/22					
AMG 43 4-matic	270 - 287	04/16→06/22					
F-CELL	155	10/18→04/20					

	kW			 	! #		
MERCEDES-BENZ - GLC Coupe (C253) 06/16→03/23							
 Brake Hose							
200 d	120	04/19→08/21	←		2	24.5140-0494.3 331893	L= 495
200 d 4-matic	120	04/19→03/23					
200 EQ Boost	145	04/19→03/23					
200 EQ Boost 4-matic	145	04/19→03/23					
220 d 4-matic	120 -	06/16→03/23					
	143						
250 4-matic	155	06/16→04/19					
250 d 4-matic	150	06/16→04/19					
260 4-matic	145	11/19→03/23					
300 4-matic	180 -	10/16→03/23					
	190						
300 d 4-matic	180	04/19→03/23					
300 de 4-matic	225	05/20→03/23					
300 e 4-matic	235	11/19→03/23					
300 EQ Boost 4-matic	190	04/19→03/23					
350 d 4-matic	190	10/16→04/19					
350 e 4-matic	235	10/16→04/19					
400 d 4-matic	243	08/19→03/23					
AMG 43 4-matic	270 -	10/16→03/23					
	287						
MERCEDES-BENZ - MARCO POLO Camper (W447) 03/15→							
 Brake Hose							
200 CDI	100	03/15→	←		2	24.5140-0530.3 331881	L= 530
220 CDI	120	03/15→					
250 CDI	140	03/15→					
300 CDI	174 -	03/19→					
	176						
MERCEDES-BENZ - MB-TRAC 07/73→12/91							
 Brake Hose							
1100	81	03/79→08/87	→	→ 005702		24.5101-0400.3 331835	L= 430
1300	92	03/76→08/87					
1300 Turbo	92 -	02/82→12/91					
	100						
1400 Turbo	92 -	02/82→12/91					
	100						
MERCEDES-BENZ - UNIMOG 01/55→							
 Brake Hose							
U 1300	92	01/77→12/84	→			24.5101-0301.3 331830	L= 330
U 1500	110	01/77→05/88					
U 1500T	110	01/77→05/88					
U 1700L	124	05/78→09/88					
U 1700	124	05/78→09/88					
U 45	33	01/66→04/71	←			24.5101-0400.3 331835	L= 430
U 60	38 -	01/77→05/88					
	44						
U 600	38 -	01/77→05/88					
	44						
U 600L	38 -	01/77→05/88					
	44						
U 52	38 -	01/77→05/88					
	44						
U 600T	38 -	01/77→05/88					
	44						
U 60T	38 -	01/77→05/88					
	44						
U 70	48	01/62→01/88	←	→ 12/77; 005736→; ■		24.5101-0400.3 331835	L= 430
U 65	48	01/62→01/88					
U 84	62 -	05/69→01/88	←	→ 005735; ■		24.5101-0400.3 331835	L= 430
	66						
U 80	62 -	05/69→01/88					
	66						
U 90	62 -	05/69→01/88					
	66						
U 72	48 -	01/69→01/77	←	005736→; ■		24.5101-0400.3 331835	L= 430
	55						
U 80	48 -	01/69→01/77	←	→ 005735; ■		24.5101-0400.3 331835	L= 430
	55						
U 900	62	01/77→	←	→ 12/77; 013570→; ■		24.5101-0400.3 331835	L= 430
U S 404	60 -	01/55→12/76	←	01/65→ 12/70		24.5101-0400.3 331835	L= 430
	67		←	→ 12/65; not for type code: 404.117		24.5101-0400.3 331835	L= 430
U S 404	33	01/68→	←	→ 12/70		24.5101-0400.3 331835	L= 430

	kW			 	! #		
MERCEDES-BENZ - VALENTE (W447) 03/14→							
 Brake Hose							
V 200 CDI / d V 220 CDI / d V 250 V 250 BlueTEC / d V 250 CDI / d V 300 CDI / d	100 120 155 140 140 174 - 176	03/14→ 03/14→ 03/14→ 03/14→ 03/19→ 03/19→	←		2	24.5140-0530.3 331881	L= 530
MERCEDES-BENZ - VITO Mixto (Double Cabin) (W447) 10/14→							
 Brake Hose							
114 CDI 116 CDI 119 BlueTEC 119 CDI 124 CDI	100 120 140 140 174 - 176	10/14→ 10/14→ 10/14→ 03/19→ 04/20→	←		2	24.5140-0530.3 331881	L= 530
MERCEDES-BENZ - VITO Tourer (W447) 10/14→							
 Brake Hose							
114 CDI / 114 BlueTEC 114 CDI 116 CDI / 116 BlueTEC 116 CDI 119 CDI / 119 BlueTEC 119 CDI 124 CDI 2.0	100 100 120 120 140 140 174 - 176 155	10/14→ 03/19→ 10/14→ 03/19→ 10/14→ 03/19→ 04/20→ 01/16→	←		2	24.5140-0530.3 331881	L= 530
MERCEDES-BENZ - VITO Van (W447) 10/14→							
 Brake Hose							
110 CDI 114 CDI 116 CDI 119 CDI / BlueTEC 119 CDI 2.0	75 100 120 140 140 155	10/21→ 10/14→ 10/14→ 10/14→ 04/20→ 09/15→	←		2	24.5140-0530.3 331881	L= 530
MINI - MINI (F55) 09/13→							
 Brake Hose							
Cooper Cooper D Cooper S Cooper SD One	100 85 120 120 - 125 75	07/14→ 07/14→ 09/13→ 09/13→ 05/14→10/17	←	10/14→	2	24.5141-0360.3 331892	L= 404.2
Cooper S One One D One First	131 - 141 75 70 55	07/14→ 11/17→ 11/14→ 11/17→	←		2	24.5141-0360.3 331892	L= 404.2
Cooper S JCW One First	155 55	07/14→ 11/14→10/17	←	09/15→ 03/15→	2 2	24.5141-0360.3 331892 24.5141-0360.3 331892	L= 404.2 L= 404.2
MINI - MINI (F56) 12/13→							
 Brake Hose							
Cooper Cooper D Cooper S Cooper SD Cooper SE / Electric John Cooper Works John Cooper Works GP One One D One First Cooper S JCW	100 85 120 - 141 120 - 125 135 170 225 75 70 55 155	12/13→ 12/13→ 12/13→ 06/14→10/17 11/19→ 03/15→ 03/20→ 04/14→ 03/14→ 07/14→ 12/13→	←		2	24.5141-0360.3 331892	L= 404.2
Cooper S JCW	155	12/13→	←	03/15→	2	24.5141-0360.3 331892	L= 404.2
MINI - MINI Convertible (F57) 11/14→							
 Brake Hose							
Cooper Cooper D →	100 85	11/15→ 11/15→	←		2	24.5141-0360.3 331892	L= 404.2

	kW			 	! #		
MINI - MINI Convertible (F57) 11/14→							
 Brake Hose							
Cooper S	131 - 141	11/15→	←		2	24.5141-0360.3 331892	L= 404.2
Cooper SD	125	03/16→					
Cooper SE	135	04/23→					
John Cooper Works One	170	03/16→					
	75	03/16→					
Cooper S	120	11/14→	←	11/15→	2	24.5141-0360.3 331892	L= 404.2
Cooper SD	120	05/15→07/19	←	03/16→	2	24.5141-0360.3 331892	L= 404.2
Cooper S JCW	155	11/15→					
MINI - MINI Convertible (F57) 11/14→							
MINI - MINI Convertible (F57) 11/14→							
 Brake Hose							
1.6 DI-D	84	07/15→	→	outer	2	24.5275-0260.3 331882	L= 260
1.6 DI-D 4WD	84	07/15→					
2.2 DI-D 4WD	110	04/13→					
1.6 LPG	86	06/10→	→	07/12→; outer	2	24.5275-0260.3 331882	L= 260
1.6 MIVEC	85 - 86	05/10→					
	86						
1.8	102	02/10→					
1.8 DI-D	85 - 110	06/10→					
	110						
1.8 DI-D 4WD	85 - 110	06/10→					
	110						
2.0 MIVEC	110	06/10→					
2.0 MIVEC 4WD	110	06/10→					
MINI - MINI Convertible (F57) 11/14→							
MINI - MINI Convertible (F57) 11/14→							
MINI - MINI Convertible (F57) 11/14→							
 Brake Hose							
1.8 DI-D 4WD	110	06/10→	→	07/12→; outer	2	24.5275-0260.3 331882	L= 260
MINI - MINI Convertible (F57) 11/14→							
MINI - MINI Convertible (F57) 11/14→							
 Brake Hose							
1.5	110	10/17→	→	- eFSB; outer	2	24.5275-0260.3 331882	L= 260
1.5 4WD	110	10/17→					
2.0	110	05/18→					
2.2 DiD 4WD	109	03/19→					
1.5 T-Mivec	120	10/17→	→	- eFSB	2	24.5275-0260.3 331882	L= 260
1.5 T-Mivec 4WD	112 - 120	10/17→					
MINI - MINI Convertible (F57) 11/14→							
MINI - MINI Convertible (F57) 11/14→							
MINI - MINI Convertible (F57) 11/14→							
 Brake Hose							
Di-D 4WD	110	04/13→	→	at brake caliper	2	24.5275-0260.3 331882	L= 260
MINI - MINI Convertible (F57) 11/14→							
MINI - MINI Convertible (F57) 11/14→							
 Brake Hose							
2.0	105 - 112	08/12→12/22	→	at brake caliper	2	24.5275-0260.3 331882	L= 260
2.0 4WD	107 - 110	08/12→12/22					
2.0 Bifuel	107	10/12→12/22					
2.0 Bifuel 4WD	107	10/12→12/22					
2.2 DI-D	110	08/12→12/22					
2.2 DI-D 4WD	110	08/12→12/22					
2.4 4WD	123	10/12→12/22					
2.0 Hybrid 4WD	147	01/14→12/21	→	→ 06/16; at brake caliper	2	24.5275-0260.3 331882	L= 260
2.4 4WD	124	10/12→12/22					
2.2 DiD 4WD	132	05/15→12/22	→		2	24.5275-0260.3 331882	L= 260
2.2 Di-D 4WD	121	06/15→12/18					
2.4	124	08/12→12/22	→	10/12→; at brake caliper	2	24.5275-0260.3 331882	L= 260
3.0 4WD	165 - 169	10/12→12/22	→	outer	2	24.5275-0260.3 331882	L= 260
3.0 GT 4WD	167	08/12→12/22	→	- eFSB; outer	2	24.5275-0260.3 331882	L= 260
MINI - MINI Convertible (F57) 11/14→							
MINI - MINI Convertible (F57) 11/14→							
MINI - MINI Convertible (F57) 11/14→							
 Brake Hose							
Corsa-e	115	03/23→	←	for brake disc diameter [mm]: 302; →Orga 16281; 		24.5270-0492.3 331889	L= 530
			←	for brake disc diameter [mm]: 302; →Orga 16281; 		24.5270-0498.3 331890	L= 530

	kW			 	! #		
OPEL - CROSSLAND X / CROSSLAND (P17, P2QO) 03/17→							
 Brake Hose							
1.2	60 - 96	03/17→	←		2	24.5141-0505.3 331885	L= 545
1.2 LPG	60	10/17→					
1.5	81	10/20→					
1.5 Turbo D	75 - 88	06/18→					
1.6 Turbo D	73 - 88	03/17→04/19					
OPEL - CROSSLAND X Van 03/17→							
 Brake Hose							
1.2	61 - 81	07/18→	←		2	24.5141-0505.3 331885	L= 545
1.5	75	06/18→					
OPEL - SIGNUM Hatchback (Z03) 05/03→12/08							
 Brake Caliper							
1.8	90	05/03→07/05	→	→ 41085480; Vented; 		24.3407-7003.5 241105	ATE without holder + FSB
1.9 CDTI	88 - 110	04/04→02/08					
2.0 DTI	74	05/03→04/04					
2.0 Turbo	129	05/03→12/08					
2.2 direct	114	05/03→09/08					
2.2 DTI	92	05/03→04/04					
3.0 V6 CDTI	130	05/03→07/05					
3.2 V6	155	05/03→07/05					
OPEL - VECTRA C Estate (Z02) 10/03→01/09							
 Brake Caliper							
1.6	77	12/05→08/08	→	06/06→; → 41085480; internally vented; 		24.3407-7003.5 241105	ATE without holder + FSB
1.8	90	10/03→09/06	→	Vented; → 41085480; 		24.3407-7003.5 241105	ATE without holder + FSB
1.9 CDTI	88 - 110	04/04→01/09					
2.0 DTI	74	10/03→08/05					
2.0 Turbo	129	10/03→08/08					
2.2 direct	114	10/03→08/08					
2.2 DTI	92	10/03→12/05					
3.0 V6 CDTI	130	10/03→07/05					
3.2 V6	155	10/03→07/05					
1.8	103	08/05→08/08	→	→ 41085480; internally vented; 		24.3407-7003.5 241105	ATE without holder + FSB
1.9 CDTI	74	06/05→08/08					
3.0 V6 CDTI	135	08/05→08/08					
PEUGEOT - 208 II (UB_, UP_, UW_, UJ_) 06/19→							
 Brake Hose							
1.2 PureTech 100	74	06/19→	←	for brake disc diameter [mm]: 302; →Orga 16245; 		24.5270-0492.3 331889	L= 530
1.2 PureTech 130	96	06/19→					
1.2 PureTech 75	55	06/19→	←	for brake disc diameter [mm]: 302; →Orga 16245; 		24.5270-0498.3 331890	L= 530
1.2 VTi 82	60	06/19→					
1.5 BlueHDI 100	75	06/19→					
1.5 BlueHDI 130	96	09/19→					
1.6 HDI 90	68	10/19→					
1.6 VTi 115	85	11/19→					
e-208	100	06/19→					
RENAULT - CAPTUR I (J5_, H5_) 06/13→							
 Wheel Speed Sensor							
0.9 TCe 90	66	06/13→	→	→ 05/17; 		24.0710-2230.3 360733	L= 700
1.2 T	83 - 85	06/13→					
1.2 TCe 120	87 - 88	06/13→					
1.5 dCi	63	06/13→					
1.5 dCi 110	81	01/15→					
1.5 dCi 90	66	06/13→					
RENAULT - CLIO IV (BH_) 11/12→08/21							
 Wheel Speed Sensor							
0.9 TCe 90	66	11/12→08/21	→	→ 10/14; 		24.0710-2230.3 360733	L= 700
1.2 16V	54	11/12→08/21					
1.2 LPG	53	01/14→08/21					
1.2 LPG 16V	54	11/12→06/15					
1.2 TCe 120	88	03/13→08/21					
1.5 dCi	62 - 63	11/12→08/21					
→							

	kW			 	! #		
RENAULT - CLIO IV (BH_) 11/12→08/21							
 Wheel Speed Sensor							
1.5 dCi 75 1.5 dCi 90	55 66	11/12→08/21 11/12→08/21	➡	→ 10/14; 		24.0710-2230.3 360733	L= 700
RENAULT - CLIO IV Estate Van (KH_) 01/13→08/21							
 Wheel Speed Sensor							
0.9 TCe 90 1.5 dCi 75 1.5 dCi 90	66 55 66	01/14→08/21 01/14→08/21 01/14→08/21	➡	→ 10/14; 		24.0710-2230.3 360733	L= 700
RENAULT - CLIO IV Grandtour (KH_) 11/12→08/21							
 Wheel Speed Sensor							
0.9 TCe 90 1.2 16V 1.2 TCe 120 1.5 dCi 75 1.5 dCi 90	66 54 88 55 66	01/13→08/21 01/13→08/21 03/13→08/21 01/13→08/21 11/12→08/21	➡	→ 10/14; 		24.0710-2230.3 360733	L= 700
RENAULT - CLIO IV Hatchback Van (BH_) 01/14→08/21							
 Wheel Speed Sensor							
0.9 TCe 75 0.9 TCe 90 1.2 16V 1.2 16V LPG 1.5 dCi 75 1.5 dCi 90	56 66 54 - 55 53 55 66	01/14→08/21 01/14→08/21 01/14→08/21 01/14→08/21 01/14→08/21 01/14→08/21	➡	→ 10/14; 		24.0710-2230.3 360733	L= 700
RENAULT - ZOE (BFM_) 06/12→							
 Wheel Speed Sensor							
Electric ZOE	57 65 - 68	12/17→ 06/12→	➡	→ 05/18; 		24.0710-2230.3 360733	L= 700
SAAB - 9-3 (YS3F, E79, D79, D75) 09/02→02/15							
 Brake Caliper							
1 8t 8t BioPower 2.0 t 2.0 T16 2.0 t BioPower 2.0 t Bio Power 2.0 t BioPower XWD 2.0 Turbo Performance 2.0 Turbo XWD 2.0 t XWD 2.2 TiD 2.0 t 2.0 t BioPower	110 110 110 120 - 177 143 129 - 147 120 - 162 120 - 162 185 154 120 - 177 92 129 154	09/02→02/15 09/02→02/15 01/07→02/15 09/02→02/15 06/06→02/15 01/07→02/15 01/07→02/15 01/08→02/15 04/04→02/15 01/08→02/15 01/07→02/15 09/02→02/15 09/02→02/15 09/02→02/15	➡	→ 51049406; Rim Size [inch]: 16.0; 		24.3407-7003.5 241105	ATE without holder + FSB
			➡	09/03→; → 51049406; Rim Size [inch]: 16.0; 		24.3407-7003.5 241105	ATE without holder + FSB
			➡	→ 51049406; Rim Size [inch]: 16.0; 		24.3407-7003.5 241105	ATE without holder + FSB
SAAB - 9-3 Convertible (YS3F) 08/03→02/15							
 Brake Caliper							
2.0 t 2.0 Turbo Performance	129 - 154 185	08/03→02/15 04/04→02/15	➡	→ 51049406; 		24.3407-7003.5 241105	ATE without holder + FSB
SAAB - 9-3 Estate (E50) 03/05→02/15							
 Brake Caliper							
2.0 t 2.0 t XWD 2.8 Turbo V6 2.8 Turbo V6 XWD 2.0 t XWD	147 - 177 177 169 - 206 206 154	03/05→02/15 05/09→02/15 03/05→02/15 05/08→12/11 06/08→02/15	➡	→ 93171500; 		24.3407-7003.5 241105	ATE without holder + FSB
			➡	07/08→; → 93171500; 		24.3407-7003.5 241105	ATE without holder + FSB

	kW			 	! #		
SEAT - ATECA (KH7, KHP) 04/16→							
 Brake Hose							
1.0 TSI	81 - 85	05/16→	➡		2	24.5143-0291.3 331862	L= 293
1.4 TSI	110	06/16→					
1.5 TSI	110	07/18→					
1.6 TDI	85	04/16→07/18					
2.0 TDI	81 - 110	04/16→					
SEAT - LEON (5F1) 09/12→05/21							
 Brake Hose							
1.0 TSi	63	09/18→08/20	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
1.0 TSI	85	05/15→08/20					
1.2 TSI	63 - 81	12/12→08/20					
1.4 TSI	90 - 110	09/12→08/20					
1.5 TGi	96	10/18→08/20					
1.5 TSI	96 - 110	09/18→08/20					
1.6 TDI	66 - 81	09/12→08/20					
1.8 TSI	132	02/13→08/18					
2.0 Cupra	195 - 221	10/13→08/20					
2.0 Cupra R	228	11/17→08/18					
2.0 TDI	81 - 135	09/12→08/20					
2.0 TSI	140	09/18→08/20					
1.4 TGI	81	02/13→08/18	➡	10/13→; +PR 0N1	2	24.5143-0291.3 331862	L= 293
1.6 TDI	85	11/16→08/20	➡	01/17→; +PR 0N1	2	24.5143-0291.3 331862	L= 293
SEAT - LEON (KL1, KLG) 11/19→							
 Brake Hose							
1.0 TSI	66 - 81	03/20→	➡		2	24.5143-0291.3 331862	L= 293
1.0 TSI Mild Hybrid	81	08/20→					
1.4 TSI e-Hybrid	150	05/20→					
1.5 eTSI	110	11/19→					
1.5 TGI CNG	96	08/20→					
1.5 TSI	96 - 110	11/19→					
1.6 SRE	81	11/20→					
2.0 TDI	85 - 110	11/19→					
2.0 TFSI	140	03/21→					
1.5 eTSI	85	05/24→	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
1.5 TSI	85	05/24→					
SEAT - LEON Hatchback Van (5F1) 09/12→08/20							
 Brake Hose							
1.0 TSI	85	05/15→08/20	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
1.2 TSI	81	04/14→08/18					
1.4 TSI	90 - 110	09/12→08/20					
1.6 TDI	66 - 81	09/12→10/16					
1.8 TFSI	132	02/13→08/18					
2.0 Cupra	213 - 221	09/15→08/18					
2.0 TDI	110 - 135	10/12→08/18					
1.2 TSI	63	01/13→08/18	➡	04/14→; +PR 0N1	2	24.5143-0291.3 331862	L= 293
1.6 TDI	85	11/16→08/20	➡	01/17→; +PR 0N1	2	24.5143-0291.3 331862	L= 293
SEAT - LEON SC (5F5) 01/13→12/18							
 Brake Hose							
1.0 TSI	85	05/15→08/18	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
1.2 TSI	63 - 81	01/13→08/18					
1.4 TSI	90 - 110	02/13→08/18					
1.6 TDI	66 - 81	02/13→08/18					
1.8 TSI	132	02/13→08/18					
2.0 Cupra	195 - 221	10/13→08/18					
→							

	kW			 	! #		
SEAT - LEON SC (5F5) 01/13→12/18							
 Brake Hose							
2.0 TDI	81 - 135	02/13→08/18	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
1.6 TDI	85	11/16→08/18	➡	01/17→; +PR 0N1	2	24.5143-0291.3 331862	L= 293
SEAT - LEON Sportstourer (KL8, KLD) 03/20→							
 Brake Hose							
1.0 TSI	66 - 81	03/20→	➡		2	24.5143-0291.3 331862	L= 293
1.0 TSI Mild Hybrid	81	08/20→					
1.4 TSI e-Hybrid	150	05/20→					
1.5 eTSI	110	03/20→					
1.5 TGI	96	05/21→					
1.5 TSI	96 - 110	03/20→					
2.0 TDI	85 - 110	04/20→					
2.0 TDI 4Drive	110	11/20→					
2.0 TFSI	140	03/21→					
1.5 eTSI	85	05/24→	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
1.5 TSI	85	05/24→					
SEAT - LEON ST (5F8) 09/12→08/20							
 Brake Hose							
1.0 TSi	63	09/18→08/20	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
1.0 TSI	85	05/15→08/20					
1.2 TSI	63 - 81	08/13→08/20					
1.4 TGI	81	10/13→08/18					
1.4 TSI	90 - 110	09/12→08/20					
1.5 TGI	96	10/18→08/20					
1.5 TSI	96 - 110	09/18→08/20					
1.6 TDI	66 - 81	09/13→08/20					
1.6 TDI 4Drive	85	07/18→08/20					
1.8 TSI	132	10/13→08/18					
2.0 Cupra	195 - 221	10/13→08/20					
2.0 Cupra 4Drive	221	11/16→08/20					
2.0 TDI	81 - 135	02/13→08/20					
2.0 TSI	140	07/18→08/20					
2.0 TSI 4Drive	140	09/18→08/20					
1.6 TDI	85	11/16→08/20	➡	01/17→; +PR 0N1	2	24.5143-0291.3 331862	L= 293
SEAT - LEON ST Estate Van (5F8) 01/13→08/20							
 Brake Hose							
1.0 TSI	85	05/15→08/20	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
1.2 TSI	63 - 81	01/13→08/18					
1.4 TSI	110	05/14→08/20					
1.6 TDI	81	09/13→08/20					
1.8 TFSI	132	10/13→08/18					
2.0 Cupra	206 - 221	10/13→08/20					
2.0 Cupra 4Drive	221	11/16→08/18					
2.0 TDI	110 - 135	04/13→08/18					
1.6 TDI	85	11/16→08/20	➡	01/17→; +PR 0N1	2	24.5143-0291.3 331862	L= 293
SKODA - KAROQ (NU7, ND7) 07/17→							
 Brake Hose							
1.0 TSI	81 - 85	07/17→	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
1.4 TSI	110	07/17→					
1.4 TSI 4x4	110	09/19→					
1.5 TSI	110	07/17→					
1.5 TSI 4x4	110	07/17→					
1.6 SRE	81	07/17→					
1.6 TDI	85	07/17→					
2.0 TDI	85 - 110	07/17→					
2.0 TDI 4x4	110 - 140	07/17→					
2.0 TSI 4x4	140	11/18→					

	kW			 	! #		
SKODA - OCTAVIA IV (NX3, NN3, PV3) 01/20→							
 Brake Hose							
1.0 TSI	81	06/20→	➔		2	24.5143-0291.3	331862 L= 293
1.0 TSI e-TEC	81	06/20→					
1.4 TSI	110	01/21→					
1.4 TSI iV	150	06/20→					
1.4 TSI RS iV	180	06/20→					
1.5 eTSI	85	04/24→					
1.5 TSI	85 -	01/20→					
	110						
1.5 TSI e-TEC	110	11/20→					
1.5 TSI G-TEC	96	06/20→					
1.6 SRE	81	07/20→					
2.0 RS	195	08/24→					
2.0 TDI	85 -	01/20→					
	110						
2.0 TDI 4x4	110	09/20→					
2.0 TDI RS	147	07/20→					
2.0 TDI RS 4x4	147	07/20→					
2.0 TSI 4x4	140	07/20→					
2.0 TSI RS	180	03/20→					
SKODA - OCTAVIA IV Combi (NX5, PV5) 11/19→							
 Brake Hose							
1.0 TSI	81	06/20→	➔		2	24.5143-0291.3	331862 L= 293
1.0 TSI e-TEC	81	06/20→					
1.4 TSI	110	06/20→					
1.4 TSI iV	150	06/20→					
1.4 TSI RS iV	180	06/20→					
1.5 eTSI	85	04/24→					
1.5 TSI	85 -	11/19→					
	110						
1.5 TSI e-TEC	110	11/20→					
1.5 TSI G-TEC	96	06/20→					
1.6 SRE	81	09/20→					
2.0 RS	195	08/24→					
2.0 TDI	85 -	11/19→					
	110						
2.0 TDI 4x4	110	09/20→					
2.0 TDI RS	147	07/20→					
2.0 TDI RS 4x4	147	07/20→					
2.0 TSI	140	09/20→					
2.0 TSI 4x4	140	09/20→					
2.0 TSI RS	180	03/20→					
SUBARU - IMPREZA Hatchback (GR, GH, G3, GE) 03/07→05/14							
 Brake Shoe Set							
1.5 AWD	85	09/08→12/11	➔			03.0137-0535.2	650535 Ø 254 Width [mm] 41 - HEB
1.5 AWD	79	02/08→03/12	➔	→ 12/11		03.0137-0535.2	650535 Ø 254 Width [mm] 41 - HEB
1.5 F	79	09/07→03/12					
SUBARU - IMPREZA Saloon (GE, GV) 01/07→							
 Brake Shoe Set							
1.5	79	02/08→	➔	→ 12/11		03.0137-0535.2	650535 Ø 254 Width [mm] 41 - HEB
1.5 AWD	79	02/08→					
TOYOTA - C-HR (_X1_) 10/16→							
 Brake Hose							
1.2	85	10/16→	←	☐		24.5265-0553.3	331872 L= 565
1.2 4WD	85 -	10/16→	←	☐		24.5265-0556.3	331871 L= 565
	96						
1.8 Hybrid	90	10/16→					
2.0	109	11/16→					
2.0 Hybrid	135	10/19→					
TOYOTA - C-HR (_X2_, _H2_) 10/23→							
 Brake Hose							
Hybrid	103 -	10/23→	←	☐		24.5265-0553.3	331872 L= 565
	145						
Hybrid AWD	145	10/23→	←	☐		24.5265-0556.3	331871 L= 565
PHEV	164	01/24→					
TOYOTA - C-HR VAN (_X1_) 10/16→							
 Brake Hose							
1.8 Hybrid	90	10/16→	←	☐		24.5265-0553.3	331872 L= 565
			←	☐		24.5265-0556.3	331871 L= 565

	kW			 	! #		
TOYOTA - COROLLA COMMERCIAL (_E21_) 06/22→							
 Brake Hose							
1.8 VVTi Hybrid	90	06/22→	←	☐	24.5265-0553.3	331872	L= 565
			←	☐	24.5265-0556.3	331871	L= 565
1.8 VVTi Hybrid	103	01/23→	←	→ 02/23; ☐	24.5265-0553.3	331872	L= 565
			←	→ 02/23; ☐	24.5265-0556.3	331871	L= 565
TOYOTA - COROLLA Estate (_E21_) 02/19→							
 Brake Hose							
1.2	85	02/19→	←	☐	24.5265-0553.3	331872	L= 565
1.8 Hybrid	90	02/19→	←	☐	24.5265-0556.3	331871	L= 565
2.0 Hybrid	132 - 135	02/19→	←	☐			
1.8 VVTi Hybrid	103	09/22→	←	→ 02/23; ☐	24.5265-0553.3	331872	L= 565
2.0 Hybrid	144	01/23→	←	→ 02/23; ☐	24.5265-0556.3	331871	L= 565
TOYOTA - COROLLA Hatchback (_E21_, _EA1_, _EH1_) 10/18→							
 Brake Hose							
1.2	85	01/19→	←	☐	24.5265-0553.3	331872	L= 565
1.2 4WD	85	01/19→	←	☐	24.5265-0556.3	331871	L= 565
1.8 Hybrid	90	10/18→	←	☐			
2.0	125	10/18→					
2.0 Hybrid	132 - 135	02/19→					
1.8 VVTi Hybrid	103	09/22→	←	→ 02/23; ☐	24.5265-0553.3	331872	L= 565
2.0 Hybrid	144	01/23→	←	→ 02/23; ☐	24.5265-0556.3	331871	L= 565
TOYOTA - COROLLA Saloon (_E21_) 01/19→							
 Brake Hose							
1.5 VVTi	92	01/21→	←	☐	24.5265-0553.3	331872	L= 565
1.6 VVTi	90 - 97	01/19→	←	☐	24.5265-0556.3	331871	L= 565
1.6 VVTi Flexfuel	92	08/19→					
1.8 VVTi	103 - 111	01/19→					
1.8 VVTi Hybrid	90 - 93	01/19→					
1.8 VVTi Hybrid Flex	90	09/19→					
2.0 VVTi	125	01/19→					
2.0 VVT-iE Flex	130	09/19→09/23					
1.8 VVTi Hybrid	103	09/22→	←	→ 02/23; ☐	24.5265-0553.3	331872	L= 565
			←	→ 02/23; ☐	24.5265-0556.3	331871	L= 565
VAUXHALL - CROSSLAND X / CROSSLAND (P17) 03/17→							
 Brake Hose							
1.2	61 - 96	03/17→	←		2	24.5141-0505.3	331885 L= 545
1.5 Turbo D))	81	10/20→					
1.5 Turbo D	75 - 88	06/18→					
1.6 Turbo D	73 - 88	03/17→05/18					
VAUXHALL - SIGNUM (Z03) 03/03→10/08							
 Brake Caliper							
1.8	90	06/03→07/05	→	→ 41085480; Vented; ☐	24.3407-7003.5	241105	ATE without holder + FSB
1.9 CDTi	88	04/04→03/08					
1.9 CDTi 16V	110	04/04→03/08					
2.0 DTi	74	05/03→04/04					
2.2 DTi	92	05/03→05/08					
2.2 i	114	05/03→05/08					
3.0 CDTi	130	05/03→05/08					
3.2 V6	155	05/03→05/08					
2.0 i Turbo	129	03/03→10/08	→	05/03→; → 41085480; Vented; ☐	24.3407-7003.5	241105	ATE without holder + FSB
VAUXHALL - VECTRA Mk II (C) Estate (Z02) 10/03→05/09							
 Brake Caliper							
1.8	103	01/06→07/08	→	→ 41085480; internally vented; ☐	24.3407-7003.5	241105	ATE without holder + FSB
3.0 CDTi	135	08/05→07/08					
1.8 16V	90	10/03→08/05	→	Vented; → 41085480; ☐	24.3407-7003.5	241105	ATE without holder + FSB
1.9 CDTi	88	04/04→07/08					
1.9 CDTi 16V	110	04/04→05/09					

	kW			 	! #		
VAUXHALL - VECTRA Mk II (C) Estate (Z02) 10/03→05/09							
 Brake Caliper							
2.0 16V Turbo 2.0 DTI 16V 2.2 direct 2.2 DTI 16V 3.0 V6 CDTI 3.2 V6	129 74 114 92 130 155	10/03→07/08 10/03→07/08 10/03→07/08 10/03→07/08 10/03→08/05 10/03→08/05	➡	Vented; → 41085480; 		24.3407-7003.5 241105	ATE without holder + FSB
VOLVO - C40 (539) 10/21→12/24							
 Brake Pad Set, disc brake							
Recharge Recharge AWD	170 - 185 300	04/22→12/24 10/21→12/24	⬅	Brake Size: 18"		13.0460-7377.2 607377	ATE + WE / - WK + Zub
VOLVO - EX40 (536) 04/24→							
 Brake Pad Set, disc brake							
EV EV AWD	175 - 185 300 - 325	04/24→ 04/24→	⬅	Brake Size: 18"; Equipment Code: FC22/ FC25; → 539604		13.0460-7377.2 607377	ATE + WE / - WK + Zub
VOLVO - S60 III (224) 02/19→							
 Brake Pad Set, disc brake							
B3 MHEV B4 Mild-Hybrid B5 Mild-Hybrid B5 Mild-Hybrid AWD B6 Mild-Hybrid AWD T4 T4 Polestar T5 T5 AWD T5 Polestar T5 Polestar AWD T6 AWD T6 Polestar AWD T6 Twin Engine AWD T8 Hybrid Polestar AWD T8 Plug-in Hybrid AWD T8 R-Design Hybrid AWD T8 Twin Engine AWD T8 Twin Engine Polestar AWD T8 Recharge AWD	130 145 184 183 - 184 220 140 155 184 183 - 192 186 186 228 240 250 - 257 310 299 - 335 311 287 298 317	03/20→12/23 03/20→ 03/20→ 03/20→ 04/21→12/22 02/19→12/21 07/19→12/21 02/19→12/21 02/19→ 07/19→12/21 07/19→12/21 05/19→12/21 05/19→12/21 02/19→ 05/19→12/22 05/19→ 04/20→ 02/19→12/22 02/19→ 01/23→	⬅	Brake Size: 18"		13.0460-7377.2 607377	ATE + WE / - WK + Zub
VOLVO - S90 II (234) 01/16→							
 Brake Pad Set, disc brake							
2.0 B4 Mild-Hybrid B5 Mild-Hybrid B5 Mild Hybrid AWD B6 Mild-Hybrid AWD D3 D4 D4 AWD D4 Drive-E Polestar D4 Drive-E Polestar AWD D5 AWD D5 Polestar AWD T4 T4 Polestar T5 T5 Drive-E Polestar T6 AWD T6 Drive-E Polestar AWD T8 Hybrid AWD →	183 145 183 - 184 173 - 180 220 110 120 - 140 140 147 147 173 177 140 155 184 - 187 186 - 192 228 - 235 240 - 246 287	03/16→12/21 03/20→ 03/20→ 12/20→ 03/20→ 03/16→12/21 03/16→12/21 03/16→12/21 03/16→12/21 03/16→12/21 03/16→12/21 03/16→11/21 10/17→12/21 06/19→12/21 03/16→12/21 03/16→12/21 03/16→12/21 03/16→12/21 04/18→12/22	⬅	Brake Size: 18"		13.0460-7377.2 607377	ATE + WE / - WK + Zub

	kW			 	! #		
VOLVO - S90 II (234) 01/16→							
 Brake Pad Set, disc brake							
T8 Hybrid Polestar AWD T8 Plug-in Hybrid AWD	233 299 - 340	01/19→ 10/17→		Brake Size: 18"	13.0460-7377.2	607377	ATE + WE / - WK + Zub
T8 Plug-in Hybrid Polestar AWD	246	10/17→12/22					
VOLVO - V60 II (225) 02/18→							
 Brake Pad Set, disc brake							
2.0 T6 Drive-E Polestar AWD B3 Mild-Hybrid B4 Mild Hybrid B4 Mild-Hybrid B5 Mild Hybrid B5 Mild-Hybrid AWD B6 Mild-Hybrid AWD D3 D3 AWD D4 D4 AWD D4 Polestar D4 Polestar AWD T4 T4 Polestar T5 T5 AWD T5 Polestar T5 Polestar AWD T6 AWD T6 Plug-in Hybrid AWD T8 Plug-in Hybrid AWD T8 Plug-in Hybrid Polestar AWD T8 Recharge AWD	240 130 145 145 184 184 220 110 110 140 140 147 147 140 155 184 184 186 186 228 250 - 257 287 - 335 298 317	02/18→12/21 03/20→ 03/20→ 03/20→ 03/20→ 03/20→ 02/18→12/21 09/18→12/21 02/18→12/21 09/18→12/21 02/18→12/21 02/18→12/21 05/19→ 07/19→12/21 02/18→12/21 09/18→12/21 07/19→12/21 07/19→ 02/18→12/21 03/19→ 02/18→ 05/19→12/22 01/23→		Brake Size: 18"	13.0460-7377.2	607377	ATE + WE / - WK + Zub

	kW			 	! #						
VOLVO - V90 II Estate (235) 03/16→											
 Brake Pad Set, disc brake											
B5 Mild Hybrid Polestar AWD	180	11/21→	 Brake Size: 18"	13.0460-7377.2	607377	ATE + WE / - WK + Zub					
B6 Mild-Hybrid AWD	220 - 256	03/20→									
D3	110	03/16→12/21									
D3 AWD	110	03/16→12/21									
D4	120 - 140	03/16→12/21									
D4 AWD	140	03/16→12/21									
D4 Polestar	147	10/16→12/21									
D5 AWD	173	03/16→12/21									
D5 Polestar AWD	176	10/16→12/21									
Polestar AWD	147	10/16→12/21									
T4	140	10/17→12/21									
T4 Polestar	155	06/19→12/21									
T5	184 - 187	03/16→12/21									
T5 Polestar	186	10/17→03/20									
T6 AWD	228 - 235	03/16→12/21									
T6 Plug-in-Hybrid AWD	250 - 257	06/20→									
T6 Polestar AWD	240	10/17→12/21									
T8 Hybrid AWD	287	04/18→12/22									
T8 Plug-in Hybrid AWD	335	05/22→									
T8 Plug-in-Hybrid AWD	299	03/16→12/18									
T8 Plug-in Hybrid Polestar AWD	233 - 246	03/16→12/22									
T8 Recharge AWD	317	01/23→									
VOLVO - XC40 (536) 10/17→											
 Brake Pad Set, disc brake											
B3 Mild-Hybrid	130	01/22→					 Brake Size: 18"	13.0460-7377.2	607377	ATE + WE / - WK + Zub	
B4 Mild-Hybrid	145	09/19→									
B4 Mild-Hybrid AWD	145	09/19→									
B5 Mild-Hybrid AWD	183 - 184	09/19→12/23									
D3	110	09/18→09/21									
D3 AWD	110	09/18→09/21									
D3 Polestar	118	12/19→12/21									
D3 Polestar AWD	118	12/19→12/21									
D4 AWD	140	10/17→09/21									
D4 Polestar AWD	147	01/19→09/21									
Recharge	170 - 185	02/22→									
Recharge AWD	300	11/20→									
T2	95	06/19→									
T3	110 - 120	03/18→12/22									
T4	140	09/18→12/21									
T4 AWD	140	09/18→									
T4 Plug-in Hybrid	155	06/20→									
T5 AWD	182 - 183	10/17→12/22									
T5 Plug-in Hybrid	193	06/19→									
T5 Plug-in Hybrid Polestar Performance	143	06/19→									
T5 Polestar AWD	183	10/17→09/19									
VOLVO - XC60 II (246) 03/17→											
 Brake Pad Set, disc brake											
2.0 B5 Mild-Hybrid	183	03/22→	 Brake Size: 18" / 19"	13.0460-7377.2	607377	ATE + WE / - WK + Zub					
2.0 B5 Mild-Hybrid AWD	183	03/22→									
B4 Mild-Hybrid	145	05/19→									
B4 Mild-Hybrid AWD	145	04/19→									
B4 Plug-In Hybrid AWD	250	01/21→12/22									
B5 Mild-Hybrid	184	01/20→									
B5 Mild-Hybrid AWD	173 - 184	04/19→									
B5 Mild-Hybrid Polestar AWD	180	01/21→									
B6 Mild-Hybrid AWD	220	03/20→									
D3	110	03/17→12/21									
D4	120 - 140	03/17→12/21									
D4 AWD	140	03/17→12/21									
D4 Polestar	147	12/18→06/20									
D4 Polestar AWD	147	01/19→12/21									
D5 AWD	173	03/17→12/22									
D5 Polestar AWD	177	10/18→03/20									
T4	140	09/18→12/21									
→											

	kW			 	! #		
VW - CADDY CALIFORNIA V Camper (SBB, SBJ) 09/20→							
 Brake Pad Set, disc brake							
1.5 TSi EVO	84 - 85	01/21→	←	+PR 1ZD		13.0460-7373.2 607373	ATE + WE / - WK
1.6 SRE	81	02/21→				13.0470-7373.2 LD7373	ATE + WE / - WK Ceramic
2.0 TDi	55 - 90	09/20→					
2.0 TDi 4motion	90	03/21→					
VW - CC B6 (357) 02/08→06/12							
 Brake Hose							
1.4 TSi MultiFuel	118	01/11→01/12	←	→ 09/11; +PR 1LH / 1ZM / 1ZG	2	24.5143-0603.3 331859	L= 605
1.8 TSi	118	06/08→01/12					
2.0 TDi	103 - 125	06/08→01/12					
2.0 TDi 4motion	103 - 125	08/09→01/12					
2.0 TFSI	147	06/08→01/12					
2.0 TSi	155	11/10→01/12					
3.6 FSI 4motion	206	06/08→01/12					
1.8 TSi	112	11/08→05/10	←	+PR 1LH / 1ZM / 1ZG	2	24.5143-0603.3 331859	L= 605
2.0 BlueTDI	105	05/09→11/10					
2.0 TDi	100 - 120	02/08→05/11					
3.6 FSI 4motion	220	02/08→12/11	←	04/08→ 09/11; +PR 1LH / 1ZM / 1ZG	2	24.5143-0603.3 331859	L= 605
VW - CC B7 (358) 11/11→10/17							
 Brake Hose							
1.4 TSi	110 - 118	11/11→12/16	←		2	24.5143-0603.3 331859	L= 605
1.4 TSi MultiFuel	118	11/11→12/16					
1.8 TSi	112 - 118	11/11→12/16					
2.0 TDi	100 - 135	11/11→12/16					
2.0 TDi 4motion	103 - 130	11/11→12/16					
2.0 TFSI	147	11/11→12/16					
2.0 TSi	155	11/11→12/16					
3.6 FSI 4motion	220	11/11→12/16					
VW - GOLF IV (1J1) 08/97→04/08							
 Brake Hose							
1.8 4motion	92	05/98→06/05	←	07/98→ 10/03; +PR 1ZT; ☐		24.5141-0615.3 331865	L= 615
1.9 TDi 4motion	66	07/98→04/02	←	→ 06/01; +PR 1ZT; ☐		24.5141-0615.3 331865	L= 615
1.9 TDi 4motion	74	09/00→06/05	←	+PR 1ZT; ☐		24.5141-0615.3 331865	L= 615
2.3 V5 4motion	110	12/98→10/00					
2.8 VR6	147	03/02→06/05					
1.9 TDi 4motion	85	09/99→06/01	←	11/99→; +PR 1ZT; ☐		24.5141-0615.3 331865	L= 615
1.9 TDi 4motion	96	11/00→06/05	←	04/01→ 10/03; +PR 1ZT; ☐		24.5141-0615.3 331865	L= 615
1.9 TDi 4motion	110	02/00→06/05	←	09/00→ 10/03; +PR 1ZT; ☐		24.5141-0615.3 331865	L= 615
2.0 4motion	85	10/00→06/05	←	→ 10/03; +PR 1ZT; ☐		24.5141-0615.3 331865	L= 615
2.3 V5 4motion	125	10/00→06/05					
2.8 VR6 4motion	150	03/99→06/05					
3.2 R32 4motion	177	09/02→06/05					
VW - GOLF IV Van (1J1) 10/97→05/04							
 Brake Hose							
1.9 TDi 4motion	85	01/00→04/01	←	+PR 1ZT; ☐		24.5141-0615.3 331865	L= 615
VW - GOLF VII (5G1, BQ1, BE1, BE2) 08/12→10/21							
 Brake Hose							
1.0 TSi	63 - 85	05/15→08/20	→	+PR 0N1	2	24.5143-0291.3 331862	L= 293
1.2 TSi	77 - 81	11/12→03/17					
1.4 GTE Hybrid	150	05/14→08/20					
1.4 TSi	92 - 110	05/14→03/21					
1.4 TSi MultiFuel	90 - 92	11/12→07/18					
1.5 TGI	96	11/18→08/20					
1.5 TSi	96 - 110	04/17→08/20					
1.6 →	81	05/14→07/17					

	kW			 	! #		
VW - GOLF VII (5G1, BQ1, BE1, BE2) 08/12→10/21							
 Brake Hose							
1.6 TDI	66 - 85	04/13→08/20	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
2.0 GTD	135	04/13→08/20					
2.0 GTI	155 - 180	04/13→08/20					
2.0 GTI Clubsport	195	02/16→03/17					
2.0 GTI Clubsport S	228	09/16→03/17					
2.0 GTI TCR	213	11/18→08/20					
2.0 TDI	81 - 110	08/12→08/20					
1.2 TSI	63	08/12→03/17	➡	11/12→; +PR 0N1	2	24.5143-0291.3 331862	L= 293
1.4 TSI	103	08/12→07/17					
1.6 TDI	77	08/12→03/17					
1.4 TGI CNG	81	06/13→07/18	➡	08/13→; +PR 0N1	2	24.5143-0291.3 331862	L= 293
1.4 TSI	90	11/12→03/17	➡	06/13→; +PR 0N1	2	24.5143-0291.3 331862	L= 293
1.6 TDI	81	01/13→03/17					
VW - GOLF VII Van (5G1) 08/12→03/17							
 Brake Hose							
1.2 TSi	63	08/12→03/17	➡	11/12→; +PR 0N1	2	24.5143-0291.3 331862	L= 293
1.4 TSi	103	08/12→03/17					
1.6 TDi	77	08/12→03/17					
1.2 TSi	77	11/12→03/17	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
1.4 TSi	90	05/13→03/17					
1.6 TDi	66 - 81	04/13→03/17					
2.0 GTD	135	04/13→03/17					
2.0 GTi	162 - 169	04/13→03/17					
2.0 TDi	110	05/13→05/14					
VW - GOLF VII Variant (BA5, BV5) 04/13→01/22							
 Brake Hose							
1.0 TSI	63 - 85	05/15→08/20	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
1.2 TSI	81	04/14→03/17					
1.4 TGI CNG	81	09/13→07/18					
1.4 TSI	92 - 110	05/14→03/21					
1.4 TSI MultiFuel	90 - 92	04/13→03/17					
1.5 TGI	96	12/18→08/20					
1.5 TSI	96 - 110	04/17→08/20					
1.6	81	05/14→07/17					
1.6 TDI	85	11/16→08/20					
2.0 GTD	135	01/15→07/19					
1.2 TSI	63 - 77	04/13→08/20	➡	07/13→; +PR 0N1	2	24.5143-0291.3 331862	L= 293
1.4 TSI	90 - 103	05/13→08/20					
1.6 TDI	66 - 81	05/13→07/18					
2.0 TDI	81 - 110	04/13→08/20					
VW - GOLF VIII (CD1, DA1) 07/19→							
 Brake Hose							
1.0 TSI	66 - 81	02/20→	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
1.4 GTE Plug-in Hybrid	180	07/20→					
1.4 TSI	110	01/21→					
1.4 TSI eHybrid	150	07/20→					
1.5 TGI	96	09/20→					
1.5 TSI	96 - 110	07/19→					
2.0 GTI	180	08/20→					
2.0 GTI Clubsport	221	10/20→					
2.0 TDI	85 - 110	08/19→					
2.0 TDI 4motion	110	06/21→					
2.0 TDI GTD	147	09/20→					
2.0 TSI	140	06/21→11/24					
2.0 TSI 4motion	140	06/21→11/24					
2.0 TSI R 4motion	235 - 245	09/20→					

	kW			 	! #		
VW - GOLF VIII Variant (CG5, DB5) 08/20→							
 Brake Hose							
1.0 TSI	66 - 81	08/20→	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
1.5 TGI	96	09/20→					
1.5 TSI	85 - 110	08/20→					
2.0 TDI	85 - 110	08/20→					
2.0 TDI 4motion	110	06/21→					
2.0 TSI	140	06/21→11/24					
2.0 TSI 4motion	140	06/21→11/24					
2.0 TSI R 4motion	235 - 245	06/21→					
VW - GOLF ALLTRACK VII Variant (BA5, BV5) 12/14→12/20							
 Brake Hose							
1.6 TDI 4motion	81	12/14→03/17	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
1.8 TSI 4motion	132	12/14→08/20					
2.0 TDI 4motion	110 - 135	12/14→08/20					
VW - GOLF ALLTRACK VIII (CG5) 11/20→							
 Brake Hose							
2.0 TDI 4motion	147	11/20→	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
VW - GOLF SPORTSVAN VII (AM1, AN1) 02/14→08/20							
 Brake Hose							
1.0 TSI	63 - 85	05/15→08/20	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
1.2 TSI	63 - 81	04/14→11/17					
1.4 TSI	92	04/14→08/20					
1.4 TSI MultiFuel	92	04/14→11/17					
1.5 TSI	96 - 110	05/17→08/20					
1.6	81	05/14→11/16					
1.6 TDI	66 - 85	02/14→08/20					
2.0 TDI	81	05/14→11/17					
1.4 TSI	110	02/14→07/18	➡	05/14→; +PR 0N1	2	24.5143-0291.3 331862	L= 293
1.6 TDI	81	02/14→11/16					
2.0 TDI	110	02/14→08/20					
VW - GOLF VAN VII Variant (BA5) 04/13→03/17							
 Brake Hose							
1.2 TSi	63 - 77	04/13→03/17	➡	+PR 0N1	2	24.5143-0291.3 331862	L= 293
1.4 TSi	90 - 103	05/13→03/17					
1.6 TDi	66 - 77	05/13→03/17					
1.6 TDi 4motion	77	05/13→03/17					
2.0 TDi	110	04/13→03/17					
2.0 TDi 4motion	110	04/13→03/17					
VW - PASSAT ALLTRACK B7 Variant (365) 01/12→12/14							
 Brake Hose							
1.8 TSI	112 - 118	01/12→12/14	⬅		2	24.5143-0603.3 331859	L= 605
2.0 TDI	103	01/12→12/14					
2.0 TDI 4motion	103 - 130	01/12→12/14					
2.0 TSI 4motion	155	01/12→12/14					
VW - PASSAT B6 Sedan (3C2) 03/05→04/11							
 Brake Hose							
1.4 TSI	90	05/07→07/10	⬅	10/07→; +PR 1LJ / 1LH / 1ZG	2	24.5143-0603.3 331859	L= 605
1.8 TSI	118	05/07→07/10					
1.4 TSI EcoFuel	110	01/09→07/10	⬅	+PR 1LJ / 1LH / 1ZG	2	24.5143-0603.3 331859	L= 605
1.6	75	05/05→07/10					
1.6 FSI	85	03/05→06/08					
1.6 TDI	77	08/09→07/10					
1.8 TSI	112	11/09→07/10					
1.9 TDI	77	03/05→07/10					
2.0 BlueTDI	105	01/09→11/10					
2.0 FSI	110 - 125	03/05→07/10					
➔							

	kW			 	! #		
VW - PASSAT B6 Sedan (3C2) 03/05→04/11							
 Brake Hose							
2.0 FSI 4motion 2.0 TDI 2.0 TDI 16V 2.0 TDI 16V 4motion 2.0 TDI 4motion 2.0 TFSI 3.2 FSI 4motion 3.6 R36 4motion	110 81 - 125 103 103 103 - 125 147 184 220	09/05→07/10 03/05→11/10 03/05→07/10 03/05→08/10 03/05→07/10 07/05→07/10 11/05→07/10 04/07→07/10	←	+PR 1LJ / 1LH / 1ZG	2	24.5143-0603.3 331859	L= 605
VW - PASSAT B6 Variant (3C5) 08/05→11/11							
 Brake Hose							
1.4 TSI 1.8 TSI	90 118	05/07→11/10 05/07→10/11	←	10/07→; +PR 1LJ / 1LH / 1ZG	2	24.5143-0603.3 331859	L= 605
1.4 TSI EcoFuel 1.6 1.6 FSI 1.6 TDI 1.8 TSI 1.9 TDI 2.0 BlueTDI 2.0 FSI 2.0 FSI 4motion 2.0 TDI 2.0 TDI 16V 2.0 TDI 4motion 2.0 TFSI 3.2 FSI 4motion 3.6 R36 4motion	110 75 85 77 112 77 105 110 110 81 - 103 125 103 125 147 184 220	01/09→11/10 08/05→11/10 08/05→06/08 08/09→11/10 11/09→11/10 08/05→11/10 01/09→11/10 08/05→11/10 09/05→11/10 08/05→11/10 08/05→11/10 05/09→11/10 08/05→11/10 11/05→11/10 04/07→11/10	←	+PR 1LJ / 1LH / 1ZG	2	24.5143-0603.3 331859	L= 605
2.0 TDI 16V 4motion 2.0 TDI 4motion	103 103	08/05→11/10 08/05→05/09	←	09/05→; +PR 1LJ / 1LH / 1ZG	2	24.5143-0603.3 331859	L= 605
VW - PASSAT B7 (362) 08/10→04/16							
 Brake Hose							
1.4 TSI 1.4 TSI EcoFuel 1.4 TSI MultiFuel 1.6 TDI 1.8 TSI 2.0 TDI 2.0 TDI 4motion 2.0 TSI 3.6 FSI 4motion 2.0 TDI 4motion	90 - 118 110 118 77 112 - 118 100 - 130 103 - 130 155 220 125	08/10→12/14 08/10→12/14 11/10→12/14 08/10→12/14 08/10→12/14 08/10→12/14 08/10→12/14 11/10→12/14 01/11→12/14 08/10→01/13	←	→ 10/14	2	24.5143-0603.3 331859	L= 605
2.0 TDI 4motion	125	08/10→01/13	←		2	24.5143-0603.3 331859	L= 605
VW - PASSAT B7 (A32, A33) 01/11→12/20							
 Brake Hose							
2.0 TDI 2.5	103 125	04/11→06/15 01/11→12/20	←	→ 10/14	2	24.5143-0603.3 331859	L= 605
2.0 TDI	110	06/14→12/15	←		2	24.5143-0603.3 331859	L= 605
VW - PASSAT B7 Estate Van (365) 08/10→12/14							
 Brake Hose							
1.4 TSi 1.6 TDI 1.8 TSI 2.0 TDI 2.0 TSI 3.6 FSi 4motion	90 77 112 - 118 100 - 130 155 220	08/10→12/14 08/10→12/14 08/10→12/14 08/10→12/14 11/10→12/14 01/11→12/14	←	→ 10/14	2	24.5143-0603.3 331859	L= 605
VW - PASSAT B7 Variant (365) 08/10→12/15							
 Brake Hose							
1.4 TSI 1.4 TSI EcoFuel 1.4 TSI MultiFuel 1.6 TDI →	90 - 118 110 118 77	08/10→12/14 08/10→12/14 11/10→12/14 08/10→12/14	←	→ 10/14	2	24.5143-0603.3 331859	L= 605

	kW			 	! #		
VW - PASSAT B7 Variant (365) 08/10→12/15							
 Brake Hose							
1.8 TSI	112 - 118	08/10→12/14	←	→ 10/14	2	24.5143-0603.3 331859	L= 605
2.0 TDI	100 - 130	08/10→12/14					
2.0 TDI 4motion	103 - 130	08/10→12/14					
2.0 TSI	155	11/10→12/15					
3.6 FSI 4motion	220	01/11→12/14					
2.0 TDI 4motion	125	08/10→01/13	←		2	24.5143-0603.3 331859	L= 605
VW - TAOS (CL1, CP1, CQ1) 07/20→							
 Brake Hose							
1.4 TSI	110	10/20→	→	+PR 0N1	2	24.5143-0291.3 331862	L= 293
1.4 TSI 4motion	110	05/21→					
1.6 MPI	81	07/21→					
VW - T-ROC (A11, D11) 07/17→							
 Brake Hose							
1.0 TSI	81 - 85	07/17→	→	+PR 0N1	2	24.5143-0291.3 331862	L= 293
1.5 TSI	110	11/17→					
1.5 TSI 4motion	110	05/18→11/19					
1.6 TDI	85	03/18→06/21					
2.0 R 4motion	221	09/19→					
2.0 TDI	110	03/18→					
2.0 TDI 4motion	110 - 140	09/17→					
2.0 TDI SCR	85	11/20→					
2.0 TSI 4motion	140	07/17→					



- EN** Technical translations
- DE** Technische Übersetzungen
- ES** Traducciones técnicas
- FR** Traductions techniques
- IT** Traduzioni tecniche

Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

EN		EN	
	Brake Hose	Bolt Hole Circle Ø [mm]	Bolt Hole Circle Ø [mm]
	Brake Caliper	Bore Diameter [mm]	Bore Diameter [mm]
	Brake Pad Set, disc brake	Brake Disc Thickness [mm]	Brake Disc Thickness [mm]
	Brake Disc	Brake Size	Brake Size
	Wheel Speed Sensor	Centering Diameter [mm]	Centering Diameter [mm]
	Brake Shoe Set	- eFSB	for vehicles without electric parking brake
	Rear Axle Left	Engine Code	Engine Code
	Rear Axle Right	Equipment Code	Equipment Code
	Centre	Exchange Part	Exchange Part
	Front Axle Left	Flange Hole Diameter [mm]	Flange Hole Diameter [mm]
	Front Axle Right	for brake disc diameter [mm]	for brake disc diameter [mm]
+ FSB	Brake Caliper with integrated parking brake	for government vehicles	for government vehicles
+ Performance Parts	for vehicles with Performance brakes	for vehicles with Airmatic DC	for vehicles with Airmatic DC
+ PR	for PR number	for vehicles with M-sport brakes	for vehicles with M-sport brakes
+ S	with bolts/screws	for vehicles without 3rd seating row	for vehicles without 3rd seating row
+ WE	prepared for wear warning indicator	for vehicles without M-sport brakes	for vehicles without M-sport brakes
+ Zub	with accessories	for vehicles without sports package	for vehicles without sports package
16.0	16.0	for vehicles with reinforced brakes	for vehicles with reinforced brakes
16"	16"		
18"	18"		
19"	19"		
ALU	Aluminium		
at brake caliper	at brake caliper		
B	Coated		
B1=	Width 1 [mm]		
B2=	Width 2 [mm]		

Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

EN		EN	
HC	High-carbon	TRW	Brake System, Lucas / TRW
- HEB	without lever	two-piece brake disc	two-piece brake disc
Height [mm]	Height [mm]	Width [mm]	Width [mm]
Height 1 [mm]	Height 1 [mm]	with banjo bolt	with banjo bolt
Height 2 [mm]	Height 2 [mm]	without banjo bolt	without banjo bolt
L=	Length [mm]	- WK	excl. wear warning contact
Machining	Machining	Yes	Yes
Minimum thickness [mm]	Minimum thickness [mm]	Ø	Inner Diameter [mm] Outer Diameter [mm] Inner brake drum diameter [mm]
not for type code	not for type code	→	Construction Year from Vehicle Identification Number (VIN) from
not for vehicles with reinforced brakes	not for vehicles with reinforced brakes	→	Construction Year to Vehicle Identification Number (VIN) to
Number of Holes	Number of Holes	→ Orga	for RPO number up to
outer	outer		
- Performance Parts	for vehicles without Performance brakes		
Permissible up to vehicle capacity [kW]	Permissible up to vehicle capacity [kW]		
Piston Diameter [mm]	Piston Diameter [mm]		
replacement part	replacement part		
Rim Size [inch]	Rim Size [inch]		
Spanner Size	Spanner Size		
Spanner Size 1 [mm]	Spanner Size 1 [mm]		
Spanner Size 2 [mm]	Spanner Size 2 [mm]		
Surface	Surface		
Thickness [mm]	Thickness [mm]		
Thickness 1 [mm]	Thickness 1 [mm]		
Thickness 2 [mm]	Thickness 2 [mm]		

Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

DE		DE	
	Bremsschlauch	Bolt Hole Circle Ø [mm]	Lochkreis-Ø [mm]
	Bremssattel	Bore Diameter [mm]	Bohrungsdurchmesser [mm]
	Bremsbelagsatz, Scheibenbremse	Brake Disc Thickness [mm]	Bremsscheibendicke [mm]
	Bremsscheibe	Brake Size	Bremsengröße
	Raddrehzahlsensor	Centering Diameter [mm]	Zentrierungsdurchmesser [mm]
	Bremsbackensatz	- eFSB	für Fahrzeuge ohne elektrische Feststellbremse
	Hinterachse links	Engine Code	Motorcode
	Hinterachse rechts	Equipment Code	Ausstattungs-Code
	Mitte	Exchange Part	Austauschteil
	Vorderachse links	Flange Hole Diameter [mm]	Flanschlochdurchmesser [mm]
	Vorderachse rechts	for brake disc diameter [mm]	für Bremsscheibendurchmesser [mm]
+ FSB	Bremssattel m. integr. Feststellbremse	for government vehicles	für Behördenfahrzeuge
+ Performance Parts	für Fahrzeuge mit Performance Bremse	for vehicles with Airmatic DC	für Fahrzeuge mit Airmatic DC
+ PR	für PR-Nummer	for vehicles with M-sport brakes	für Fahrzeuge mit M-Sportbremse
+ S	mit Schrauben	for vehicles without 3rd seating row	für Fahrzeuge ohne 3. Sitzreihe
+ WE	für Verschleißwarnanzeige vorbereitet	for vehicles without M-sport brakes	für Fahrzeuge ohne M-Sportbremse
+ Zub	mit Zubehör	for vehicles without sports package	für Fahrzeuge ohne Sportpaket
16.0	16,0	for vehicles with reinforced brakes	für Fahrzeuge mit verstärkter Bremse
16"	16"		
18"	18"		
19"	19"		
ALU	Aluminium		
at brake caliper	am Bremssattel		
B	beschichtet		
B1=	Breite 1 [mm]		
B2=	Breite 2 [mm]		

Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

DE		DE	
HC	hochgekohlt	TRW	Bremssystem, Lucas / TRW
- HEB	ohne Hebel	two-piece brake disc	zweiteilige Bremsscheibe
Height [mm]	Höhe [mm]	Width [mm]	Breite [mm]
Height 1 [mm]	Höhe 1 [mm]	with banjo bolt	mit Hohlsschraube
Height 2 [mm]	Höhe 2 [mm]	without banjo bolt	ohne Hohlsschraube
L=	Länge [mm]	- WK	exkl. Verschleißwarnkontakt
Machining	Bearbeitung	Yes	Ja
Minimum thickness [mm]	Mindestdicke [mm]	Ø	Innendurchmesser [mm] Außendurchmesser [mm] Bremstrommeldurchmesser innen [mm]
not for type code	nicht für Typenbaumuster	→	Baujahr ab Fahrgestellnummer (VIN) ab
not for vehicles with reinforced brakes	nicht für Fahrzeuge mit verstärkter Bremse	→	Baujahr bis Fahrgestellnummer (VIN) bis
Number of Holes	Lochanzahl	→Orga	für Organisationsnummer bis
outer	außen		
- Performance Parts	für Fahrzeuge ohne Performance Bremse		
Permissible up to vehicle capacity [kW]	Zulässig bis Fahrzeugleistung [kW]		
Piston Diameter [mm]	Kolbendurchmesser [mm]		
replacement part	Austauschteil		
Rim Size [inch]	Felgengröße [Zoll]		
Spanner Size	Schlüsselweite		
Spanner Size 1 [mm]	Schlüsselweite 1 [mm]		
Spanner Size 2 [mm]	Schlüsselweite 2 [mm]		
Surface	Oberfläche		
Thickness [mm]	Dicke/Stärke [mm]		
Thickness 1 [mm]	Dicke/Stärke 1 [mm]		
Thickness 2 [mm]	Dicke/Stärke 2 [mm]		



Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

ES		ES	
	Tubo flexible de frenos	Bolt Hole Circle Ø [mm]	corona de agujeros - Ø [mm]
	Pinza de freno	Bore Diameter [mm]	Diámetro de orificio [mm]
	Juego de pastillas de freno	Brake Disc Thickness [mm]	Espesor de disco de frenos [mm]
	Disco de freno	Brake Size	Tamaño freno
	Sensor de velocidad de la rueda	Centering Diameter [mm]	Diámetro de centrado [mm]
	Juego de zapatas de frenos	- eFSB	para vehículos sin freno de estacionamiento electrónico
	Eje trasero izquierda	Engine Code	Código de motor
	Eje trasero, derecha	Equipment Code	Código de equipamiento
	Centro	Exchange Part	Pieza de intercambio
	Eje delantero, izquierda	Flange Hole Diameter [mm]	Diám. taladro brida [mm]
	Eje delantero, derecha	for brake disc diameter [mm]	para diámetro disco de freno [mm]
+ FSB	Pinza con freno estacionamiento integrado	for government vehicles	para vehículos admon. pública
+ Performance Parts	para vehículos con frenos alto rendimiento	for vehicles with Airmatic DC	para vehículos con Airmatic DC
+ PR	Número de PR	for vehicles with M-sport brakes	Para vehículos con frenos deportivos M
+ S	con tornillos	for vehicles without 3rd seating row	para vehículos sin 3 hileras de asientos
+ WE	preparado para indicador de desgaste	for vehicles without M-sport brakes	Para vehículos sin frenos deportivos M
+ Zub	con accesorios	for vehicles without sports package	para vehículos sin paquete sport
16.0	16,0	for vehicles with reinforced brakes	para vehículos con freno reforzado
16"	16"		
18"	18"		
19"	19"		
ALU	Aluminio		
at brake caliper	en la pinza del freno		
B	revestido		
B1=	Ancho 1 [mm]		
B2=	Ancho 2 [mm]		

Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

ES		ES	
HC	altamente carbonizado	TRW	Sistema de frenos, Lucas / TRW
- HEB	sin palanca	two-piece brake disc	disco de freno de dos piezas
Height [mm]	Altura [mm]	Width [mm]	Ancho [mm]
Height 1 [mm]	Altura 1 [mm]	with banjo bolt	con tornillo hueco
Height 2 [mm]	Altura 2 [mm]	without banjo bolt	sin tornillo hueco
L=	Longitud [mm]	- WK	excl. contacto de avisador de desgaste
Machining	Procesamiento	Yes	sí
Minimum thickness [mm]	Espesor mínimo [mm]	Ø	Diámetro interior [mm] Diámetro exterior [mm] Diámetro interior de tambor de freno [mm]
not for type code	no apto para tipo de modelo	→	año construcción desde N.º de chasis (VIN) desde
not for vehicles with reinforced brakes	no para vehículos con frenos reforzados	→	año construcción hasta N.º de chasis (VIN) hasta
Number of Holes	Número de orificios	→ Orga	para número de OPR hasta
outer	exterior		
- Performance Parts	para vehículos sin frenos alto rendimiento		
Permissible up to vehicle capacity [kW]	Permitido hasta la potencia del vehículo [kW]		
Piston Diameter [mm]	Diámetro del pistón [mm]		
replacement part	Recambio		
Rim Size [inch]	Tamaño de llanta [pulgada]		
Spanner Size	Ancho de llave		
Spanner Size 1 [mm]	Ancho de llave 1 [mm]		
Spanner Size 2 [mm]	Ancho de llave 2 [mm]		
Surface	Superficie		
Thickness [mm]	Espesor [mm]		
Thickness 1 [mm]	Espesor/grosor 1 [mm]		
Thickness 2 [mm]	Espesor/grosor 2 [mm]		

Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

FR		FR	
	Flexible de frein	Bolt Hole Circle Ø [mm]	Cercle de perçage -Ø [mm]
	Étrier de frein	Bore Diameter [mm]	Diamètre de l'alésage [mm]
	Kit de plaquettes de frein, frein à disque	Brake Disc Thickness [mm]	Épaisseur du disque de frein [mm]
	Disque de frein	Brake Size	Dimension des freins
	Capteur de vitesse de roue	Centering Diameter [mm]	Diamètre du centrage [mm]
	Jeu de mâchoires de frein	- eFSB	pour véhicules sans frein d'arrêt électrique
	Essieu arrière gauche	Engine Code	Code moteur
	Essieu arrière droit	Equipment Code	Code d'équipement
	Centre	Exchange Part	Echange standard
	Essieu avant gauche	Flange Hole Diameter [mm]	Diamètre du trou de bride [mm]
	Essieu avant droit	for brake disc diameter [mm]	pour diamètre du disque de frein [mm]
+ FSB	Étrier de frein avec frein de stationnement intégré	for government vehicles	pour véhicules d'administration
+ Performance Parts	pour véhicule avec frein Performance	for vehicles with Airmatic DC	pour véhicules avec Airmatic DC
+ PR	pour numéro PR	for vehicles with M-sport brakes	pour véhicules avec système de freinage sport M
+ S	avec vis/boulons	for vehicles without 3rd seating row	pour véhicules sans 3ième rangée de sièges
+ WE	préparé pour l'indicateur d'usure	for vehicles without M-sport brakes	pour véhicules sans système de freinage sport M
+ Zub	avec accessoires	for vehicles without sports package	pour véhicules sans équipement sport
16.0	16,0	for vehicles with reinforced brakes	pour véhicules avec frein assisté
16"	16"		
18"	18"		
19"	19"		
ALU	Aluminium		
at brake caliper	à l'étrier de frein		
B	revêtu		
B1=	Largeur 1 [mm]		
B2=	Largeur 2 [mm]		

Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

FR		FR	
HC	à haute teneur en carbone	TRW	Système de freinage, Lucas / TRW
- HEB	sans levier	two-piece brake disc	disque de frein à deux pièces
Height [mm]	Hauteur [mm]	Width [mm]	Largeur [mm]
Height 1 [mm]	Hauteur 1 [mm]	with banjo bolt	avec vis creuse
Height 2 [mm]	Hauteur 2 [mm]	without banjo bolt	sans vis creuse
L=	Longueur [mm]	- WK	contact de signal d'usure exclu
Machining	Traitement	Yes	Oui
Minimum thickness [mm]	Épaisseur minimum [mm]	Ø	Diamètre intérieur [mm] Diamètre extérieur [mm] Diamètre intérieur du tambour de frein [mm]
not for type code	pas pour le type de modèle	→	Année à partir de Numéro de châssis (VIN) à partir de
not for vehicles with reinforced brakes	pas pour véhicules avec frein assisté	→	Année jusqu'à Numéro de châssis (VIN) à
Number of Holes	Nombre de trous	→ Orga	pour numéro OPR jusqu'à
outer	extérieur		
- Performance Parts	pour véhicules sans frein Performance		
Permissible up to vehicle capacity [kW]	Autorisé jusqu'à la puissance du véhicule [kW]		
Piston Diameter [mm]	Diamètre du piston [mm]		
replacement part	Pièce de rechange		
Rim Size [inch]	Dimension de la jante [pouces]		
Spanner Size	Ouverture de la clé		
Spanner Size 1 [mm]	Largeur de clé 1 [mm]		
Spanner Size 2 [mm]	Largeur de clé 2 [mm]		
Surface	Surface		
Thickness [mm]	Épaisseur [mm]		
Thickness 1 [mm]	Épaisseur 1 [mm]		
Thickness 2 [mm]	Épaisseur 2 [mm]		

Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

IT		IT	
	Flessibile del freno	Bolt Hole Circle Ø [mm]	Cerchio foro-Ø [mm]
	Pinza freno	Bore Diameter [mm]	Diametro foro [mm]
	Kit pastiglie freno, Freno a disco	Brake Disc Thickness [mm]	Spessore disco freno [mm]
	Disco freno	Brake Size	Misura freno
	Sensore velocità ruote	Centering Diameter [mm]	Diametro centraggio [mm]
	Kit ganasce freno	- eFSB	per veicoli senza freno stazionamento elettrico
	Assale posteriore Sx	Engine Code	Codice motore
	Assale posteriore Dx	Equipment Code	Codice dotazione
	Centro	Exchange Part	Ricambio di rotazione
	Assale anteriore Sx	Flange Hole Diameter [mm]	Diametro foro flangia [mm]
	Assale anteriore Dx	for brake disc diameter [mm]	per diametro disco freno [mm]
+ FSB	Pinza freno con freno-stazionamento integrato	for government vehicles	per veicoli dell'amministrazione pubblica
+ Performance Parts	per veicoli con freno Performance	for vehicles with Airmatic DC	per veicoli con Airmatic DC
+ PR	per N° PR	for vehicles with M-sport brakes	per veicoli con freni sportivi M
+ S	con bulloni/viti	for vehicles without 3rd seating row	per veicoli senza 3ª fila sedili
+ WE	predisposto per visualizzazione avviso usura	for vehicles without M-sport brakes	per veicoli senza freni sportivi M
+ Zub	con accessori	for vehicles without sports package	per veicoli senza pacchetto sportivo
16.0	16,0	for vehicles with reinforced brakes	per veicoli con freno rinforzato
16"	16"		
18"	18"		
19"	19"		
ALU	Alluminio		
at brake caliper	alla pinza freno		
B	rivestito		
B1=	Larghezza 1 [mm]		
B2=	Larghezza 2 [mm]		

Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

IT		IT	
HC	ad alto tenore di carbonio	TRW	Sistema frenante, Lucas / TRW
- HEB	senza leva	two-piece brake disc	disco del freno a due pezzi
Height [mm]	Altezza [mm]	Width [mm]	Larghezza [mm]
Height 1 [mm]	Altezza 1 [mm]	with banjo bolt	con vite cava
Height 2 [mm]	Altezza 2 [mm]	without banjo bolt	senza vite cava
L=	Lunghezza [mm]	- WK	senza contatto segnalazione usura
Machining	Lavorazione/Trattamento	Yes	Sì
Minimum thickness [mm]	Spessore min. [mm]	Ø	Diametro interno [mm] Diametro esterno [mm] Diametro tamburo del freno interno [mm]
not for type code	non per modelli del tipo	→	Anno da N° telaio (VIN) da
not for vehicles with reinforced brakes	Non per veicoli con freno rinforzato	→	Anno fino a N° telaio (VIN) fino a
Number of Holes	N° fori	→ Orga	per numero organizzazione fino a
outer	Esterno		
- Performance Parts	per veicoli senza freno Performance		
Permissible up to vehicle capacity [kW]	Consentito fino a potenza veicolo [kW]		
Piston Diameter [mm]	Diametro pistone [mm]		
replacement part	Ricambio di rotazione		
Rim Size [inch]	Misura cerchione [pollici]		
Spanner Size	Apertura chiave		
Spanner Size 1 [mm]	Apertura chiave 1 [mm]		
Spanner Size 2 [mm]	Apertura chiave 2 [mm]		
Surface	Superficie		
Thickness [mm]	Spessore [mm]		
Thickness 1 [mm]	Spessore 1 [mm]		
Thickness 2 [mm]	Spessore 2 [mm]		

**Continental Aftermarket &
Services GmbH**

Sodener Straße 9
D-65824 Schwalbach
Tel. +49 (0) 6196 87 0
www.ate.de

**Continental Automotive Trading
Italia S.r.l.**

Via Matteotti, 62
I-20092 Cinisello Balsamo (MI)
Tel. +39 02 35680 1
www.ate-freni.it

**Continental Automotive Trading
France**

6 rue Jean Moulin
F-78120 Rambouillet
www.ate-freinage.fr

Continental Automotive Spain, S.A.

C/ Sepúlveda, 11
E-28108 Alcobendas (Madrid)
Phone+34 91 657 21 21
www.frenos-ate.es

