

Printing date 14.11.2025 Version number 2.0 (replaces version 1.0) Revision: 01.11.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: ATE BRAKE CLEANER PRO

Article number: 03.9901-81xx.x / 7081xx

UFI: MQ00-709A-F00E-452F

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Cleaning agent/ Cleaner

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

AUMOVIO Aftermarket GmbH

Guerickestr. 7

60488 Frankfurt a. M.

Germany

Tel: +49-69-76031

Further information obtainable from:

Hazardous Substances Management Aftermarket, Central Materials Laboratory ate.sicherheit@aumovio.com

1.4 Emergency telephone number:

INFOTRAC

+1-352-323-3500 (International)

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week)

Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if

heated.

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified according to the CLP regulation.

Hazard pictograms







GHS02 GHS07 GHS09

Signal word Danger

Hazard-determining components of labelling:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)



Version number 2.0 (replaces version 1.0) Revision: 01.11.2025 Printing date 14.11.2025

Trade name: ATE BRAKE CLEANER PRO

Precautionary statements

(Contd. of page 1)

D101	If modical	advisa	io	2000

If medical advice is needed, have product container or label at hand. P101

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use. P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

Do NOT induce vomiting. P331

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Additional information:

Buildup of explosive mixtures possible without sufficient ventilation.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
EC number: 921-024-6	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5%	50 - < 100%
Reg.nr.: 01-2119475514-35	n-hexane	
	Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	
CAS: 124-38-9	carbon dioxide	3 - < 5%
EINECS: 204-696-9	substance with a Community workplace exposure limit	

SVHC Contains no or < 0.1% SVHC according to Regulation (EC) No. 1907/2006 (REACH), Article 57.

Regulation (EC) No 648/2004 on detergents / Labelling for contents	
aliphatic hydrocarbons	≥30%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take off immediately all contaminated clothing and wash it before reuse.

Call a POISON CENTER/doctor if you feel unwell.

After inhalation:

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Seek medical treatment in case of complaints.

After skin contact:

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

After eye contact:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

(Contd. on page 3)

(Contd. of page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.11.2025 Version number 2.0 (replaces version 1.0) Revision: 01.11.2025

Trade name: ATE BRAKE CLEANER PRO

After swallowing:

Do NOT induce vomiting. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Headache

Nausea

Vertigo

Dizziness

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible in case of fire.

In case of fire: CO, CO2 5.3 Advice for firefighters

Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Prevent from spreading (e.g. by damming-in or oil barriers).

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose of the material collected according to regulations.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

(Contd. on page 4)



Printing date 14.11.2025 Version number 2.0 (replaces version 1.0) Revision: 01.11.2025

Trade name: ATE BRAKE CLEANER PRO

Protect against electrostatic charges.

(Contd. of page 3)

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Store cool and dry.

Observe official regulations on storing packagings with pressurised containers.

Information about storage in one common storage facility:

Separation of self-igniting and flammable substances.

Store away from oxidising agents.

Store away from foodstuffs.

Further information about storage conditions:

Do not seal receptacle gas tight.

Store under lock and key and out of the reach of children.

Protect from frost.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

124-38-9 carbon dioxide

OEL Long-term value: 9000 mg/m³, 5000 ppm IOELV

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Use skin protection cream for skin protection.

Respiratory protection:

If occupational exposure limits are exceeded, use breathing mask (filter type A). Wear self-contained breathing apparatus in case of danger of oxygen displacement.

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves Nitrile rubber (NBR)

Penetration time of glove material

NBR (nitrile rubber): minimum breakthrough time 480 min; minimum layer thickness: 0.45 mm

Eye/face protection Safety glasses

Environmental exposure controls See section 6 and 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Liquid Colour: Colourless

(Contd. on page 5)



Version number 2.0 (replaces version 1.0) Revision: 01.11.2025 Printing date 14.11.2025

Trade name: ATE BRAKE CLEANER PRO

(Contd. of page 4)

Odour: Solvent-like **Odour threshold:** Not determined. Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

88 °C range

Flammability Not applicable.

Lower and upper explosion limit

Lower: 0.6 Vol % Upper: 7.2 Vol % Flash point: -12 °C 200 °C **Auto-ignition temperature:**

Decomposition temperature: Not determined.

рΗ Mixture is non-polar/aprotic.

Viscosity:

Kinematic viscosity $< 0.7 \text{ mm}^2/\text{s}$ Dynamic: Not determined.

water: Not miscible or difficult to mix.

Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C: 0.673 g/cm3 (DIN51757)

Relative density Not determined. Vapour density Not determined.

9.2 Other information No further relevant information available.

Appearance:

Form: Liquid

Important information on protection of health

and environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Not determined.

Change in condition

Evaporation rate Not applicable.

Information with regard to physical hazard

classes

Explosives Void Flammable gases Void

Aerosols Extremely flammable aerosol. Pressurised

container: May burst if heated.

Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit

flammable gases in contact with water Void **Oxidising liquids** Void Oxidising solids Void Organic peroxides Void

(Contd. on page 6)



Printing date 14.11.2025 Version number 2.0 (replaces version 1.0) Revision: 01.11.2025

Trade name: ATE BRAKE CLEANER PRO

(Contd. of page 5)

Corrosive to metals Void
Desensitised explosives Void

SECTION 10: Stability and reactivity

10.1 Reactivity Extremely flammable aerosol.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Danger of bursting.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

10.4 Conditions to avoid Avoid heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials: Strong oxidizing agents

10.6 Hazardous decomposition products:

In the case of thermal decomposition, formation of:

Carbon monoxide and carbon dioxide

Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50	values relevant	for classification:
Hydrocar	bons, C6-C7, n-	alkanes, isoalkanes, cyclics, <5% n-hexane
Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC 50 (vapour)	>25 mg/l (rat)

Primary irritant effect:

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure May cause drowsiness or dizziness.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard May be fatal if swallowed and enters airways.

Additional toxicological information:

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) None.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients are listed.

7)



Printing date 14.11.2025 Version number 2.0 (replaces version 1.0) Revision: 01.11.2025

Trade name: ATE BRAKE CLEANER PRO

(Contd. of page 6)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Toxic to aquatic life with long lasting effects.

Hydrocarbons, C6-C	C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane
EC50	>1-10 mg/l (daphnia) (48 h)
LC50	>1-10 mg/L (fish) (96 h)
ErC50	10-30 mg/L (algae) (OECD 201 72 h)
Bio.Abbaubark./28 d	98 % /28 d (-) (OECD 301 F)

12.2 Persistence and degradability No further relevant information available.

Other information: The product is easily biodegradable.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Avoid transfer into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal should be based on the relevant state and local laws and regulations, the disposal process should avoid pollution of the environment.

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue	
16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 05 00	gases in pressure containers and discarded chemicals
16 05 04*	gases in pressure containers (including halons) containing hazardous substances

Uncleaned packaging:

Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

14.1 UN number or ID number	r
ADD IMDC IATA	

ADR, IMDG, IATA UN1950

(Contd. on page 8)



Printing date 14.11.2025 Version number 2.0 (replaces version 1.0) Revision: 01.11.2025

Trade name: ATE BRAKE CLEANER PRO

(Contd. of page 7)

14.2 UN proper shipping name

ADR AEROSOLS

IMDG AEROSOLS (Hydrocarbons, C6-C7, n-alkanes,

isoalkanes, cyclics, <5% n-hexane), MARINE

POLLUTANT

IATA AEROSOLS, flammable

14.3 Transport hazard class(es)

ADR



Class 2 5F Gases.

Label 2.1

IMDG



Class 2.1 Gases.

Label 2.1

IATA



Class 2.1 Gases.

Label 2.

14.4 Packing group

ADR, IMDG, IATA Void

14.5 Environmental hazards: Product contains environmentally hazardous

substances: Hydrocarbons, C6-C7, n-alkanes,

isoalkanes, cyclics, <5% n-hexane

Marine pollutant:Symbol (fish and tree)Special marking (ADR):Symbol (fish and tree)

14.6 Special precautions for user Warning: Gases.

Danger code:

EMS Number: F-D,S-U

Stowage Code SW1 Protected from sources of heat.

SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS:

Category C, Clear of living quarters.

Segregation Code SG69 For AEROSOLS with a maximum capacity of 1

itre:

Segregation as for class 9. Stow "separated from" class

1 except for division 1.4.

For AEROSOLS with a capacity above 1 litre:

Segregation as for the appropriate subdivision of class

(Contd. on page 9)



Printing date 14.11.2025 Version number 2.0 (replaces version 1.0) Revision: 01.11.2025

Trade name: ATE BRAKE CLEANER PRO

(Contd. of page 8)

2.

For WASTE AEROSOLS:

Segregation as for the appropriate subdivision of class

2.

14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ) 1L

Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

Transport category 2
Tunnel restriction code D

IMDG

Remarks:

Limited quantities (LQ) 1L

Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

Emergency Telephone (24/7)

INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

UN "Model Regulation": UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients are listed.

Seveso category

E2 Hazardous to the Aquatic Environment

P3b FLAMMABLE AEROSOLS

Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients are listed.

LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients are listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40

Regulation (EU) No 649/2012

None of the ingredients are listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients are listed.

(Contd. on page 10)



Printing date 14.11.2025 Version number 2.0 (replaces version 1.0) Revision: 01.11.2025

Trade name: ATE BRAKE CLEANER PRO

REGULATION (EU) 2019/1148

(Contd. of page 9)

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients are listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients are listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients are listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients are listed.

REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients are listed.

National regulations:

Information about limitation of use: Employment restrictions concerning juveniles must be observed.

Other regulations, limitations and prohibitive regulations

Aerosoldirective (75/324/EWG)

Detergents Regulation (648/2004/EG)

Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

It is the sole responsibility of the importer or distributor to identify and comply with all legal requirements necessary for the lawful placing of chemical products on the market in the respective target countries.

Relevant phrases

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Recommended restriction of use For industrial or professional purposes only.

Department issuing SDS:

Hazardous Substances Management Aftermarket

ate.sicherheit@aumovio.com

Date of previous version: 01.04.2024 Version number of previous version: 1.0

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

INDG. International Maritime Code for Dangerous Go

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

(Contd. on page 11)

Page 11/11

(Contd. of page 10)



Safety data sheet according to 1907/2006/EC, Article 31

Version number 2.0 (replaces version 1.0) Printing date 14.11.2025

Revision: 01.11.2025

Trade name: ATE BRAKE CLEANER PRO

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

Aerosol 1: Aerosols – Category 1
Flam. Liq. 2: Flammable liquids – Category 2
Skin Irrit. 2: Skin corrosion/irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

* Data compared to the previous version altered.