

# ATE New Parts ATE Neuteile



3/2026

Bremsen-Ersatzteilprogramm  
Brake Parts Program



Brakethrough Technology

## EN Table of contents

Index of vehicles
Product details
Applications of vehicles
Technical translations

## DE Inhaltsverzeichnis

3	Herstellerverzeichnis
6	Produktdetails
23	Fahrzeugverwendungen
63	Technische Übersetzungen

## ES Índice

3	Índice de vehículos	3
6	Descripción del producto	6
23	Aplicaciones	23
63	Traducciones técnicas	63

## FR Table des matières

Liste des véhicules
Présentation du produit
Applications
Traductions techniques

## IT Sommario

3	Indice autovetture	3
6	Panoramica prodotti	6
23	Applicazioni autoveicoli	23
63	Traduzioni tecniche	63





- EN** Index of vehicles
- DE** Herstellerverzeichnis
- ES** Índice de vehículos
- FR** Liste des véhicules
- IT** Indice autovetture

**3/2026**



**ALFA ROMEO 24**

TONALE (965\_) 24

**AUDI 24**

A1 (8X1, 8XK) 24  
 A1 Allstreet (GBH) 24  
 A1 City Carver (GBH) 24  
 A1 Sportback (8XA, 8XF) 24  
 A1 Sportback (GBA) 24  
 A4 B6 (8E2) 24  
 A4 B6 Avant (8E5) 25  
 A4 B6 Convertible (8H7) 25  
 A4 B7 Avant (8ED) 25  
 A4 B7 Convertible (8HE) 26  
 A4 B7 Sedan (8EC) 26

**BMW 26**

1 (E81) 26  
 1 (E87) 26  
 1 (F40) 27  
 1 (F52) 27  
 1 Convertible (E88) 27  
 1 Coupe (E82) 27  
 2 Active Tourer (F45) 27  
 2 Active Tourer (U06) 27  
 2 Active Tourer Van (F45) 27  
 2 Coupe (G42, G87) 28  
 2 Gran Coupe (F44) 28  
 2 Gran Tourer (F46) 28  
 2 Gran Tourer Van (F46) 28  
 3 (G20, G80, G28) 28  
 3 Convertible (E93) 28  
 3 Coupe (E92) 28  
 3 Sedan (E90) 29  
 3 Touring (E91) 30  
 3 Touring (G21, G81) 30  
 3 Touring Van (G21) 30  
 4 Convertible (G23, G83) 30  
 4 Coupe (G22, G82) 31  
 4 Gran Coupe (G26) 31  
 5 (G30, F90) 31  
 7 (G11, G12) 31  
 8 Convertible (G14, F91) 31  
 8 Coupe (G15, F92) 32  
 8 Gran Coupe (G16, F93) 32  
 X1 (F48) 32  
 X1 (U11) 33  
 X1 SUV (E84) 33  
 X1 Van (F48) 33  
 X2 (F39) 33  
 X2 (U10) 33  
 X5 (G05, F95) 33  
 X5 Van (G05) 35  
 X6 (G06, F96) 35  
 X7 (G07) 36

**CITROËN 37**

AMI (9A\_) 37

**DACIA 37**

DUSTER (HM\_) 37  
 DUSTER (HS\_) 37  
 DUSTER SUV Van 37

**DAIHATSU 38**

CHARADE VIII 38  
 CUORE VII (L275\_, L285\_, L276\_) 38  
 MATERIA (M4\_) 38  
 SIRION (M3\_) 38

**DS 38**

DS 3 / DS 3 CROSSBACK (UR\_, UC\_, UJ\_) 38

**FIAT 38**

500X (334\_) 38

**FORD 38**

ECOSPORT 38  
 FIESTA VII (HJ, HF) 39  
 FIESTA VII Van 39  
 PUMA (J2K, CF7) 39  
 RANGER (TKE) 39  
 TOURNEO COURIER B460 MPV 39  
 TOURNEO CUSTOM V362 Bus (F3) 39  
 TRANSIT COURIER B460 Box Body/MPV 39  
 TRANSIT COURIER B460 MPV 39  
 TRANSIT CUSTOM V362 Bus (F3) 39  
 TRANSIT CUSTOM V362 Van (FY, FZ) 40  
 TRANSIT V363 Bus (FAD, FBD) 40  
 TRANSIT V363 Platform/Chassis (VQ, FED, FFD) 40  
 TRANSIT V363 Van (FCD, FDD) 40

**HYUNDAI 40**

ACCENT IV (RB) 40  
 ACCENT IV Saloon (RB) 40  
 ACCENT V Saloon (HC) 41  
 i30 (PDE, PD, PDEN) 41  
 i30 Estate (PDE) 41  
 i30 FASTBACK (PDE, PDEN) 41  
 i30 Hatchback Van (PDE) 41  
 i30 Kombi Van (PDE) 41  
 i45 VI Saloon (YF) 41  
 ix35 (LM, EL, ELH) 41  
 ix35 Van 42  
 SOLARIS Saloon (HCR, HCI) 42

**JEEP 42**

COMPASS (MP, M6, MV, M7) 42  
 RENEGADE SUV (BU, B1, BV) 42  
 RENEGADE VAN (BU, B1) 42

**KIA 42**

CEED (CD) 42  
 CEED Combi Van (CD) 43  
 CEED Hatchback Van (CD) 43  
 CEED Sportswagon (CD) 43  
 PROCEED (CD) 43  
 PROCEED Combi Van (CD) 44  
 RIO III (UB) 44  
 RIO III Saloon (UB) 44  
 RIO IV (YB, SC, FB) 44  
 RIO IV Hatchback Van (YB, SC, FB) 44  
 RIO IV Saloon (SC, FB) 44  
 SPORTAGE III (SL) 44  
 STONIC (YB) 44  
 STONIC Hatchback Van (YB) 45  
 XCEED (CD) 45

**MAZDA 45**

MX-30 (DR) 45

**MERCEDES-BENZ 45**

C-CLASS (W206) 45  
 C-CLASS Coupe (C204) 45  
 C-CLASS Sedan (W204) 45  
 C-CLASS T-Model (S204) 46  
 C-CLASS T-MODEL (S206) 46  
 CLE (C236) 46  
 CLE Convertible (A236) 46  
 E-CLASS (W214) 46  
 E-CLASS All-Terrain (S214) 46  
 E-CLASS Convertible (A207) 47  
 E-CLASS Coupe (C207) 47  
 E-CLASS T-Model (S214) 47  
 GLC (X254) 47  
 GLC Coupe (C254) 47

**MERCEDES-BENZ 45**

GLK-CLASS (X204) 48  
 MARCO POLO Camper (W447) 48  
 S-CLASS (V223) 48  
 S-CLASS (W223) 48  
 S-CLASS (Z223) 49  
 VITO Mixto (Double Cabin) (W447) 49  
 VITO Tourer (W447) 49  
 VITO Van (W447) 49

**MINI 49**

MINI (F55) 49  
 MINI (F56) 50  
 MINI (F66, F65) 50  
 MINI ACEMAN (J05) 50  
 MINI CLUBMAN (F54) 50  
 MINI Convertible (F57) 50  
 MINI COOPER (J01) 50  
 MINI COUNTRYMAN (F60) 50  
 MINI COUNTRYMAN (J25) 50

**NISSAN 50**

NAVARA (D22) 50  
 NAVARA (D40) 50  
 NAVARA NP300 Platform/Chassis (D23) 50  
 NAVARA Pickup (D23, D23T) 51  
 NAVARA Platform/Chassis (D40) 51  
 NV200 / EVALIA Bus 51  
 NV200 Van 51  
 TERRANO (D10) 51

**OPEL 51**

CORSA F (P2JO) 51  
 CORSA F Hatchback Van 51  
 ROCKS-E 51

**PEUGEOT 51**

2008 II (JD\_, US\_, UY\_, UJ\_, UR\_, UC\_) 52  
 208 II (UB\_, UP\_, UW\_, UJ\_) 51

**POLESTAR 52**

POLESTAR 2 (534) 52

**PORSCHE 52**

356 Cabriolet/Speedster 52

**RENAULT 52**

ALASKAN 52  
 ARKANA I (LCM\_, LDN\_) 52  
 DUSTER (HM\_) 52  
 DUSTER (HS\_) 52  
 FLUENCE (L3\_) 52  
 GRAND SCÉNIC III (JZ0/1\_) 53  
 KAPTUR (H5\_) 53  
 MEGANE CC (EZ0/1\_) 54  
 MEGANE III Combi Van (KZ0/1) 53  
 MEGANE III Coupe (DZ0/1\_) 53  
 MEGANE III Grandtour (KZ0/1) 53  
 MEGANE III Hatchback (BZ0/1\_, B3\_) 53  
 MEGANE III Hatchback Van (BZ\_) 54  
 SCÉNIC III (JZ0/1\_) 54  
 SCÉNIC III VAN (JZ0/1\_) 54

**SEAT 54**

ARONA (KJ7, KJP) 54  
 EXEO (3R2) 55  
 EXEO ST (3R5) 55  
 IBIZA IV (6J5, 6P1) 55  
 IBIZA IV Hatchback Van (6J1) 55  
 IBIZA IV SC (6J1, 6P5) 55  
 IBIZA IV ST (6J8, 6P8) 56



**SEAT 54**

IBIZA V (KJ1, KJG) 56

**SKODA 56**FABIA III (NJ3) 56  
FABIA III Estate (NJ5) 56  
FABIA III Praktik (NJ5) 57  
FABIA IV (PJ3) 57  
KAMIQ (NW4) 57  
SCALA (NW1) 57**SMART 57**FORTWO Cabrio (451) 57  
FORTWO Coupe (451) 57**SUBARU 57**

JUSTY IV 57

**SUZUKI 57**

SWIFT IV (FZ, NZ) 57

**TESLA 58**MODEL S 58  
MODEL X 58**TOYOTA 59**bB II (QNC2\_) 59  
YARIS (\_P13\_) 59  
YARIS (\_P21\_, \_PA1\_, \_PH1\_) 59  
YARIS (\_P9\_) 59  
YARIS Hatchback Van (\_P13\_) 59  
YARIS Saloon (\_P9\_) 59**VAUXHALL 59**

CORSA Mk V (F) 60

**VOLVO 60**C30 (533) 60  
C70 II Convertible (542) 60  
S40 II Sedan (544) 60  
V50 Wagon (545) 60**VW 60**POLO V (6R1, 6C1) 61  
POLO V Hatchback Van (6R1, 6C1) 61  
POLO VI (AW1, BZ1, AE1) 61  
POLO VIVO Hatchback (6S1, 6S3) 61  
POLO V Saloon (602, 604, 612, 614) 61  
TAIGO (CS1) 62  
T-CROSS (C11, D31) 62



- EN** Product details
- DE** Produktdetails
- ES** Descripción del producto
- FR** Présentation du produit
- IT** Panoramica prodotti

**3/2026**



03.9302-1508.4

740338




**Filling/Bleeding Unit, brake hydraulics**

- to container size [l]: 5
- Filling Hose Length [m]: 5
- Rechargeable Battery Capacity [Ah]: 2.5
- Rechargeable Battery Voltage [V]: 18
- Phases: 3
- Supplementary Article/Supplementary Info: with charger
- Operating Mode: Electric-pneumatic / Rechargeable Battery Pack
- Working pressure [bar]: 3

13.0460-2673.2

602673




 **Brake Pad Set, disc brake**

- Thickness [mm]: 16.5
- MAPP code available:
- Width [mm]: 169.1
- Height [mm]: 65.9
- Test Mark: E9 90R-02A1421/5813
- Wear Warning Contact: + WK
- Supplementary Article/Supplementary Info: + Zub
- Number of bolts/screws: 4
- Warning Contact Length [mm]: 360
- with anti-squeak plate
- with brake caliper screws

**FORD**

13.0460-3898.2


603898



 **Brake Pad Set, disc brake**

- Height 2 [mm]: 67.6
- Thickness [mm]: 19
- MAPP code available:
- Width [mm]: 140.8
- Brake System: CBI
- Test Mark: E9 90R-02A1259/5791
- Wear Warning Contact: + WE / - WK
- Supplementary Article/Supplementary Info: + Zub
- Number of bolts/screws: 4
- Height 1 [mm]: 62.5
- Supplementary Article/Supplementary Info 2: with brake caliper screws
- Article Number of recommended accessories: 24.8190-0959.2

**MERCEDES-BENZ**

**13.0460-4727.2****604727****Brake Pad Set, disc brake**

Thickness [mm]: 18.3

MAPP code available:

Width [mm]: 138.5


Height [mm]: 98.7

Brake System: BRE

Test Mark: E1 90R-02A1018/2533

Wear Warning Contact: + WE / - WK

Article Number of recommended accessories: 24.8190-0067.2

**MERCEDES-BENZ****13.0460-5553.2****605553****Brake Pad Set, disc brake**

Test Mark: E9 90R-02A1259/5736

Wear Warning Contact: + WK


Thickness [mm]: 15.9

MAPP code available:

Width [mm]: 141.6

Height [mm]: 60

Brake System: AKE

**MAZDA****13.0470-2602.2****LD2602****Brake Pad Set, disc brake**

Thickness [mm]: 17.3

MAPP code available:

Width [mm]: 115.5

Height [mm]: 49.5

Brake System: TRW

Test Mark: E1 90R-02A0258/2567

Wear Warning Contact: + WK


Supplementary Article/Supplementary Info: + Zub

Number of bolts/screws: 4

Supplementary Article/Supplementary Info 2: with brake caliper screws

Permissible up to vehicle capacity [kW]: 225

**ALFA ROMEO, FIAT, JEEP**

**13.0470-5574.2****LD5574****Brake Pad Set, disc brake**

Height 2 [mm]: 68.6

Thickness [mm]: 18.7

MAPP code available:

Width [mm]: 140.5

Test Mark: E1 90R-02A0479/2519

Wear Warning Contact: + WE / - WK

Supplementary Article/Supplementary Info: + Zub

Number of bolts/screws: 4

Height 1 [mm]: 73.5


Supplementary Article/Supplementary Info 2: with brake caliper screws

Permissible up to vehicle capacity [kW]: 225

Article Number of recommended accessories: 24.8190-0853.2

**BMW, MINI****13.0480-4716.2****EP4716**

23325

**Brake Pad Set, disc brake**

Thickness [mm]: 16.5

MAPP code available:


Width [mm]: 131.6

Height [mm]: 77.2

Brake System: BRE

Test Mark: E1 90R-02A2340/2510

Wear Warning Contact: + WK

**TESLA****24.0124-0269.2****424269****Brake Disc**

Bolt Hole Circle Ø [mm]: 112

Bore Diameter [mm]: 16.5

Number of Holes: 5

Centering Diameter [mm]: 67

paired article number: 24.0124-0271.2

MAPP code available:

Minimum thickness [mm]: 22.4

Height [mm]: 64.2

Test Mark: E1 90R-02C3708/2548

Machining: HC

Brake Disc Thickness [mm]: 24

Brake Disc Type: two-piece brake disc / Vented

Inner Diameter [mm]: 186.8

Outer Diameter [mm]: 370


Surface: B

Supplementary Article/Supplementary Info 2: + S

**BMW**

24.0124-0271.2

424271




**Brake Disc**

Bolt Hole Circle Ø [mm]: 112  
 Bore Diameter [mm]: 16.5  
 Number of Holes: 5  
 Centering Diameter [mm]: 67  
 paired article number: 24.0124-0269.2  
 MAPP code available:  
 Minimum thickness [mm]: 22.4  
 Height [mm]: 64.2  
 Test Mark: E1 90R-02C3708/2548  
 Machining: HC  
 Brake Disc Thickness [mm]: 24  
 Brake Disc Type: two-piece brake disc / Vented  
 Inner Diameter [mm]: 186.8  
 Outer Diameter [mm]: 370  
 Surface: B  
 Supplementary Article/Supplementary Info 2: + S

**BMW**

24.0136-0135.2

436135



**Brake Disc**


Bolt Hole Circle Ø [mm]: 112  
 Bore Diameter [mm]: 16.5  
 Number of Holes: 5  
 Centering Diameter [mm]: 67  
 paired article number: 24.0136-0136.2  
 MAPP code available:  
 Minimum thickness [mm]: 34.4  
 Height [mm]: 66.1  
 Test Mark: E1 90R-02C3552/2540  
 Machining: HC  
 Brake Disc Thickness [mm]: 36  
 Brake Disc Type: two-piece brake disc / V•  
 Inner Diameter [mm]: 153.7  
 Outer Diameter [mm]: 395  
 Surface: B  
 Supplementary Article/Supplementary Info 2: + S

**BMW**



24.0136-0136.2

436136




**Brake Disc**

- Bolt Hole Circle Ø [mm]: 112
- Bore Diameter [mm]: 16.5
- Number of Holes: 5
- Centering Diameter [mm]: 67
- paired article number: 24.0136-0135.2
- MAPP code available:
- Minimum thickness [mm]: 34.4
- Height [mm]: 66.1
- Test Mark: E1 90R-02C3552/2540
- Machining: HC
- Brake Disc Thickness [mm]: 36
- Brake Disc Type: two-piece brake disc / V•
- Inner Diameter [mm]: 153.7
- Outer Diameter [mm]: 395
- Surface: B
- Supplementary Article/Supplementary Info 2: + S

**BMW**

24.0136-0138.2

436138



**Brake Disc**


- Bolt Hole Circle Ø [mm]: 112
- Bore Diameter [mm]: 16.5
- Number of Holes: 5
- Centering Diameter [mm]: 67
- paired article number: 24.0136-0139.2
- MAPP code available:
- Minimum thickness [mm]: 34.4
- Height [mm]: 66.1
- Test Mark: E1 90R-02C3708/2549
- Machining: HC
- Brake Disc Thickness [mm]: 36
- Brake Disc Type: two-piece brake disc / Vented
- Inner Diameter [mm]: 153.7
- Outer Diameter [mm]: 395
- Surface: B
- Supplementary Article/Supplementary Info 2: + S

**BMW**

	A	B	C	D	E	F(x)	G	H	I
	395,0	36,0	34,4	66,1	112,0	5	67,0	153,7	16,5

24.0136-0139.2

436139

**Brake Disc**

Bolt Hole Circle Ø [mm]: 112

Bore Diameter [mm]: 16.5

Number of Holes: 5

Centering Diameter [mm]: 67

paired article number: 24.0136-0138.2

MAPP code available:

Minimum thickness [mm]: 34.4

Height [mm]: 66.1

Test Mark: E1 90R-02C3708/2549

Machining: HC

Brake Disc Thickness [mm]: 36

Brake Disc Type: two-piece brake disc / Vented

Inner Diameter [mm]: 153.7

Outer Diameter [mm]: 395


Surface: B

Supplementary Article/Supplementary Info 2: + S

**BMW**

24.0218-0052.1

480351

**Brake Drum**

Bolt Hole Circle Ø [mm]: 100

Bore Diameter [mm]: 14.8

Number of Holes: 4

MAPP code available:

Inner brake drum diameter [mm]: 180

Outer brake drum diameter [mm]: 220

Support plate diameter [mm]: 55

max. brake drum reboring dimension [mm]: 181

Inner brake drum height [mm]: 33.6


Total brake drum height [mm]: 46.8

Surface: painted

**DAIHATSU, SUBARU, TOYOTA**

24.0220-0052.1

480338

**Brake Drum**

Bolt Hole Circle Ø [mm]: 100

Bore Diameter [mm]: 14.3

Number of Holes: 4

MAPP code available:

Inner brake drum diameter [mm]: 200

Outer brake drum diameter [mm]: 242

Support plate diameter [mm]: 62

Test Mark: E1 90R-02D0324/1949


max. brake drum reboring dimension [mm]: 202

Inner brake drum height [mm]: 35


Total brake drum height [mm]: 54.8

Surface: painted


**SUZUKI**

**24.0220-3051.1****480337****Brake Drum**

Bolt Hole Circle Ø [mm]: 100
Bore Diameter [mm]: 12.6
Number of Holes: 4
MAPP code available:
Inner brake drum diameter [mm]: 203.2
Outer brake drum diameter [mm]: 252
Support plate diameter [mm]: 62.5
Test Mark: E1 90R-02D0324/1949
max. brake drum reboring dimension [mm]: 205.2
Inner brake drum height [mm]: 36.7
Total brake drum height [mm]: 53.8
Surface: painted


**HYUNDAI, KIA****24.0220-3055.1****480339****Brake Drum**

Bolt Hole Circle Ø [mm]: 100
Bore Diameter [mm]: 14.5
Number of Holes: 4
MAPP code available:
Inner brake drum diameter [mm]: 202.6
Outer brake drum diameter [mm]: 243
Support plate diameter [mm]: 55
Test Mark: E1 90R-02D0324/1876
max. brake drum reboring dimension [mm]: 204
Inner brake drum height [mm]: 45.6
Total brake drum height [mm]: 57.1
Surface: painted

**DAIHATSU, TOYOTA****24.0220-3056.1****480342****Brake Drum**

Bolt Hole Circle Ø [mm]: 100
Bore Diameter [mm]: 14.5
Number of Holes: 5
MAPP code available:
Inner brake drum diameter [mm]: 202.6
Outer brake drum diameter [mm]: 239
Support plate diameter [mm]: 55
Test Mark: E1 90R-02D0324/1876
max. brake drum reboring dimension [mm]: 204
Inner brake drum height [mm]: 45.2
Total brake drum height [mm]: 57
Surface: painted

**TOYOTA**

**24.0220-3059.1****480347****Brake Drum**

Bolt Hole Circle Ø [mm]: 108

Bore Diameter [mm]: 13.3

Number of Holes: 4

MAPP code available:

Inner brake drum diameter [mm]: 203

Outer brake drum diameter [mm]: 239

Support plate diameter [mm]: 71.1


Test Mark: E1 90R-02D0324/1876

max. brake drum reboring dimension [mm]: 204

Inner brake drum height [mm]: 44

Total brake drum height [mm]: 64.7

Surface: painted

**CITROËN, OPEL, PEUGEOT, VAUXHALL****24.0222-8047.1****480344****Brake Drum**

Bolt Hole Circle Ø [mm]: 108

Bore Diameter [mm]: 13.8

Number of Holes: 4

MAPP code available:

Inner brake drum diameter [mm]: 228.2

Outer brake drum diameter [mm]: 271

Support plate diameter [mm]: 63.5


Test Mark: E1 90R-02D0324/1878

max. brake drum reboring dimension [mm]: 230.2

Inner brake drum height [mm]: 50

Total brake drum height [mm]: 70.5

Surface: painted

**FORD****24.0222-8048.1****480341****Brake Drum**

Bolt Hole Circle Ø [mm]: 100

Bore Diameter [mm]: 15.6

Number of Holes: 5

MAPP code available:

Inner brake drum diameter [mm]: 228.3

Outer brake drum diameter [mm]: 278

Support plate diameter [mm]: 65

Test Mark: E1 90R-02D0324/1950

max. brake drum reboring dimension [mm]: 229.8

Inner brake drum height [mm]: 47.3


Total brake drum height [mm]: 56.4

Surface: painted

**AUDI, SEAT, SKODA, VW**

24.0222-9005.1

480349

**Brake Drum**

Bolt Hole Circle Ø [mm]: 108

Bore Diameter [mm]: 14

Number of Holes: 4

MAPP code available:

Inner brake drum diameter [mm]: 228.5

Outer brake drum diameter [mm]: 273

Support plate diameter [mm]: 63.5

Test Mark: E1 90R-02D0324/1950

max. brake drum reboring dimension [mm]: 230.2

Inner brake drum height [mm]: 49.5


Total brake drum height [mm]: 70.2

Surface: painted

**FORD**

24.0222-9006.1

480352

**Brake Drum**

Bolt Hole Circle Ø [mm]: 114.3

Bore Diameter [mm]: 12.8

Number of Holes: 4

MAPP code available:

Inner brake drum diameter [mm]: 228.8

Outer brake drum diameter [mm]: 265

Support plate diameter [mm]: 68

Test Mark: E1 90R-02D0324/1878

max. brake drum reboring dimension [mm]: 230

Inner brake drum height [mm]: 57.2


Total brake drum height [mm]: 66.3

Surface: painted

**NISSAN**

24.0229-5005.1

480343

**Brake Drum**

Bolt Hole Circle Ø [mm]: 114.3

Bore Diameter [mm]: 12.8

Number of Holes: 6

MAPP code available:

Inner brake drum diameter [mm]: 295

Outer brake drum diameter [mm]: 336

Support plate diameter [mm]: 68

Test Mark: E1 90R-02D0324/2556

max. brake drum reboring dimension [mm]: 296.5


Inner brake drum height [mm]: 72

Total brake drum height [mm]: 88.3

Surface: painted

**NISSAN, RENAULT**

24.0420-0246.1 ED20246




**Brake Disc**

Bolt Hole Circle Ø [mm]: 108  
 Bore Diameter [mm]: 15.8  
 Number of Holes: 5  
 Centering Diameter [mm]: 63.5  
 MAPP code available:  
 Minimum thickness [mm]: 17.5  
 Height [mm]: 43  
 Test Mark: E1 90R-02C0115/1185  
 Brake Disc Thickness [mm]: 20  
 Brake Disc Type: Vented  
 Inner Diameter [mm]: 141  
 Outer Diameter [mm]: 320  
 Surface: B  
 Supplementary Article/Supplementary Info 2: + S

**POLESTAR**

24.0432-0195.1 ED32195



**Brake Disc**

Bolt Hole Circle Ø [mm]: 120  
 Bore Diameter [mm]: 16.5  
 Number of Holes: 5  
 Centering Diameter [mm]: 70.2  
 MAPP code available:  
 Minimum thickness [mm]: 30  
 Height [mm]: 70.7  
 Test Mark: E1 90R-02C0115/2517  
 Machining: HC  
 Brake Disc Thickness [mm]: 32  
 Brake Disc Type: Vented  
 Inner Diameter [mm]: 166  
 Outer Diameter [mm]: 355  
 Surface: B

**TESLA**

24.0710-2233.3 360753



**Wheel Speed Sensor**

Length [mm]: 707  
 MAPP code available:

**DACIA, NISSAN, RENAULT**



24.0710-2236.3

360749



**Wheel Speed Sensor**

Length [mm]: 1460

MAPP code available:

**AUDI, SEAT**

24.2025-1904.3

011184



**Brake Master Cylinder**

Diameter 1 [mm]: 25.4

Diameter 2 [mm]: 22.2

Thread Size: M12x1

Number of connectors: 2

MAPP code available:

Brake System: ATE

Supplementary Article/Supplementary Info 2: without brake fluid reservoir

Length 1 [mm]: 59.2

Length 2 [mm]: 105.5

**BMW**

24.2025-2521.3

011169



**Brake Master Cylinder**

Diameter 1 [mm]: 25.4

Diameter 2 [mm]: 20.6

Thread Size: M12x1

Number of connectors: 2

MAPP code available:

Brake System: ATE

Supplementary Article/Supplementary Info 2: without brake fluid reservoir

Length 1 [mm]: 57

Length 2 [mm]: 116

**MERCEDES-BENZ**

24.2123-3593.3

011175



**Brake Master Cylinder**

Diameter [mm]: 23.8

Thread Size: M12x1

Number of connectors: 2

MAPP code available:

Brake System: ATE

Supplementary Article/Supplementary Info 2: without brake fluid reservoir

Length 1 [mm]: 37

Length 2 [mm]: 117.4

**VOLVO**

24.3341-1713.5

241715



**Brake Caliper**

Brake Caliper Type:

paired article number: 24.3341-1714.5

MAPP code available:

Brake System: Mobis

Piston Diameter [mm]: 34

Exchange Part:

Supplementary Article/Supplementary Info: without holder

**HYUNDAI, KIA**

24.3341-1714.5

241716



**Brake Caliper**

Brake Caliper Type:

paired article number: 24.3341-1713.5

MAPP code available:

Brake System: Mobis

Piston Diameter [mm]: 34

Exchange Part:

Supplementary Article/Supplementary Info: without holder

**HYUNDAI, KIA**

24.3421-1729.5

241737



**Brake Caliper**

Exchange Part:

Brake Caliper Type:

Supplementary Article/Supplementary Info: without holder

paired article number: 24.3421-1730.5

MAPP code available:

Piston Diameter [mm]: 42

**FORD**

24.3421-1730.5

241738



**Brake Caliper**

Exchange Part:

Brake Caliper Type:

Supplementary Article/Supplementary Info: without holder

paired article number: 24.3421-1729.5

MAPP code available:

Piston Diameter [mm]: 42

**FORD**



24.3541-9958.5

241708



**Brake Caliper**

Brake Caliper Type:

paired article number: 24.3541-9957.5

MAPP code available:

Brake System: TRW

Piston Diameter [mm]: 54


Exchange Part:

Supplementary Article/Supplementary Info: without holder

**BMW, MINI**

24.3727-0497.2

580497



**Cable Pull, parking brake**

MAPP code available:

Length 1 [mm]: 1028

Length 2 [mm]: 1028

**SMART**

24.3727-3423.2

583423



**Cable Pull, parking brake**


Length [mm]: 1640

MAPP code available:

**AUDI, SEAT, SKODA, VW**

24.3727-3701.2

583701



**Cable Pull, parking brake**


Length [mm]: 415

MAPP code available:

**FORD**

24.3727-3801.2

583801



**Cable Pull, parking brake**

Length [mm]: 1280


paired article number: 24.3727-3802.2

MAPP code available:

**MERCEDES-BENZ**

24.5101-0520.3

331856




**Brake Hose**

Internal Thread [mm]: M10x1  
External Thread [mm]: M10x1  
Length [mm]: 520  
MAPP code available:  
Spanner Size 1 [mm]: 14  
Spanner Size 2 [mm]: 17

**PORSCHE**

24.5176-0500.3

331906




**Brake Hose**

Internal Thread [mm]: M10x1  
Thread Size: M10x1,5  
Flange Hole Diameter [mm]: 10  
Length [mm]: 530  
paired article number: 24.5176-0489.3  
MAPP code available:  
Supplementary Article/Supplementary Info 2: with banjo bolt

**DS, PEUGEOT**

24.5296-0344.3

331908




**Brake Hose**

Internal Thread [mm]: M10x1  
Flange Hole Diameter [mm]: 10  
Length [mm]: 365  
paired article number: 24.5296-0345.3  
MAPP code available:  
Supplementary Article/Supplementary Info 2: without banjo bolt

**HYUNDAI, KIA**

24.5296-0345.3

331909



**Brake Hose**

Internal Thread [mm]: M10x1  
Flange Hole Diameter [mm]: 10  
Length [mm]: 365  
paired article number: 24.5296-0344.3  
MAPP code available:  
Supplementary Article/Supplementary Info 2: without banjo bolt

**HYUNDAI, KIA**





**Warning Contact, brake pad wear**

Brake Type: Disc Brake

Length [mm]: 649

MAPP code available:

**BMW**





**EN** Applications of vehicles

**DE** Fahrzeugverwendungen















**ES** Aplicaciones



























**FR** Applications























**IT** Applicazioni autoveicoli
















**3/2026**


























	kw			 	! #		
<b>ALFA ROMEO - TONALE (965_) 03/22→</b>							
 <b>Brake Pad Set, disc brake</b>							
1.3 Hybrid Q4	140 - 208	03/22→	➔			<b>13.0470-2602.2 LD2602</b>	TRW + WK + Zub Ceramic
1.5 Mild Hybrid	96 - 118	03/22→					
1.6 VGT-D	96	09/22→					
<b>AUDI - A1 (8X1, 8XK) 05/10→09/19</b>							
 <b>Cable Pull, parking brake</b>							
1.0 TFSI	60 - 70	03/15→10/18		+PR 1KT; Disc Brake; ⚠	2	<b>24.3727-3423.2 583423</b>	L= 1640
1.2 TFSI	63	05/10→04/15					
1.4 TDI	66	11/14→10/18					
1.4 TFSI	90 - 136	05/10→10/18					
1.4 TSI	110	11/14→10/18					
1.6 TDI	66 - 85	05/10→10/18					
2.0 TDI	100 - 105	09/11→04/15					
<b>AUDI - A1 Allstreet (GBH) 07/22→</b>							
 <b>Brake Drum</b>							
25 TFSI	70	07/22→	➔	+PR 1KA		<b>24.0222-8048.1 480341</b>	Ø 278 Inner brake drum height [mm] 47.3 / 229.8
30 TFSI	81 - 85	07/22→					
35 TFSI	110	07/22→					
<b>AUDI - A1 City Carver (GBH) 07/19→06/22</b>							
 <b>Brake Drum</b>							
25 TFSI	70	07/19→06/22	➔	+PR 1KA		<b>24.0222-8048.1 480341</b>	Ø 278 Inner brake drum height [mm] 47.3 / 229.8
30 TFSI	81 - 85	07/19→06/22					
35 TFSI	110	07/19→06/22					
<b>AUDI - A1 Sportback (8XA, 8XF) 09/11→09/19</b>							
 <b>Cable Pull, parking brake</b>							
1.0 TFSI	60 - 70	03/15→10/18		+PR 1KT; Disc Brake; ⚠	2	<b>24.3727-3423.2 583423</b>	L= 1640
1.2 TFSI	63	01/12→04/15					
1.4 TDI	66	11/14→10/18					
1.4 TFSI	90 - 136	11/11→10/18					
1.4 TSI	110	11/14→10/18					
1.6 TDI	66 - 85	11/11→10/18					
2.0 TDI	100 - 105	09/11→04/15					
<b>AUDI - A1 Sportback (GBA) 07/18→</b>							
 <b>Brake Drum</b>							
25 TFSI	70	11/18→	➔	+PR 1KA		<b>24.0222-8048.1 480341</b>	Ø 278 Inner brake drum height [mm] 47.3 / 229.8
30 TFSI	81 - 85	07/18→					
35 TFSI	110	09/18→					
40 TFSI	147 - 152	09/18→					
<b>AUDI - A4 B6 (8E2) 11/00→12/05</b>							
 <b>Wheel Speed Sensor</b>							
1.6	75	11/00→12/04	➔	8E-5-000001→; for vehicles without headlight levelling (automatic)	2	<b>24.0710-2236.3 360749</b>	L= 1460
1.8 T	110 - 140	11/00→12/04					
1.8 T quattro	110 - 140	11/00→12/04	➔	8E-5-400001→; for vehicles with headlight levelling (automatic); ☐		<b>24.0710-2236.3 360749</b>	L= 1460
1.9 TDI	74 - 96	11/00→12/04	➔	8E-5-000001→ 8E-5-400000; for vehicles with headlight levelling (automatic); ☐		<b>24.0710-2236.3 360749</b>	L= 1460
1.9 TDI quattro	96	11/01→12/04					
2.0	96	11/00→12/04					
2.0 FSI	110	07/02→12/04					
2.4	120 - 125	09/01→12/04					
2.5 TDI	114 - 120	08/01→12/04					
2.5 TDI quattro	132	11/00→12/04					
3.0	160 - 162	11/00→12/04					
➔							















	kw			 	! #		
<b>AUDI - A4 B6 (8E2) 11/00→12/05</b>							
 <b>Wheel Speed Sensor</b>							
3.0 quattro	160 - 162	11/00→12/04	➡	8E-5-000001→; for vehicles without headlight levelling (automatic)	2	24.0710-2236.3 360749	L= 1460
S4 quattro	253	03/03→12/04	➡	8E-5-400001→; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
			➡	8E-5-000001→ 8E-5-400000; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
1.9 TDI	85	06/04→12/04	➡	for vehicles without headlight levelling (automatic)	2	24.0710-2236.3 360749	L= 1460
			➡	8E-5-400001→; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
			➡	8E-5-000001→ 8E-5-400000; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
<b>AUDI - A4 B6 Avant (8E5) 02/00→12/05</b>							
 <b>Wheel Speed Sensor</b>							
1.6	75	09/01→12/04	➡	8E-5-000001→; for vehicles without headlight levelling (automatic)	2	24.0710-2236.3 360749	L= 1460
1.8 T	110 - 140	09/01→12/04	➡	8E-5-400001→; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
1.8 T quattro	110 - 140	09/01→12/04	➡	8E-5-000001→ 8E-5-400000; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
1.9 TDI	74 - 96	09/01→12/04	➡	8E-5-000001→ 8E-5-400000; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
1.9 TDI quattro	96	11/01→12/04					
2.0	96	09/01→12/04					
2.0 FSI	110	07/02→12/04					
2.4	120 - 125	09/01→12/04					
2.5 TDI	114 - 120	09/01→12/04					
2.5 TDI quattro	132	09/01→12/04					
3.0	160 - 162	04/01→12/04					
3.0 quattro	160 - 162	04/01→12/04					
S4 quattro	253	03/03→12/04					
1.9 TDI	85	06/04→12/04	➡	for vehicles without headlight levelling (automatic)	2	24.0710-2236.3 360749	L= 1460
			➡	8E-5-400001→; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
			➡	8E-5-000001→ 8E-5-400000; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
<b>AUDI - A4 B6 Convertible (8H7) 01/02→12/09</b>							
 <b>Wheel Speed Sensor</b>							
3.0	160	04/02→12/05	➡	8E-5-000001→; for vehicles without headlight levelling (automatic)	2	24.0710-2236.3 360749	L= 1460
			➡	8E-5-400001→; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
			➡	8E-5-000001→ 8E-5-400000; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
<b>AUDI - A4 B7 Avant (8ED) 11/04→11/08</b>							
 <b>Wheel Speed Sensor</b>							
1.6	75	11/04→06/08	➡	8E-5-000001→; for vehicles without headlight levelling (automatic)	2	24.0710-2236.3 360749	L= 1460
1.8 T	120	11/04→06/08					
1.8 T quattro	120	11/04→06/08	➡	8E-5-400001→; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
2.0	96	11/04→06/08					
2.5 TDI	120	11/04→05/06					
3.0	160	11/04→05/06	➡	8E-5-000001→ 8E-5-400000; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
3.0 quattro	160	11/04→07/06					
3.2 FSI	188	01/05→06/08					
3.2 FSI quattro	188	01/05→06/08					
S4 quattro	253	11/04→06/08					
1.9 TDI	85	11/04→06/08	➡	for vehicles without headlight levelling (automatic)	2	24.0710-2236.3 360749	L= 1460
2.0 TFSI	125 - 147	11/04→06/08					
2.0 TFSI quattro	147	11/04→06/08	➡	8E-5-400001→; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
			➡	8E-5-000001→ 8E-5-400000; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
2.0 TDI	89 - 125	11/04→06/08	➡	for vehicles without headlight levelling (automatic)	2	24.0710-2236.3 360749	L= 1460
→							













	kw				! #		
<b>AUDI - A4 B7 Avant (8ED) 11/04→11/08</b>							
 <b>Wheel Speed Sensor</b>							
2.0 TDI 16V 2.0 TDI quattro	103 103 - 125	11/04→06/08 01/06→06/08	➡	for vehicles without headlight levelling (automatic)	2	24.0710-2236.3 360749	L= 1460
2.0 TFSI 2.0 TFSI quattro	162 162	06/05→06/08 06/05→06/08					
2.7 TDi 2.7 TDI	120 132	11/05→03/08 01/06→06/08					
3.0 TDI quattro	150 - 171	11/04→06/08					
2.0 TDI	93	11/05→11/06	➡	06/06→; for vehicles without headlight levelling (automatic)	2	24.0710-2236.3 360749	L= 1460
RS4 quattro	309	09/05→06/08	➡	11/05→; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
			➡	11/05→; 		24.0710-2236.3 360749	L= 1460
<b>AUDI - A4 B7 Convertible (8HE) 01/02→01/10</b>							
 <b>Wheel Speed Sensor</b>							
1.8 T S4 quattro	120 253	01/06→03/09 11/05→03/09	➡	8E-5-000001→; for vehicles without headlight levelling (automatic)	2	24.0710-2236.3 360749	L= 1460
			➡	8E-5-400001→; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
			➡	8E-5-000001→ 8E-5-400000; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
RS4 quattro	309	02/06→12/08	➡	05/06→ 11/08; 		24.0710-2236.3 360749	L= 1460
<b>AUDI - A4 B7 Sedan (8EC) 11/04→01/09</b>							
 <b>Wheel Speed Sensor</b>							
1.6 1.8 T 1.8 T quattro	75 120 120	11/04→06/08 11/04→06/08 11/04→06/08	➡	8E-5-000001→; for vehicles without headlight levelling (automatic)	2	24.0710-2236.3 360749	L= 1460
2.0 2.5 TDI	96 120	11/04→06/08 11/04→05/06	➡	8E-5-400001→; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
3.0 3.0 quattro	160 160	11/04→05/06 11/04→07/06	➡	8E-5-000001→ 8E-5-400000; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
3.2 FSI 3.2 FSI quattro S4 quattro	188 188 253	01/05→06/08 01/05→06/08 11/04→06/08					
1.9 TDI 2.0 TFSI	85 125 - 147	11/04→06/08 11/04→06/08	➡	for vehicles without headlight levelling (automatic)	2	24.0710-2236.3 360749	L= 1460
2.0 TFSI quattro	147	11/04→06/08	➡	8E-5-400001→; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
			➡	8E-5-000001→ 8E-5-400000; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
2.0 TDI 2.0 TDI 16V 2.0 TDI quattro	89 - 125 103 - 103 - 125	11/04→06/08 11/04→06/08 01/06→06/08	➡	for vehicles without headlight levelling (automatic)	2	24.0710-2236.3 360749	L= 1460
2.0 TFSI 2.0 TFSI quattro	162 162	06/05→06/08 06/05→06/08					
2.7 TDI 3.0 TDI quattro	120 - 132 150 - 171	11/05→06/08 11/04→06/08					
2.0 TDI	93	11/05→11/06	➡	06/06→; for vehicles without headlight levelling (automatic)	2	24.0710-2236.3 360749	L= 1460
RS4 quattro	309	09/05→06/08	➡	11/05→; for vehicles with headlight levelling (automatic); 		24.0710-2236.3 360749	L= 1460
			➡	11/05→; 		24.0710-2236.3 360749	L= 1460
<b>BMW - 1 (E81) 09/06→09/12</b>							
 <b>Brake Master Cylinder</b>							
123 d	150	03/07→12/11		10/07→ 05/11; for left-hand drive vehicles		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
130 i	190 - 195	09/06→12/11		→ 05/11; for left-hand drive vehicles		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
<b>BMW - 1 (E87) 02/03→12/13</b>							
 <b>Brake Master Cylinder</b>							
123 d	150	03/07→06/11		10/07→ 05/11; for left-hand drive vehicles		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
→							












	kw			 	! #		
<b>BMW - 1 (E87) 02/03→12/13</b>							
 <b>Brake Master Cylinder</b>							
130 i	190	03/07→06/11		→ 05/11; for left-hand drive vehicles		<b>24.2025-1904.3 011184</b>	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
130 i	195	09/05→02/07		for left-hand drive vehicles		<b>24.2025-1904.3 011184</b>	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
<b>BMW - 1 (F40) 07/19→</b>							
 <b>Brake Caliper</b>							
116 d 116 i 118 d 118 i 120 d 120 d xDrive	85 80 100 - 110 100 - 103 140 140	07/19→ 11/20→ 07/19→ 07/19→ 03/20→ 07/19→	←	for vehicles without M-sport brakes; <input type="checkbox"/>		<b>24.3541-9958.5 241708</b>	TRW without holder
<b>BMW - 1 (F52) 01/17→</b>							
 <b>Brake Caliper</b>							
118 i	100	01/17→08/19	←	for vehicles without M-sport brakes; <input type="checkbox"/>		<b>24.3541-9958.5 241708</b>	TRW without holder
<b>BMW - 1 Convertible (E88) 12/07→12/13</b>							
 <b>Brake Master Cylinder</b>							
123 d 135 i	150 225	09/08→12/13 03/08→10/13		for left-hand drive vehicles		<b>24.2025-1904.3 011184</b>	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
135 i	240	03/08→12/13		→ 10/13; for left-hand drive vehicles		<b>24.2025-1904.3 011184</b>	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
<b>BMW - 1 Coupe (E82) 10/06→10/13</b>							
 <b>Brake Master Cylinder</b>							
123 d 135 i	150 225 - 240	10/07→09/13 10/07→10/13		for left-hand drive vehicles		<b>24.2025-1904.3 011184</b>	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
<b>BMW - 2 Active Tourer (F45) 11/13→10/21</b>							
 <b>Brake Caliper</b>							
218 i	100	07/14→10/21	←	for brake disc diameter [mm]: 307; <input type="checkbox"/>		<b>24.3541-9958.5 241708</b>	TRW without holder
220 d 220 d xDrive 220 i	120 120 120	03/14→10/21 03/14→10/21 03/14→10/21	←	11/14→; <input type="checkbox"/>		<b>24.3541-9958.5 241708</b>	TRW without holder
220 d 220 i	140 131	03/14→10/21 11/20→10/21	←	<input type="checkbox"/>		<b>24.3541-9958.5 241708</b>	TRW without holder
220 d xDrive 220 i	140 141	03/14→10/21 03/14→10/21	←	10/14→; <input type="checkbox"/>		<b>24.3541-9958.5 241708</b>	TRW without holder
<b>BMW - 2 Active Tourer (U06) 11/21→</b>							
 <b>Brake Pad Set, disc brake</b>							
216i 218d 218i 220i Mild Hybrid 225e xDrive	90 100 - 110 100 125 180	11/22→ 11/21→ 11/21→ 11/21→ 11/21→	←			<b>13.0470-5574.2 LD5574</b>	+ WE / - WK + Zub Ceramic
<b>Warning Contact, brake pad wear</b>							
216i 218d 218i 220i Mild Hybrid 223 d Mild Hybrid xDrive 223i Mild Hybrid 223i Mild Hybrid xDrive 225e xDrive 230e xDrive	90 100 - 110 100 125 155 160 160 180 240	11/22→ 11/21→ 11/21→ 11/21→ 07/22→ 11/21→ 03/22→ 11/21→ 11/21→	→		1	<b>24.8190-0854.2 620854</b>	
<b>BMW - 2 Active Tourer Van (F45) 11/13→10/21</b>							
 <b>Brake Caliper</b>							
220 d	140	11/14→10/21	←	<input type="checkbox"/>		<b>24.3541-9958.5 241708</b>	TRW without holder















	kw			 	! #		
<b>BMW - 2 Coupe (G42, G87) 08/21→</b>							
 <b>Brake Caliper</b>							
218 i 220 d Mild-Hybrid 220 i	115 140 135	07/22→ 08/21→ 08/21→	←	for vehicles without M-sport brakes; <input type="checkbox"/>		24.3541-9958.5 241708	TRW without holder
<b>BMW - 2 Gran Coupe (F44) 11/19→</b>							
 <b>Brake Caliper</b>							
216 d 218 i	85 100 - 103	03/20→ 11/19→	←	for vehicles without M-sport brakes; <input type="checkbox"/>		24.3541-9958.5 241708	TRW without holder
<b>BMW - 2 Gran Tourer (F46) 07/14→</b>							
 <b>Brake Caliper</b>							
218 d	100	07/14→	←	03/15→; <input type="checkbox"/>		24.3541-9958.5 241708	TRW without holder
218 d 218 d xDrive 218 i	110 100 100	07/14→ 03/15→ 03/15→	←	<input type="checkbox"/>		24.3541-9958.5 241708	TRW without holder
218 d xDrive 218 i	110 103	03/15→ 04/17→	←	not for vehicles with reinforced brakes; <input type="checkbox"/>		24.3541-9958.5 241708	TRW without holder
<b>BMW - 2 Gran Tourer Van (F46) 07/14→</b>							
 <b>Brake Caliper</b>							
218 d 218 i	110 103	07/14→ 04/17→	←	<input type="checkbox"/> not for vehicles with reinforced brakes; <input type="checkbox"/>		24.3541-9958.5 241708	TRW without holder
<b>BMW - 3 (G20, G80, G28) 11/18→</b>							
 <b>Brake Caliper</b>							
320 d 320 d Mild-Hybrid 320 d Mild-Hybrid xDrive 320 d xDrive 320 i 320 i 1.6	120 - 140 120 - 140 120 - 140 120 - 135 125	11/18→ 03/20→ 03/20→ 11/18→02/20 03/19→ 03/19→	←	for vehicles without M-sport brakes; <input type="checkbox"/>		24.3541-9958.5 241708	TRW without holder
<b>BMW - 3 Convertible (E93) 05/06→12/13</b>							
 <b>Brake Master Cylinder</b>							
320 d 325 i 330 d	120 160 170	01/08→12/13 03/07→12/13 03/07→12/13		for left-hand drive vehicles; → 11/13		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
320 d 325 i 330 d 330 i	130 - 147 160 180 190 - 200	09/07→10/13 12/06→02/10 01/09→09/13 03/07→10/13		for left-hand drive vehicles		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
320 i	115 - 120	09/06→10/13		03/07→; for left-hand drive vehicles; → 05/08		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
320 i	125	03/07→10/13		for left-hand drive vehicles; → 05/08		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
325 d	145 - 155	03/07→12/10		09/07→; for left-hand drive vehicles		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
325 d	150	09/09→09/13		03/10→; for left-hand drive vehicles		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
325 i	155	10/06→12/13		03/07→; for left-hand drive vehicles; → 11/13		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
335 i	225 - 240	05/06→10/13		03/07→; for left-hand drive vehicles		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
<b>BMW - 3 Coupe (E92) 01/05→12/13</b>							
 <b>Brake Master Cylinder</b>							
320 d 325 d 325 i 330 d 330 i →	120 - 147 150 150 - 160 180 190 - 200	03/07→06/13 09/09→06/13 09/07→10/13 01/09→06/13 09/06→06/13		for left-hand drive vehicles		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir








	kW			 	! #		
<b>BMW - 3 Coupe (E92) 01/05→12/13</b>							
 <b>Brake Master Cylinder</b>							
335 i	224	03/07→06/13		for left-hand drive vehicles		<b>24.2025-1904.3 011184</b>	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
320 d	130 - 145	09/06→02/10		03/07→; for left-hand drive vehicles		<b>24.2025-1904.3 011184</b>	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
325 d	145 - 155	02/07→02/10					
320 d xDrive	120 - 147	09/08→06/13				<b>24.2025-1904.3 011184</b>	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
325 i xDrive	150 - 155	09/08→06/13					
325 xi	155 - 160	09/06→02/10					
328 i	172	06/06→06/13					
328 i xDrive	172	09/08→06/13					
328 xi	172	09/06→08/08					
330 d xDrive	180	02/10→06/13					
330 i xDrive	200	03/10→06/13					
330 xd	180	03/08→02/10					
330 xi	190 - 200	09/06→02/10					
335 i xDrive	225 - 240	11/08→12/13					
320 i	115 - 125	03/07→12/13		→ 08/07; for left-hand drive vehicles		<b>24.2025-1904.3 011184</b>	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
320 i	120	01/07→06/13		03/07→ 08/07; for left-hand drive vehicles		<b>24.2025-1904.3 011184</b>	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
325 i	160	06/06→02/10		09/06→; for left-hand drive vehicles		<b>24.2025-1904.3 011184</b>	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
330 d	170	03/06→08/08					
335 d	210	03/06→03/13					
335 i	225 - 240	06/06→06/13					
325 i xDrive	160	09/08→12/13		→ 06/13		<b>24.2025-1904.3 011184</b>	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
330 xd	170	03/06→08/08		09/06→		<b>24.2025-1904.3 011184</b>	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
335 xi	225 - 240	03/07→02/10		09/07→		<b>24.2025-1904.3 011184</b>	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
<b>BMW - 3 Sedan (E90) 02/04→12/13</b>							
 <b>Brake Master Cylinder</b>							
320 d	110 - 115	12/04→09/07		09/05→; for left-hand drive vehicles		<b>24.2025-1904.3 011184</b>	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
320 d	120 - 135	12/04→10/11		for left-hand drive vehicles		<b>24.2025-1904.3 011184</b>	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
320 si	127	09/05→08/06					
323 i	130 - 140	09/05→12/11					
325 i	155 - 160	12/04→12/11					
328 i	172	09/06→12/11					
330 d	180	09/08→10/11					
330 i	190 - 200	12/04→12/11					
335 i	225	09/06→12/11					
320 d xDrive	120 - 135	09/08→10/11				<b>24.2025-1904.3 011184</b>	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
325 d	145 - 150	09/06→10/11					
325 i xDrive	155 - 160	09/08→10/11					
325 xi	160	09/05→08/08					
330 d	155 - 170	09/05→12/11					
330 d xDrive	180	09/08→10/11					
330 i xDrive	200	09/08→10/11					
330 xd	170	09/05→08/08					
330 xi	190 - 200	09/05→08/08					
335 d	210	09/06→12/11					
335 i xDrive	224 - 240	05/08→10/11					
335 xi	224 - 225	09/06→08/08					
335 i	220 - 240	03/06→12/11		09/06→; for left-hand drive vehicles		<b>24.2025-1904.3 011184</b>	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
335 xi	240	09/06→06/08		03/07→		<b>24.2025-1904.3 011184</b>	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir




























	kw			 	! #		
<b>BMW - 3 Touring (E91) 12/04→12/12</b>							
 <b>Brake Master Cylinder</b>							
318 d 318 i 320 d 330 d xDrive 330 i 335 i	90 95 110 - 147 180 190 225 - 240	09/05→08/07 01/06→08/07 12/04→06/12 01/09→06/12 08/05→08/07 09/06→06/12		for left-hand drive vehicles		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
318 d	100	07/07→06/12		09/07→ 05/12		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
318 d 320 d xDrive 325 d 325 i xDrive 330 i xDrive 330 xd 330 xi	105 120 145 - 150 155 - 160 200 170 200	09/07→06/12 07/09→06/12 09/06→06/12 09/08→06/12 09/07→06/12 09/05→06/12 09/07→06/12		→ 05/12		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
318 i	100 - 105	05/07→05/12		09/07→		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
318 i 320 d xDrive 325 xi 330 d 330 xi 335 i xDrive 335 xi	100 130 - 147 155 - 160 155 190 225 - 240 225 - 240	09/07→03/12 02/08→06/12 08/05→08/08 06/05→05/12 09/05→08/07 09/08→06/12 03/07→08/08				24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
320 d 320 i	130 - 145 120 - 125	02/07→12/10 02/07→12/12		09/07→; for left-hand drive vehicles		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
320 i	110 - 115	09/05→06/12		→ 08/07; for left-hand drive vehicles		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
325 i	155 - 160	12/04→12/10		06/05→; for left-hand drive vehicles		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
325 i	155	09/07→06/12		01/12→; for left-hand drive vehicles; → 05/12		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
325 i 330 i 335 d	160 200 210	09/07→06/12 03/07→06/12 09/06→06/12		→ 05/12; for left-hand drive vehicles		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
330 d	170	12/04→08/08		06/05→		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
330 d	180	02/08→05/12		09/08→; for left-hand drive vehicles		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
<b>BMW - 3 Touring (G21, G81) 07/19→</b>							
 <b>Brake Caliper</b>							
320 d 320 d Mild-Hybrid 320 d Mild-Hybrid xDrive 320 d xDrive 320 i	120 - 140 120 - 140 120 - 140 120 - 140 135	07/19→02/20 03/20→ 03/20→ 07/19→02/20 11/19→		for vehicles without M-sport brakes; <input type="checkbox"/>		24.3541-9958.5 241708	TRW without holder
<b>BMW - 3 Touring Van (G21) 07/19→</b>							
 <b>Brake Caliper</b>							
318 d 320 d 320 d Mild-Hybrid 320 d Mild-Hybrid xDrive 320 d xDrive 320 i	110 140 140 140 140 135	11/19→06/22 07/19→02/20 03/20→ 03/20→ 07/19→02/20 11/19→		for vehicles without M-sport brakes; <input type="checkbox"/>		24.3541-9958.5 241708	TRW without holder
<b>BMW - 4 Convertible (G23, G83) 11/20→</b>							
 <b>Brake Caliper</b>							
420 d Mild-Hybrid 420 i	120 - 140 135	11/20→ 11/20→		for vehicles without M-sport brakes; <input type="checkbox"/>		24.3541-9958.5 241708	TRW without holder










	kW			 	! #		
<b>BMW - 4 Coupe (G22, G82) 07/20→</b>							
 <b>Brake Caliper</b>							
420 d Mild-Hybrid 420 d Mild-Hybrid xDrive 420 i 420 i 1.6 420 i xDrive	140 140 135 125 135	07/20→ 07/20→ 07/20→ 11/20→ 07/21→	←	for vehicles without M-sport brakes; <input type="checkbox"/>		24.3541-9958.5 241708	TRW without holder
<b>BMW - 4 Gran Coupe (G26) 07/21→</b>							
 <b>Brake Caliper</b>							
420 d Mild-Hybrid 420 d Mild-Hybrid xDrive 420 i 430 i	140 140 135 180	07/21→ 07/21→ 07/21→ 07/21→	←	for vehicles without M-sport brakes; <input type="checkbox"/>		24.3541-9958.5 241708	TRW without holder
<b>BMW - 5 (G30, F90) 09/16→</b>							
 <b>Brake Disc</b>							
540 d xDrive	235	07/17→06/20	→	for vehicles with M-sport brakes; <input type="checkbox"/>		24.0124-0269.2 424269	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
			→	for vehicles with M-sport brakes; <input type="checkbox"/>		24.0124-0271.2 424271	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
M 550 i xDrive	390	07/19→06/23	→	<input type="checkbox"/>		24.0124-0269.2 424269	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
			→	<input type="checkbox"/>		24.0124-0271.2 424271	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
<b>BMW - 7 (G11, G12) 07/15→06/22</b>							
 <b>Brake Disc</b>							
730 d Ld Mild-Hybrid Ld Mild-Hybrid xDrive	183 - 210 210 183 - 250	07/20→06/22 07/20→05/22 07/20→06/22	→	for vehicles with M-sport brakes; <input type="checkbox"/>		24.0124-0269.2 424269	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
730 d Mild-Hybrid xDrive 730 i Li	155 195 195 - 250	07/20→06/22 03/19→06/22 03/19→06/22	→	for vehicles with M-sport brakes; <input type="checkbox"/>		24.0124-0271.2 424271	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
740 d 740 i 740 Li xDrive	250 245 - 250 245 - 250	07/20→06/22 03/19→06/22 03/19→06/22					
745 e Le Plug-in-Hybrid 745 Le Plug-in-Hybrid xDrive	290 290 290	03/19→06/22 03/19→06/22 03/19→06/22					
750 i Li xDrive	390 390	03/19→06/22 03/19→06/22	→	<input type="checkbox"/>		24.0124-0269.2 424269	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
			→	<input type="checkbox"/>		24.0124-0271.2 424271	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
Li xDrive M 760 i	448 448	12/16→02/19 12/16→02/19	←	<input type="checkbox"/>		24.0136-0138.2 436138	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
			←	<input type="checkbox"/>		24.0136-0139.2 436139	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
<b>BMW - 8 Convertible (G14, F91) 11/18→</b>							
 <b>Brake Disc</b>							
840 i 840 i xDrive →	245 - 250 245 - 250	07/19→ 07/19→	←	for vehicles with M-sport brakes; <input type="checkbox"/>		24.0136-0138.2 436138	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S













	kw			 	! #				
<b>BMW - 8 Convertible (G14, F91) 11/18→</b>									
 <b>Brake Disc</b>									
840 i 840 i xDrive	245 - 250 245 - 250	07/19→ 07/19→	←	for vehicles with M-sport brakes; <input type="checkbox"/>	24.0136-0139.2	436139	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S		
			→	for vehicles with aerodynamic pack; for vehicles without M-sport brakes; <input type="checkbox"/>			24.0124-0269.2	424269	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
			→	for vehicles with aerodynamic pack; for vehicles without M-sport brakes; <input type="checkbox"/>			24.0124-0271.2	424271	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
M 850 i xDrive	390	11/18→	←	<input type="checkbox"/>	24.0136-0138.2	436138	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S		
			←	<input type="checkbox"/>			24.0136-0139.2	436139	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
<b>BMW - 8 Coupe (G15, F92) 07/18→</b>									
 <b>Brake Disc</b>									
840 i 840 i xDrive	245 - 250 245 - 250	07/19→ 07/19→	←	for vehicles with M-sport brakes; <input type="checkbox"/>	24.0136-0138.2	436138	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S		
			←	for vehicles with M-sport brakes; <input type="checkbox"/>			24.0136-0139.2	436139	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
			→	for vehicles with aerodynamic pack; for vehicles without M-sport brakes; <input type="checkbox"/>					24.0124-0269.2
			→	for vehicles with aerodynamic pack; for vehicles without M-sport brakes; <input type="checkbox"/>			24.0124-0271.2	424271	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
<b>BMW - 8 Gran Coupe (G16, F93) 07/19→</b>									
 <b>Brake Disc</b>									
840 i 840 i xDrive	245 - 250 245 - 250	07/19→ 07/19→	←	for vehicles with M-sport brakes; <input type="checkbox"/>	24.0136-0138.2	436138	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S		
			←	for vehicles with M-sport brakes; <input type="checkbox"/>			24.0136-0139.2	436139	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
			→	for vehicles with aerodynamic pack; for vehicles without M-sport brakes; <input type="checkbox"/>					24.0124-0269.2
			→	for vehicles with aerodynamic pack; for vehicles without M-sport brakes; <input type="checkbox"/>			24.0124-0271.2	424271	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
M 850 i xDrive	390	07/19→	←	<input type="checkbox"/>	24.0136-0138.2	436138	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S		
			←	<input type="checkbox"/>			24.0136-0139.2	436139	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
<b>BMW - X1 (F48) 11/14→12/22</b>									
 <b>Brake Caliper</b>									
sDrive 16 d sDrive 18 d xDrive 18 d	85 100 100 - 110	11/14→05/22 07/15→06/22 11/14→06/22	←	09/15→; <input type="checkbox"/>	24.3541-9958.5	241708	TRW without holder		
			→	<input type="checkbox"/>					
sDrive 18 d	110	07/15→06/22	←	<input type="checkbox"/>	24.3541-9958.5	241708	TRW without holder		
















	kw					! #		
<b>BMW - X1 (F48) 11/14→12/22</b>								
 <b>Brake Caliper</b>								
sDrive 18 i	100 - 103	11/15→06/22	←	<input type="checkbox"/>			24.3541-9958.5 241708	TRW without holder
<b>BMW - X1 (U11) 07/22→</b>								
 <b>Brake Pad Set, disc brake</b>								
iX1 eDrive 20	150	11/23→	←		for vehicles without M-sport brakes		13.0470-5574.2 LD5574	+ WE / - WK + Zub Ceramic
sDrive 18 d	100 - 110	07/22→	←				13.0470-5574.2 LD5574	+ WE / - WK + Zub Ceramic
sDrive 18 i	100 - 115	07/22→	←		not for vehicles with reinforced brakes		13.0470-5574.2 LD5574	+ WE / - WK + Zub Ceramic
sDrive 20 i	110	11/22→						
sDrive 20 i Mild-Hybrid	125	11/22→						
xDrive 20 d Mild-Hybrid	120	11/22→						
<b>BMW - X1 SUV (E84) 03/09→06/15</b>								
 <b>Brake Master Cylinder</b>								
sDrive 16 d	85	04/12→06/15			07/12→; for left-hand drive vehicles		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
xDrive 25 d	160	10/09→06/15						
sDrive 16 i	105	03/13→06/15					24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
sDrive 18 d	100	03/09→06/15			10/09→; for left-hand drive vehicles		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
xDrive 18 d	100	03/09→06/15						
sDrive 18 d	105	12/09→06/15			for left-hand drive vehicles		24.2025-1904.3 011184	ATE Ø1 25.4 Ø2 22.2 without brake fluid reservoir
sDrive 18 i	100 - 110	03/10→06/15						
sDrive 20 d	120 - 135	10/09→06/15						
sDrive 20 i	135	09/11→06/15						
sDrive 28 i	180	09/12→06/15						
xDrive 18 d	105	10/09→06/15						
xDrive 20 d	120 - 135	09/09→06/15						
xDrive 20 i	135	09/11→06/15						
xDrive 23 d	150	10/09→06/15						
xDrive 25 i	160	03/10→08/11						
xDrive 28 i	180 - 194	09/09→06/15						
xDrive 35 i	225	03/11→06/15						
<b>BMW - X1 Van (F48) 07/15→06/22</b>								
 <b>Brake Caliper</b>								
sDrive 18 d	110	07/15→06/22	←	<input type="checkbox"/>			24.3541-9958.5 241708	TRW without holder
sDrive 18 i	103	07/17→06/22						
<b>BMW - X2 (F39) 11/17→10/23</b>								
 <b>Brake Caliper</b>								
sDrive 18 d	100 - 110	03/18→10/23	←	<input type="checkbox"/>			24.3541-9958.5 241708	TRW without holder
sDrive 18 i	100 - 103	03/18→10/23						
xDrive 18 d	100 - 110	03/18→10/23						
<b>BMW - X2 (U10) 11/23→</b>								
 <b>Brake Pad Set, disc brake</b>								
iX2 eDrive 20	150	03/24→	←		for vehicles without M-sport brakes		13.0470-5574.2 LD5574	+ WE / - WK + Zub Ceramic
sDrive 18 d	110	11/23→						
xDrive 20 d	120	03/24→						
<b>BMW - X5 (G05, F95) 08/18→</b>								
 <b>Brake Disc</b>								
M	441	12/19→03/23	←	<input type="checkbox"/>	for vehicles with M-performance brakes;		24.0136-0135.2 436135	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / V• + S
M Competition	460	12/19→						
M Competition Mild Hybrid	460	04/23→						
xDrive 50 i	340	08/18→07/19	←	<input type="checkbox"/>	for vehicles with M-performance brakes;		24.0136-0136.2 436136	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / V• + S
xDrive M 50 d	294	08/18→03/23						
xDrive M50 i	390	08/19→03/23						
xDrive M60 i Mild-Hybrid	390	04/23→	←	<input type="checkbox"/>			24.0136-0138.2 436138	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
→								





















	kW			 	! #		
<b>BMW - X5 (G05, F95) 08/18→</b>							
<b>Brake Disc</b>							
M M Competition M Competition Mild Hybrid xDrive 50 i xDrive M 50 d xDrive M50 i xDrive M60 i Mild-Hybrid	441 460 460 340 294 390 390	12/19→03/23 12/19→ 04/23→ 08/18→07/19 08/18→03/23 08/19→03/23 04/23→	←	<input type="checkbox"/>		<b>24.0136-0139.2</b> <b>436139</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
sDrive 40 i xDrive 40 i Mild-Hybrid	250 245	08/19→03/23 12/20→03/23	←	<input type="checkbox"/>	for vehicles with M-performance brakes;	<b>24.0136-0135.2</b> <b>436135</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / V• + S
			←	<input type="checkbox"/>	for vehicles with M-performance brakes;	<b>24.0136-0136.2</b> <b>436136</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / V• + S
xDrive 25 d	155 - 170	08/19→03/23	←	<input type="checkbox"/>	for vehicles with M-performance brakes;	<b>24.0136-0135.2</b> <b>436135</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / V• + S
			←	<input type="checkbox"/>	for vehicles with M-performance brakes;	<b>24.0136-0136.2</b> <b>436136</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / V• + S
			←	<input type="checkbox"/>	for vehicles with M-sport brakes;	<b>24.0136-0138.2</b> <b>436138</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
			←	<input type="checkbox"/>	for vehicles with M-sport brakes;	<b>24.0136-0139.2</b> <b>436139</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
xDrive 30 d xDrive 30 i xDrive 40 i xDrive 45 e Plug-in Hybrid xDrive 45 e Plug-in- Hybrid	183 - 195 195 250 290 235	08/18→07/20 09/19→12/21 08/18→03/23 06/19→03/23 06/19→03/23	←	<input type="checkbox"/>	for vehicles with M-performance brakes;	<b>24.0136-0135.2</b> <b>436135</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / V• + S
			←	<input type="checkbox"/>	for vehicles with M-performance brakes;	<b>24.0136-0136.2</b> <b>436136</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / V• + S
			←	<input type="checkbox"/>	for vehicles with sports package;	<b>24.0136-0138.2</b> <b>436138</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
			←	<input type="checkbox"/>	for vehicles with sports package;	<b>24.0136-0139.2</b> <b>436139</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
xDrive 30 d Mild-Hybrid	183 - 210	08/20→	←	<input type="checkbox"/>	for vehicles with M-performance brakes;	<b>24.0136-0135.2</b> <b>436135</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / V• + S
			←	<input type="checkbox"/>	for vehicles with M-performance brakes;	<b>24.0136-0136.2</b> <b>436136</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / V• + S
			→	<input type="checkbox"/>	for vehicles with M-sport brakes;	<b>24.0124-0269.2</b> <b>424269</b>	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
			→	<input type="checkbox"/>	for vehicles with M-sport brakes;	<b>24.0124-0271.2</b> <b>424271</b>	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
xDrive 40 d Mild-Hybrid	250	05/20→	←	<input type="checkbox"/>	for vehicles with M-performance brakes;	<b>24.0136-0135.2</b> <b>436135</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / V• + S
			←	<input type="checkbox"/>	for vehicles with M-performance brakes;	<b>24.0136-0136.2</b> <b>436136</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / V• + S
			←	<input type="checkbox"/>	for vehicles with M-sport brakes; → 08/20;	<b>24.0136-0138.2</b> <b>436138</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
→							














	kW			 	! #		
<b>BMW - X5 (G05, F95) 08/18→</b>							
 <b>Brake Disc</b>							
xDrive 40 d Mild-Hybrid	250	05/20→	←	for vehicles with M-sport brakes; → 08/20; 		<b>24.0136-0139.2 436139</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
xDrive 50 e Plug-in-Hybrid	360	04/23→	←	for vehicles with M-sport brakes; 		<b>24.0136-0138.2 436138</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
			←	for vehicles with M-sport brakes; 		<b>24.0136-0139.2 436139</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
<b>BMW - X5 Van (G05) 11/19→</b>							
 <b>Brake Disc</b>							
xDrive 30 d xDrive 40 i	195 250	11/19→03/23 11/19→03/23	←	for vehicles with M-performance brakes; 		<b>24.0136-0135.2 436135</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / V• + S
			←	for vehicles with M-performance brakes; 		<b>24.0136-0136.2 436136</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / V• + S
			←	for vehicles with sports package; 		<b>24.0136-0138.2 436138</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
			←	for vehicles with sports package; 		<b>24.0136-0139.2 436139</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
<b>BMW - X6 (G06, F96) 08/19→</b>							
 <b>Brake Disc</b>							
M M Competition xDrive M 50 d xDrive M50 i xDrive M 60 i Mild-Hybrid	441 460 294 390 390	12/19→03/23 12/19→ 08/19→03/23 08/19→03/23 04/23→	←	for vehicles with M-performance brakes; 		<b>24.0136-0135.2 436135</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / V• + S
			←	for vehicles with M-performance brakes; 		<b>24.0136-0136.2 436136</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / V• + S
			←			<b>24.0136-0138.2 436138</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
			←			<b>24.0136-0139.2 436139</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
xDrive 30 d xDrive 40 d Mild-Hybrid xDrive 40 i	155 - 195 250 250	08/19→07/20 05/20→03/23 08/19→03/23	←	for vehicles with M-performance brakes; 		<b>24.0136-0135.2 436135</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / V• + S
			←	for vehicles with M-performance brakes; 		<b>24.0136-0136.2 436136</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / V• + S
			←	for vehicles with M-sport brakes; 		<b>24.0136-0138.2 436138</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
			←	for vehicles with M-sport brakes; 		<b>24.0136-0139.2 436139</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
xDrive 30 d Mild-Hybrid	155 - 219	08/20→	←	for vehicles with M-performance brakes; 		<b>24.0136-0135.2 436135</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / V• + S
			←	for vehicles with M-performance brakes; 		<b>24.0136-0136.2 436136</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / V• + S
→							









































	kW			 	! #			
<b>BMW - X6 (G06, F96) 08/19→</b>								
 <b>Brake Disc</b>								
xDrive 30 d Mild-Hybrid	155 - 219	08/20→	→	for vehicles with M-sport brakes; <input type="checkbox"/>		<b>24.0124-0269.2</b>	<b>424269</b>	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
			→	for vehicles with M-sport brakes; <input type="checkbox"/>		<b>24.0124-0271.2</b>	<b>424271</b>	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
xDrive 40 d Mild-Hybrid xDrive 40 i Mild-Hybrid	259 245	06/23→ 12/20→03/23	←	for vehicles with M-performance brakes; <input type="checkbox"/>		<b>24.0136-0135.2</b>	<b>436135</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / V• + S
			←	for vehicles with M-performance brakes; <input type="checkbox"/>		<b>24.0136-0136.2</b>	<b>436136</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / V• + S
<b>BMW - X7 (G07) 03/19→</b>								
 <b>Brake Disc</b>								
xDrive 30 d xDrive 40 i	155 - 195 250	03/19→ 03/19→	←	for vehicles with M-sport brakes; <input type="checkbox"/>		<b>24.0136-0138.2</b>	<b>436138</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
			←	for vehicles with M-sport brakes; <input type="checkbox"/>		<b>24.0136-0139.2</b>	<b>436139</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
			→	for vehicles with trailer hitch; for vehicles with M-sport brakes; <input type="checkbox"/>		<b>24.0124-0269.2</b>	<b>424269</b>	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
			→	for vehicles with trailer hitch; for vehicles with M-sport brakes; <input type="checkbox"/>		<b>24.0124-0271.2</b>	<b>424271</b>	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
xDrive 40 d Mild-Hybrid xDrive 40 i Mild-Hybrid	155 - 250 245	08/20→ 12/20→	←	for vehicles with M-sport brakes; <input type="checkbox"/>		<b>24.0136-0138.2</b>	<b>436138</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
			←	for vehicles with M-sport brakes; <input type="checkbox"/>		<b>24.0136-0139.2</b>	<b>436139</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
			→	for vehicles with M-sport brakes; <input type="checkbox"/>		<b>24.0124-0269.2</b>	<b>424269</b>	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
			→	for vehicles with M-sport brakes; <input type="checkbox"/>		<b>24.0124-0271.2</b>	<b>424271</b>	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
xDrive 40 d Mild-Hybrid xDrive 40 i Mild Hybrid	259 280	07/22→ 07/22→	←	for vehicles with M-sport brakes; <input type="checkbox"/>		<b>24.0136-0138.2</b>	<b>436138</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
			←	for vehicles with M-sport brakes; <input type="checkbox"/>		<b>24.0136-0139.2</b>	<b>436139</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
			→	<input type="checkbox"/>		<b>24.0124-0269.2</b>	<b>424269</b>	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
			→	<input type="checkbox"/>		<b>24.0124-0271.2</b>	<b>424271</b>	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
xDrive M 50 d	294	03/19→	←	<input type="checkbox"/>		<b>24.0136-0138.2</b>	<b>436138</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
			←	<input type="checkbox"/>		<b>24.0136-0139.2</b>	<b>436139</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
→								















	kW			 	! #		
<b>BMW - X7 (G07) 03/19→</b>							
 <b>Brake Disc</b>							
xDrive M 50 d	294	03/19→	→	☐		<b>24.0124-0269.2 424269</b>	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
			→	☐		<b>24.0124-0271.2 424271</b>	Ø 370 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-piece brake disc / Vented + S
xDrive M 50 i	390	07/19→	←	☐		<b>24.0136-0138.2 436138</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
xDrive M 60 i Mild Hybrid	390	07/22→	←	☐		<b>24.0136-0139.2 436139</b>	Ø 395 Brake Disc Thickness [mm] 36 Minimum thickness [mm] 34.4 two-piece brake disc / Vented + S
<b>CITROËN - AMI (9A_) 04/20→</b>							
 <b>Brake Drum</b>							
Electric	6	04/20→	→			<b>24.0220-3059.1 480347</b>	Ø 239 Inner brake drum height [mm] 44 / 204
<b>DACIA - DUSTER (HM_) 10/17→</b>							
 <b>Wheel Speed Sensor</b>							
1.0 LPG	74	01/19→	←		2	<b>24.0710-2233.3 360753</b>	L= 707
1.0 TCe 100	74	01/19→					
1.0 TCe 90	67	05/21→					
1.0 TCe LPG	67	06/21→					
1.2 TCe 125	92	10/17→					
1.2 TCe 125 4x4	92	10/17→					
1.3 TCe 130	96	01/19→					
1.3 TCe 130 4x4	96	01/19→					
1.3 TCe 150	110	01/19→					
1.3 TCe 150 4x4	110	01/19→					
1.5 dCi 110	80	10/17→					
1.5 dCi 110 4x4	80	10/17→					
1.5 dCi 115	85	10/17→					
1.5 dCi 115 4x4	84 - 85	10/17→					
1.5 dCi 90	66	10/17→					
1.5 dCi 95	70	10/17→					
1.6 SCe 115	84	10/17→					
1.6 SCe 115 4x4	84	10/17→					
1.6 SCe 115 LPG	80	10/17→					
<b>DACIA - DUSTER (HS_) 04/10→01/18</b>							
 <b>Wheel Speed Sensor</b>							
1.2 TCe 125	92	10/13→01/18	←		2	<b>24.0710-2233.3 360753</b>	L= 707
1.2 TCe 125 4x4	92	06/15→01/18					
1.5 dCi	63 - 79	04/10→01/18					
1.5 dCi 4x4	66 - 81	10/10→01/18					
1.6 16V	77	04/10→01/18					
1.6 16V 4x4	77	06/10→01/18					
1.6 16V LPG	77	04/11→01/18					
1.6 SCe 115	84	06/15→01/18					
1.6 SCe 115 4x4	84	06/15→01/18					
1.6 SCe 115 LPG	84	06/15→01/18					
1.5 dCi	80 - 81	08/13→01/18	←	09/13→	2	<b>24.0710-2233.3 360753</b>	L= 707
1.6 16V Hi-Flex	77	08/10→01/18	←	04/11→	2	<b>24.0710-2233.3 360753</b>	L= 707
<b>DACIA - DUSTER SUV Van 04/11→</b>							
 <b>Wheel Speed Sensor</b>							
1.2 TCe 125 4x4	92	10/13→	←	06/15→	2	<b>24.0710-2233.3 360753</b>	L= 707
1.5 dCi	66	04/11→	←		2	<b>24.0710-2233.3 360753</b>	L= 707
1.5 dCi 4x4	66	04/11→	←				
1.6 16V	77	04/11→					
1.6 16V 4x4	77	04/11→					
1.6 16V Hi-Flex	77	04/11→					
1.6 SCe 115	84	06/15→					
1.6 SCe 115 4x4	84	06/15→01/18					
1.6 SCe 115 LPG	84	06/15→01/18					
1.5 dCi	80	04/13→	←	09/13→	2	<b>24.0710-2233.3 360753</b>	L= 707
→							

































	kW					! #		
<b>DACIA - DUSTER SUV Van 04/11→</b>								
 <b>Wheel Speed Sensor</b>								
1.5 dCi 4x4	80	04/13→	←	08/13→		2	24.0710-2233.3 360753	L= 707
<b>DAIHATSU - CHARADE VIII 05/11→</b>								
 <b>Brake Drum</b>								
1.33 16V	73	05/11→	→	→ 01/13			24.0220-3055.1 480339	Ø 243 Inner brake drum height [mm] 45.6 / 204
<b>DAIHATSU - CUORE VII (L275_, L285_, L276_) 12/06→</b>								
 <b>Brake Drum</b>								
0.7 1.0 LPG	43 51	12/06→ 09/11→12/12	→	+ ESP			24.0218-0052.1 480351	Ø 220 Inner brake drum height [mm] 33.6 / 181
1.0	51	04/07→	→	09/07→ 01/13; + ESP			24.0218-0052.1 480351	Ø 220 Inner brake drum height [mm] 33.6 / 181
<b>DAIHATSU - MATERIA (M4_) 10/06→</b>								
 <b>Brake Drum</b>								
1.3 1.5 1.5 ECO 4WD	67 76 76	10/06→ 10/06→ 10/06→	→	→ 07/12			24.0218-0052.1 480351	Ø 220 Inner brake drum height [mm] 33.6 / 181
1.5 LPG	76	01/10→12/11	→				24.0218-0052.1 480351	Ø 220 Inner brake drum height [mm] 33.6 / 181
<b>DAIHATSU - SIRION (M3_) 01/05→</b>								
 <b>Brake Drum</b>								
1.0 1.0 LPG 1.3 1.5	51 51 64 - 67 76	01/05→06/13 01/05→06/13 01/05→ 03/08→	→	→ 01/13			24.0218-0052.1 480351	Ø 220 Inner brake drum height [mm] 33.6 / 181
<b>DS - DS 3 / DS 3 CROSSBACK (UR_, UC_, UJ_) 10/18→</b>								
 <b>Brake Hose</b>								
1.2 PureTech 100 1.2 PureTech 130 1.2 PureTech 155 1.5 BlueHDi 100 1.5 BlueHDi 110 1.5 BlueHDi 130 E-TENSE	74 96 115 75 81 96 100	10/18→ 10/18→ 10/18→12/22 10/18→12/22 01/21→12/22 10/18→ 05/19→12/22	←	for brake disc diameter [mm]: 302; ☐			24.5176-0500.3 331906	L= 530
<b>FIAT - 500X (334_) 09/14→</b>								
 <b>Brake Pad Set, disc brake</b>								
1.0 1.3 1.3 D Multijet 1.4 1.4 4x4 1.4 LPG 1.5 T4 Hybrid 1.6 1.6 D Multijet 2.0 D Multijet 4x4	84 - 88 110 70 100 - 103 120 - 125 88 96 81 84 - 96 100 - 110	06/18→ 09/18→ 11/14→ 09/14→ 02/15→ 03/17→09/18 03/22→ 11/14→09/20 09/14→ 09/14→09/20	→				13.0470-2602.2 LD2602	TRW + WK + Zub Ceramic
<b>FORD - ECOSPORT 09/11→12/22</b>								
 <b>Brake Drum</b>								
1.0 EcoBoost 1.5 EcoBlue TDCi 1.5 TDCi 1.5 TDCi EcoBlue 1.5 TDCi EcoBlue 4x4 1.5 Ti 1.5 Ti-VCT 1.6 Ti-VCT 2.0 4x4	74 - 103 70 - 74 66 - 74 92 92 82 81 - 90 90 103	10/13→ 05/15→ 10/13→ 11/17→ 11/17→ 10/13→ 10/13→ 08/12→ 08/12→	→	→ 07/18			24.0222-9005.1 480349	Ø 273 Inner brake drum height [mm] 49.5 / 230.2






















	kw					! #			
<b>FORD - FIESTA VII (HJ, HF) 05/17→</b>									
 <b>Cable Pull, parking brake</b>									
1.0 EcoBoost	63	05/17→					24.3727-3701.2	583701	L= 415
1.0 EcoBoost Active	103	04/18→							
1.1 Ti-VCT	103	05/17→							
1.5 TDCi	63	05/17→							
1.5 TDCi Active	88	04/18→							
	88								
<b>FORD - FIESTA VII Van 09/18→</b>									
 <b>Cable Pull, parking brake</b>									
1.0 EcoBoost	92	09/18→					24.3727-3701.2	583701	L= 415
1.5 TDCi	88	09/18→							
<b>FORD - PUMA (J2K, CF7) 09/19→</b>									
 <b>Cable Pull, parking brake</b>									
1.5 ST EcoBoost	147	11/20→					24.3727-3701.2	583701	L= 415
<b>FORD - RANGER (TKE) 04/11→</b>									
 <b>Brake Caliper</b>									
2.0 EcoBlue	125	06/21→	←				24.3421-1729.5	241737	without holder
2.0 EcoBlue 4x4	96	09/18→	←				24.3421-1730.5	241738	without holder
2.0 EcoBlue Rear-Wheel Drive	157	09/18→							
2.2 TDCi	132	09/18→							
2.2 TDCi 4x4	96	11/11→							
	118								
2.5 i	96	05/15→							
2.5 i 4x4	118	11/11→							
	122	11/11→							
2.2 TDCi	122	11/11→							
2.2 TDCi 4x4	88	04/11→	←	11/11→; 			24.3421-1729.5	241737	without holder
	92								
2.2 TDCi 4x4	92	04/11→	←	11/11→; 			24.3421-1730.5	241738	without holder
	110								
3.2 TDCi 4x4	147	04/11→							
<b>FORD - TOURNEO COURIER B460 MPV 02/14→</b>									
 <b>Brake Drum</b>									
1.0 EcoBoost	74	02/14→12/23	→				24.0222-8047.1	480344	Ø 271 Inner brake drum height [mm] 50 / 230.2
1.5 EcoBlue	74	04/18→12/23							
1.5 TDCi	55	02/14→12/23							
	70								
1.6 TDCi	70	02/14→12/23							
<b>FORD - TOURNEO CUSTOM V362 Bus (F3) 09/12→</b>									
 <b>Brake Pad Set, disc brake</b>									
1.0 EcoBoost PHEV	92	04/20→12/23	←	Vehicle type: Serie 500; 11/20→			13.0460-2673.2	602673	+ WK + Zub
2.0 EcoBlue	77	12/15→12/23							
	125								
<b>FORD - TRANSIT COURIER B460 Box Body/MPV 02/14→</b>									
 <b>Brake Drum</b>									
1.0 EcoBoost	74	02/14→12/23	→				24.0222-8047.1	480344	Ø 271 Inner brake drum height [mm] 50 / 230.2
1.5 EcoBlue	74	04/18→12/23							
1.5 TDCi	55	02/14→12/23							
	70								
1.6 TDCi	70	02/14→12/23							
<b>FORD - TRANSIT COURIER B460 MPV 02/14→</b>									
 <b>Brake Drum</b>									
1.0 EcoBoost	74	02/14→12/23	→				24.0222-8047.1	480344	Ø 271 Inner brake drum height [mm] 50 / 230.2
1.5 EcoBlue	74	04/18→12/23							
1.5 TDCi	55	02/14→12/23							
	70								
1.6 TDCi	70	02/14→12/23							
<b>FORD - TRANSIT CUSTOM V362 Bus (F3) 04/12→</b>									
 <b>Brake Pad Set, disc brake</b>									
1.0 EcoBoost PHEV	92	04/20→12/23	←	Vehicle type: Serie 500; 11/20→			13.0460-2673.2	602673	+ WK + Zub
2.0 EcoBlue	77	12/15→12/23							
	125								

















	kW			 	! #		
<b>FORD - TRANSIT CUSTOM V362 Van (FY, FZ) 09/12→</b>							
 <b>Brake Pad Set, disc brake</b>							
2.0 EcoBlue	77 - 136	12/15→12/23	←	Vehicle type: Serie 500; 11/20→		13.0460-2673.2 602673	+ WK + Zub
<b>FORD - TRANSIT V363 Bus (FAD, FBD) 08/13→</b>							
 <b>Brake Pad Set, disc brake</b>							
2.0 EcoBlue	77 - 125	03/16→	←	Vehicle type: Serie 500; 11/20→		13.0460-2673.2 602673	+ WK + Zub
2.0 EcoBlue mHEV	96 - 125	05/19→					
2.0 EcoBlue RWD	96 - 125	05/19→					
2.2 TDCi RWD	99	08/13→12/18					
2.0 EcoBlue	110 - 121	10/21→	←	Vehicle type: Serie 500		13.0460-2673.2 602673	+ WK + Zub
2.0 EcoBlue mHEV	110	10/21→					
2.0 EcoBlue RWD	121	05/22→					
<b>FORD - TRANSIT V363 Platform/Chassis (VQ, FED, FFD) 08/13→</b>							
 <b>Brake Pad Set, disc brake</b>							
2.0 EcoBlue	77 - 136	03/16→	←	Vehicle type: Serie 500; 11/20→		13.0460-2673.2 602673	+ WK + Zub
2.0 EcoBlue 4x4	96 - 125	01/17→					
2.0 EcoBlue mHEV	96 - 125	05/19→					
2.0 EcoBlue mHEV RWD	96 - 125	05/19→					
2.0 EcoBlue RWD	77 - 136	03/16→					
2.0 EcoBlue	114 - 121	01/21→	←	Vehicle type: Serie 500		13.0460-2673.2 602673	+ WK + Zub
2.0 EcoBlue 4x4	121	07/23→					
2.0 EcoBlue RWD	121	05/22→					
E-TRANSIT	135 - 198	03/22→06/25					
<b>FORD - TRANSIT V363 Van (FCD, FDD) 08/13→</b>							
 <b>Brake Pad Set, disc brake</b>							
2.0 EcoBlue	77 - 136	03/16→	←	Vehicle type: Serie 500; 11/20→		13.0460-2673.2 602673	+ WK + Zub
2.0 EcoBlue 4x4	96 - 125	01/17→					
2.0 EcoBlue mHEV	96 - 125	05/19→					
2.0 EcoBlue mHEV RWD	96 - 125	05/19→					
2.0 EcoBlue RWD	77 - 136	03/16→					
2.0 EcoBlue	114 - 121	01/21→	←	Vehicle type: Serie 500		13.0460-2673.2 602673	+ WK + Zub
2.0 EcoBlue 4x4	121	07/23→					
2.0 EcoBlue RWD	121	05/22→					
E-TRANSIT	135 - 198	03/22→06/25					
<b>HYUNDAI - ACCENT IV (RB) 11/10→04/19</b>							
 <b>Brake Drum</b>							
1.4	79	11/10→03/18	→			24.0220-3051.1 480337	Ø 252 Inner brake drum height [mm] 36.7 / 205.2
1.6	91	11/10→03/18					
1.6 CRDi	94	07/11→10/17					
1.6 CVVT	90	12/10→12/17					
1.6 GDI	103	09/11→04/19					
<b>HYUNDAI - ACCENT IV Saloon (RB) 08/10→</b>							
 <b>Brake Drum</b>							
1.4	73 - 80	11/10→	→			24.0220-3051.1 480337	Ø 252 Inner brake drum height [mm] 36.7 / 205.2
1.4 CRDi	66	11/10→					
1.6	90 - 91	11/10→					
1.6 CRDi	100	04/11→12/17					
1.6 GDI	103	11/10→12/17					
1.6 CRDi	94	11/10→12/17	→	10/11→		24.0220-3051.1 480337	Ø 252 Inner brake drum height [mm] 36.7 / 205.2




















	kw			 	! #		
<b>HYUNDAI - ACCENT V Saloon (HC) 01/17→</b>							
 <b>Brake Drum</b>							
1.4 1.6 1.6 CRDI	73 97 94	07/18→ 01/18→ 01/17→	➡			24.0220-3051.1 480337	Ø 252 Inner brake drum height [mm] 36.7 / 205.2
<b>HYUNDAI - i30 (PDE, PD, PDEN) 11/16→</b>							
 <b>Brake Hose</b>							
1.0 T-GDI 1.0 T-GDI hybrid 48V 1.5 T-GDI hybrid 48V	74 88 103 - 118	05/24→ 03/20→ 03/20→	➡	+ eFSB; Multi-link Axle; 		24.5296-0344.3 331908	L= 365
1.6 CRDi hybrid 48V	100	03/20→	➡	+ eFSB; Multi-link Axle; 		24.5296-0345.3 331909	L= 365
1.0 T-GDI 1.4 T-GDI 1.6 CRDi	88 103 70 - 100	11/16→ 11/16→12/20 11/16→	➡	01/17→; + eFSB; 		24.5296-0344.3 331908	L= 365
			➡	01/17→; + eFSB; 		24.5296-0345.3 331909	L= 365
1.4 MPI 1.6 CRDi	74 70 - 100	11/16→12/20 08/18→	➡	+ eFSB; 		24.5296-0344.3 331908	L= 365
			➡	+ eFSB; 		24.5296-0345.3 331909	L= 365
<b>HYUNDAI - i30 Estate (PDE) 03/17→</b>							
 <b>Brake Hose</b>							
1.0 T-GDI 1.0 T-GDI hybrid 48V 1.5 1.5 T-GDI hybrid 48V 1.5 T-GDI Hybrid 48V 1.6 CRDi hybrid 48V	74 88 81 103 118 100	05/24→ 03/20→ 06/20→ 05/24→ 03/20→ 03/20→	➡	+ eFSB; Multi-link Axle; 		24.5296-0344.3 331908	L= 365
			➡	+ eFSB; Multi-link Axle; 		24.5296-0345.3 331909	L= 365
1.0 T-GDI 1.4 T-GDI 1.6 CRDi	88 103 81 - 100	03/17→ 03/17→12/20 03/17→	➡	06/17→; + eFSB; 		24.5296-0344.3 331908	L= 365
			➡	06/17→; - eFSB; 		24.5296-0345.3 331909	L= 365
1.4 MPI 1.6 CRDi	74 81 - 100	03/17→12/20 08/18→	➡	+ eFSB; 		24.5296-0344.3 331908	L= 365
			➡	- eFSB; 		24.5296-0345.3 331909	L= 365
1.6 CRDi	85	08/18→	➡	+ eFSB; 		24.5296-0344.3 331908	L= 365
			➡	+ eFSB; 		24.5296-0345.3 331909	L= 365
<b>HYUNDAI - i30 FASTBACK (PDE, PDEN) 06/17→</b>							
 <b>Brake Hose</b>							
1.0 T-GDI 1.4 T-GDI 1.6 CRDi	88 103 100	06/17→ 06/17→ 12/17→	➡	+ eFSB; 		24.5296-0344.3 331908	L= 365
			➡	+ eFSB; 		24.5296-0345.3 331909	L= 365
1.0 T-GDI hybrid 48V 1.5 T-GDI hybrid 48V 1.5 T-GDI Hybrid 48V 1.6 CRDi hybrid 48V	88 103 118 100	06/20→ 05/24→ 03/20→ 03/20→	➡	+ eFSB; Multi-link Axle; 		24.5296-0344.3 331908	L= 365
			➡	+ eFSB; Multi-link Axle; 		24.5296-0345.3 331909	L= 365
<b>HYUNDAI - i30 Hatchback Van (PDE) 11/16→</b>							
 <b>Brake Hose</b>							
1.0 T-GDi 1.4 T-GDi	88 103	11/16→ 11/16→12/20	➡	+ eFSB; 		24.5296-0344.3 331908	L= 365
			➡	+ eFSB; 		24.5296-0345.3 331909	L= 365
<b>HYUNDAI - i30 Kombi Van (PDE) 03/17→</b>							
 <b>Brake Hose</b>							
1.0 T-GDi 1.4 T-GDi 1.6 CRDi VGT	88 103 81 - 100	03/17→ 03/17→12/20 03/17→	➡	06/17→; + eFSB; 		24.5296-0344.3 331908	L= 365
			➡	06/17→; - eFSB; 		24.5296-0345.3 331909	L= 365
<b>HYUNDAI - i45 VI Saloon (YF) 06/09→12/15</b>							
 <b>Brake Caliper</b>							
2.0 2.0 Hybrid 2.0 i	110 110 120 - 121	06/09→06/14 01/11→06/14 01/11→06/14	➡			24.3341-1713.5 241715	Mobis without holder
			➡			24.3341-1714.5 241716	Mobis without holder
2.4	130 - 131	01/10→12/15					
<b>HYUNDAI - ix35 (LM, EL, ELH) 08/09→10/16</b>							
 <b>Brake Caliper</b>							
1.7 CRDi 2.0 →	85 113	11/10→12/15 08/13→12/15	➡			24.3341-1713.5 241715	Mobis without holder














	kw					! #		
<b>HYUNDAI - ix35 (LM, EL, ELH) 08/09→10/16</b>								
 <b>Brake Caliper</b>								
2.0 4WD	116 - 120	01/10→12/15	➔	☐			24.3341-1714.5 241716	Mobis without holder
2.0 CRDi 4WD	100 - 135	01/10→12/15						
2.0 GDi	122	08/13→12/15						
2.0 GDi 4WD	122	08/13→12/15						
2.4 4WD	129 - 130	01/10→12/15						
2.4 DCVVT-I 4WD	128	07/10→12/13						
2.0	120	01/10→07/13	➔	04/13→; Vehicle Production Country Republic of Korea (South Korea); ☐			24.3341-1713.5 241715	Mobis without holder
			➔	04/13→; Vehicle Production Country Republic of Korea (South Korea); ☐			24.3341-1714.5 241716	Mobis without holder
2.0 4WD	113	09/14→12/15	➔	Vehicle Production Country Republic of Korea (South Korea); ☐			24.3341-1713.5 241715	Mobis without holder
2.0 CVVT	110	08/13→12/15						
2.0 CVVT 4WD	110	08/13→12/15	➔	Vehicle Production Country Republic of Korea (South Korea); ☐			24.3341-1714.5 241716	Mobis without holder
<b>HYUNDAI - ix35 Van 08/09→12/15</b>								
 <b>Brake Caliper</b>								
CRDi	85	09/10→12/15	➔	☐			24.3341-1713.5 241715	Mobis without holder
CRDi 4WD	100	08/09→12/15	➔	☐			24.3341-1714.5 241716	Mobis without holder
<b>HYUNDAI - SOLARIS Saloon (HCR, HCI) 01/17→</b>								
 <b>Brake Drum</b>								
1.4	74	01/17→	➔				24.0220-3051.1 480337	Ø 252 Inner brake drum height [mm] 36.7 / 205.2
1.6	89 - 90	01/17→						
<b>JEEP - COMPASS (MP, M6, MV, M7) 01/16→</b>								
 <b>Brake Pad Set, disc brake</b>								
1.3 Hybrid 4x4	140 - 177	04/20→	➔				13.0470-2602.2 LD2602	TRW + WK + Zub Ceramic
1.5 T4 Hybrid	96	03/22→						
<b>JEEP - RENEGADE SUV (BU, B1, BV) 07/14→</b>								
 <b>Brake Pad Set, disc brake</b>								
1.0 T-GDi	84 - 88	08/18→	➔				13.0470-2602.2 LD2602	TRW + WK + Zub Ceramic
1.3 PHEV 4Xe	140 - 177	08/20→						
1.3 T-GDi	110	08/18→						
1.3 T-GDi 4x4	132	08/18→						
1.4	100 - 103	07/14→						
1.4 4x4	125	07/14→12/18						
1.4 LPG	88	01/16→						
1.5 T4 Hybrid	96	03/22→						
1.6	81	07/14→09/18						
1.6 CRD	70 - 88	07/14→						
1.6 MultiJet	84 - 96	02/20→						
2.0 CRD 4x4	88 - 125	07/14→						
<b>JEEP - RENEGADE VAN (BU, B1) 07/14→</b>								
 <b>Brake Pad Set, disc brake</b>								
1.4	103	07/14→	➔				13.0470-2602.2 LD2602	TRW + WK + Zub Ceramic
<b>KIA - CEED (CD) 03/18→</b>								
 <b>Brake Hose</b>								
1.0 T-GDi	74 - 88	03/18→	➔	+ eFSB; ☐			24.5296-0344.3 331908	L= 365
1.4	73	03/18→12/20	➔	+ eFSB; ☐			24.5296-0345.3 331909	L= 365
1.4 LPG	71	12/18→12/20						
1.4 T-GDi	103	03/18→12/20						
1.6	94	03/18→						
1.6 CRDi 115	85	03/18→						
1.6 CRDi 115 Eco-Dynamics+	85	12/19→						
1.6 CRDi 136	100	03/18→						
1.6 CRDi 136 Eco-Dynamics+	100	12/19→						













	kw					! #		
<b>KIA - CEED (CD) 03/18→</b>								
 <b>Brake Hose</b>								
1.6 T-GDI GT	150	10/18→	➡	+ eFSB; 		24.5296-0344.3	331908	L= 365
			➡	+ eFSB; 		24.5296-0345.3	331909	L= 365
1.0 T-GDI 100 Eco-Dynamics+	74	01/21→	➡	+ eFSB; Multi-link Axle; 		24.5296-0344.3	331908	L= 365
1.0 T-GDI MHEV	88	10/21→	➡	+ eFSB; Multi-link Axle; 		24.5296-0345.3	331909	L= 365
1.5 T-GDI	103 - 118	01/21→						
1.5 T-GDI Eco-Dynamics+	118	01/21→						
1.5 T-GDI MHEV	103	02/24→						
<b>KIA - CEED Combi Van (CD) 03/18→</b>								
 <b>Brake Hose</b>								
1.4 T-GDI CRDi 115	103	04/18→12/20	➡	+ eFSB; 		24.5296-0344.3	331908	L= 365
CRDi 136	85	05/18→						
T-GDI	100	05/18→	➡	+ eFSB; 		24.5296-0345.3	331909	L= 365
GDI Hybrid	88	05/18→						
	104	12/19→	➡			24.5296-0344.3	331908	L= 365
			➡			24.5296-0345.3	331909	L= 365
<b>KIA - CEED Hatchback Van (CD) 03/18→</b>								
 <b>Brake Hose</b>								
1.4 T-GDI CRDi 115	103	03/18→12/20	➡	+ eFSB; 		24.5296-0344.3	331908	L= 365
CRDi 136	85	03/18→						
T-GDI	100	03/18→	➡	+ eFSB; 		24.5296-0345.3	331909	L= 365
T-GDI GT	88	03/18→						
	150	10/18→						
<b>KIA - CEED Sportswagon (CD) 03/18→</b>								
 <b>Brake Hose</b>								
1.0 T-GDI	74 - 88	05/18→	➡	+ eFSB; 		24.5296-0344.3	331908	L= 365
1.4	73	04/18→12/20	➡	+ eFSB; 		24.5296-0345.3	331909	L= 365
1.4 LPG	71	12/18→12/20						
1.4 T-GDI	103	04/18→12/20						
1.6	94	05/18→						
1.6 CRDi 115	85	05/18→						
1.6 CRDi 115 Eco-Dynamics+	85	12/19→						
1.6 CRDi 136	100	05/18→						
1.6 CRDi 136 Eco-Dynamics+	100	12/19→						
1.0 T-GDI 100 Eco-Dynamics+	74	04/22→	➡	+ eFSB; Multi-link Axle; 		24.5296-0344.3	331908	L= 365
1.0 T-GDI Eco-Dynamics+	88	07/21→	➡	+ eFSB; Multi-link Axle; 		24.5296-0345.3	331909	L= 365
1.5 T-GDI	103 - 118	01/21→						
1.5 T-GDI Eco-Dynamics+	118	01/21→						
1.5 T-GDI MHEV	103	02/24→						
1.6 GDI Hybrid	104	12/19→	➡			24.5296-0344.3	331908	L= 365
			➡			24.5296-0345.3	331909	L= 365
<b>KIA - PROCEED (CD) 10/18→</b>								
 <b>Brake Hose</b>								
1.0 T-GDI	73 - 88	10/18→	➡	+ eFSB; 		24.5296-0344.3	331908	L= 365
1.4 T-GDI	103	10/18→12/20	➡	+ eFSB; 		24.5296-0345.3	331909	L= 365
1.5 T-GDI	103 - 118	01/21→						
1.5 T-GDI MHEV	103	02/24→						
1.6 CRDi 136	100	10/18→						
1.6 CRDi 136 Eco-Dynamics+	100	12/19→						
1.6 T-GDI	147	10/18→						
1.6 T-GDI GT	150	10/18→						
1.5 T-GDI Eco-Dynamics+	118	01/21→	➡	+ eFSB; Multi-link Axle; 		24.5296-0344.3	331908	L= 365
			➡	+ eFSB; Multi-link Axle; 		24.5296-0345.3	331909	L= 365














	kw			 	! #			
<b>KIA - PROCEED Combi Van (CD) 10/18→</b>								
 <b>Brake Hose</b>								
1.4 T-GDI	103	10/18→12/20	➔	+ eFSB; 		<b>24.5296-0344.3 331908</b>	L= 365	
1.6 CRDi 136	100	10/18→						
1.6 T-GDI GT	150	10/18→	➔	+ eFSB; 		<b>24.5296-0345.3 331909</b>	L= 365	
<b>KIA - RIO III (UB) 09/11→12/17</b>								
 <b>Brake Drum</b>								
1.6 CVVT	90	06/12→12/17	➔			<b>24.0220-3051.1 480337</b>	Ø 252 Inner brake drum height [mm] 36.7 / 205.2	
<b>KIA - RIO III Saloon (UB) 09/10→12/17</b>								
 <b>Brake Drum</b>								
1.6 CVVT	90	06/12→12/17	➔			<b>24.0220-3051.1 480337</b>	Ø 252 Inner brake drum height [mm] 36.7 / 205.2	
<b>KIA - RIO IV (YB, SC, FB) 01/17→</b>								
 <b>Brake Drum</b>								
1.0 T-GDI 100	74	01/17→	➔			<b>24.0220-3051.1 480337</b>	Ø 252 Inner brake drum height [mm] 36.7 / 205.2	
1.0 T-GDI 100 Eco-Dynamics+	74	08/20→04/23						
1.0 T-GDI 120	88	01/17→						
1.0 T-GDI 120 Eco-Dynamics+	88	08/20→04/23						
1.25	62	01/17→						
1.25 LPG	60	05/19→						
1.2 CVVT	62	05/20→						
1.4	73 - 74	01/17→						
1.4 CRDi 77	57	01/17→						
1.4 CRDi 90	66	01/17→						
1.6	89 - 90	01/17→						
1.6 Flex	94	07/17→						
1.6 LPG	60	05/20→						
<b>KIA - RIO IV Hatchback Van (YB, SC, FB) 01/17→</b>								
 <b>Brake Drum</b>								
1.0 T-GDI 100	74	01/17→	➔			<b>24.0220-3051.1 480337</b>		Ø 252 Inner brake drum height [mm] 36.7 / 205.2
1.0 T-GDI 120	88	01/17→						
<b>KIA - RIO IV Saloon (SC, FB) 07/17→</b>								
 <b>Brake Drum</b>								
1.4	73 - 74	07/17→	➔			<b>24.0220-3051.1 480337</b>	Ø 252 Inner brake drum height [mm] 36.7 / 205.2	
1.6	90	07/17→						
<b>KIA - SPORTAGE III (SL) 09/09→07/17</b>								
 <b>Brake Caliper</b>								
2.0 CRDi	130	08/12→12/16	➔			<b>24.3341-1713.5 241715</b>	Mobis without holder	
2.0 CRDi AWD	100 - 135	07/10→12/16	➔			<b>24.3341-1714.5 241716</b>		
2.0 CVVT	110	01/14→12/15						
2.0 CVVT AWD	110 - 122	07/10→12/15						
2.0 CVVT Flex AWD	131	01/12→12/16						
2.0 GDI AWD	122	02/14→12/15						
2.0 CVVT	113	11/14→12/15	➔	Vehicle Production Country Republic of Korea (South Korea); 		<b>24.3341-1713.5 241715</b>	Mobis without holder	
			➔	Vehicle Production Country Republic of Korea (South Korea); 		<b>24.3341-1714.5 241716</b>		
<b>KIA - STONIC (YB) 07/17→</b>								
 <b>Brake Drum</b>								
1.0 T-GDi	74 - 88	07/17→	➔			<b>24.0220-3051.1 480337</b>	Ø 252 Inner brake drum height [mm] 36.7 / 205.2	
1.0 T-GDi Eco-Dynamics+	74	01/21→						
1.0 T-GDi LPG	70	01/23→						
1.2 CVVT	58 - 62	07/17→12/25						
1.2 LPG	60	01/23→12/25						
1.4 CVVT	73	07/17→12/25						
1.4 LPG	71	11/18→12/25						
1.6 CRDi	81 - 100	07/17→12/25						



















	kw			 	! #		
<b>KIA - STONIC Hatchback Van (YB) 07/17→</b>							
 <b>Brake Drum</b>							
1.0 T-GDi	74 - 88	07/17→	➔		24.0220-3051.1	480337	Ø 252 Inner brake drum height [mm] 36.7 / 205.2
1.6 CRDi	85	08/18→					
<b>KIA - XCEED (CD) 06/19→</b>							
 <b>Brake Hose</b>							
1.5 T-GDI	103	02/24→	➔	+ eFSB; 	24.5296-0345.3	331909	L= 365
1.5 T-GDI MHEV	103	02/24→					
1.6 CRDi 136 Eco-Dynamics+	100	12/19→	➔	+ eFSB; 	24.5296-0344.3	331908	L= 365
			➔	+ eFSB; 	24.5296-0345.3	331909	L= 365
<b>MAZDA - MX-30 (DR) 05/20→</b>							
 <b>Brake Pad Set, disc brake</b>							
e-SKYACTIV	105	05/20→	➔		13.0460-5553.2	605553	AKE + WK
e-SKYACTIV R-EV	125	02/23→					
e-SKYACTIV	107	05/20→	➔	04/21→	13.0460-5553.2	605553	AKE + WK
<b>MERCEDES-BENZ - C-CLASS (W206) 03/21→</b>							
 <b>Brake Pad Set, disc brake</b>							
C 180	125	03/21→	➔	for vehicles without sports brake system	13.0460-3898.2	603898	CBI + WE / - WK + Zub
<b>MERCEDES-BENZ - C-CLASS Coupe (C204) 01/11→</b>							
 <b>Brake Master Cylinder</b>							
C 180	115	06/11→		for left-hand drive vehicles	24.2025-2521.3	011169	ATE Ø1 25.4 Ø2 20.6 without brake fluid reservoir
C 200 CGI	135	06/11→					
C 220 CDI	120 - 125	06/11→					
C 250	150	06/11→					
C 250 CDI	150	06/11→					
C 350	225	06/11→					
C 350 4-matic	225	09/13→					
C 63 AMG	336 - 380	06/11→					
<b>MERCEDES-BENZ - C-CLASS Sedan (W204) 01/07→01/15</b>							
 <b>Brake Master Cylinder</b>							
C 180 CDI	88	04/10→03/14		for left-hand drive vehicles	24.2025-2521.3	011169	ATE Ø1 25.4 Ø2 20.6 without brake fluid reservoir
C 180 Kompressor	115	01/08→01/14					
C 200	137	05/11→01/14					
C 200 CDI	100	11/09→03/14					
C 220 CDI	120 - 125	10/08→01/14					
C 220 CDI 4-matic	125	02/13→01/14					
C 230 4-matic	150	07/07→01/14					
C 250 CDI 4-matic	150	01/11→01/14					
C 250 CGI	150	07/09→01/14					
C 280 4-matic	170	07/07→01/14					
C 300	170 - 185	07/09→01/14					
C 300 4-matic	185	02/11→01/14					
C 300 CDI 4-matic	170	01/11→01/14					
C 320 CDI 4-matic	165	07/07→01/14					
C 350	225	01/11→01/14					
C 350 4-matic	200 - 225	07/07→01/14					
C 350 CDI	165 - 195	07/09→01/14					
C 350 CDI 4-matic	165 - 170	07/09→01/14					
C 350 CGI	215	09/08→01/14					
C 63 AMG	336 - 373	02/08→01/14					
C 63 AMG DR 520	383	07/10→01/14					
C 180 CGI	115	01/07→01/14		04/09→; for left-hand drive vehicles	24.2025-2521.3	011169	ATE Ø1 25.4 Ø2 20.6 without brake fluid reservoir
C 200 CGI	135	01/07→01/14					
C 300 4-matic	170	07/07→01/14					
C 180 Kompressor	115	01/07→01/09		03/07→; for left-hand drive vehicles	24.2025-2521.3	011169	ATE Ø1 25.4 Ø2 20.6 without brake fluid reservoir
C 200 CDI	100	01/07→12/09					
C 200 Kompressor	135	01/07→01/14					
C 220 CDI	120 - 125	01/07→11/08					
C 230	150	01/07→01/14					
C 280	170	01/07→01/14					
C 320 CDI	165	01/07→01/14					
C 350	200	01/07→01/14					
➔							

















	kw			 	! #		
<b>MERCEDES-BENZ - C-CLASS Sedan (W204) 01/07→01/15</b>							
 <b>Brake Master Cylinder</b>							
C 250 CDI	150	08/08→01/14		10/08→; for left-hand drive vehicles		24.2025-2521.3 011169	ATE Ø1 25.4 Ø2 20.6 without brake fluid reservoir
<b>MERCEDES-BENZ - C-CLASS T-Model (S204) 08/07→08/14</b>							
 <b>Brake Master Cylinder</b>							
C 180	115	02/12→08/14		for left-hand drive vehicles		24.2025-2521.3 011169	ATE Ø1 25.4 Ø2 20.6 without brake fluid reservoir
C 180 CDI	88	04/10→08/14					
C 180 CGI	115	11/09→08/14					
C 180 Kompressor	115	01/08→08/14					
C 200 CDI	100	08/10→08/14					
C 220 CDI	120 - 125	12/08→08/14					
C 220 CDI 4-matic	125	02/13→08/14					
C 250	150	02/08→12/12					
C 250 CDI	150	01/09→08/14					
C 250 CDI 4-matic	150	04/10→08/14					
C 250 CGI	150	07/09→08/14					
C 300	170	08/07→08/14					
C 300 CDI 4-matic	170	06/11→08/14					
C 350 CDI	165 - 195	08/07→08/14					
C 350 CDI 4-matic	170	10/09→08/14					
C 350 CGI	225	06/11→08/14					
C 63 AMG	336 - 383	02/08→08/14					
C 180 Kompressor	115	08/07→08/14		09/07→; for left-hand drive vehicles		24.2025-2521.3 011169	ATE Ø1 25.4 Ø2 20.6 without brake fluid reservoir
C 200 CDI	100	08/07→12/09					
C 200 Kompressor	135	08/07→08/14					
C 220 CDI	125	08/07→11/08					
C 230	150	08/07→08/14					
C 280	170	08/07→08/14					
C 320 CDI	165	08/07→08/14					
C 320 CDI 4-matic	165	08/07→12/11					
C 350	200	08/07→08/14					
C 350 CDI 4-matic	165	08/07→12/11					
C 200 CGI	135	08/07→08/14		04/09→; for left-hand drive vehicles		24.2025-2521.3 011169	ATE Ø1 25.4 Ø2 20.6 without brake fluid reservoir
C 220 CDI	120	08/07→11/08		09/07→; for left-hand drive vehicles		24.2025-2521.3 011169	ATE Ø1 25.4 Ø2 20.6 without brake fluid reservoir
				for left-hand drive vehicles		24.2025-2521.3 011169	ATE Ø1 25.4 Ø2 20.6 without brake fluid reservoir
<b>MERCEDES-BENZ - C-CLASS T-MODEL (S206) 03/21→</b>							
 <b>Brake Pad Set, disc brake</b>							
C 180	125	03/21→		for vehicles without sports brake system		13.0460-3898.2 603898	CBI + WE / - WK + Zub
<b>MERCEDES-BENZ - CLE (C236) 10/23→</b>							
 <b>Brake Pad Set, disc brake</b>							
CLE 450 4-matic	280	10/23→		for vehicles with sports brake system		13.0460-4727.2 604727	BRE + WE / - WK
<b>MERCEDES-BENZ - CLE Convertible (A236) 02/24→</b>							
 <b>Brake Pad Set, disc brake</b>							
CLE 450 4-matic	280	02/24→		for vehicles with sports brake system		13.0460-4727.2 604727	BRE + WE / - WK
<b>MERCEDES-BENZ - E-CLASS (W214) 07/23→</b>							
 <b>Brake Pad Set, disc brake</b>							
E 180	125	07/23→		+SA B1E; for brake disc diameter [mm]: 370		13.0460-4727.2 604727	BRE + WE / - WK
E 200	150	07/23→					
E 200 4-matic	150	07/23→					
E 220 d	145	07/23→					
E 220 d 4-matic	145	07/23→					
E 300 de	230	10/23→					
E 300 de 4-matic	230	10/23→					
E 300 e	230	07/23→					
E 300 e 4-matic	230	07/23→					
E 400 e 4-matic	280	07/23→					
E 450 4-matic	280	10/23→					
E 450 d 4-matic	270	10/23→					
<b>MERCEDES-BENZ - E-CLASS All-Terrain (S214) 10/23→</b>							
 <b>Brake Pad Set, disc brake</b>							
E 220 d 4-matic	145	10/23→		+SA B1E; for brake disc diameter [mm]: 370		13.0460-4727.2 604727	BRE + WE / - WK
E 300 de 4-matic	230	10/23→					

















	kW			 	! #		
<b>MERCEDES-BENZ - E-CLASS All-Terrain (S214) 10/23→</b>							
 <b>Brake Pad Set, disc brake</b>							
E 450 4-matic E 450 d 4-matic	280 270	10/23→ 10/23→	←	+SA B1E; for brake disc diameter [mm]: 370	13.0460-4727.2	604727	BRE + WE / - WK
<b>MERCEDES-BENZ - E-CLASS Convertible (A207) 01/10→12/16</b>							
 <b>Brake Master Cylinder</b>							
E 200 E 220 BlueTEC E 250 E 300 E 320 E 350 E 350 BlueTEC/ d E 350 BlueTEC E 350 CDI E 350 CGI E 400 E 500	135 130 155 185 200 200 - 225 190 185 195 215 245 300	03/13→12/16 05/14→12/16 06/13→12/16 04/11→12/16 07/14→12/16 03/10→12/14		for left-hand drive vehicles	24.2025-2521.3	011169	ATE Ø1 25.4 Ø2 20.6 without brake fluid reservoir
E 200 CGI E 220 CDI / BlueTEC / d E 220 CDI E 250 CDI / BlueTEC / d E 250 CGI E 350 CDI E 500	135 125 120 150 150 170 285	01/10→12/16 01/10→12/16 02/10→12/16 01/10→12/16 01/10→12/16 01/10→12/11 01/10→12/11		03/10→; for left-hand drive vehicles	24.2025-2521.3	011169	ATE Ø1 25.4 Ø2 20.6 without brake fluid reservoir
<b>MERCEDES-BENZ - E-CLASS Coupe (C207) 01/09→12/16</b>							
 <b>Brake Master Cylinder</b>							
E 200 E 200 CGI E 220 BlueTEC E 220 CDI / d E 220 CDI E 250 E 300 E 320 E 350 E 350 4-matic E 350 BlueTEC / d E 350 BlueTEC E 350 CDI E 400 E 500	135 135 130 125 120 155 185 200 225 225 190 185 195 245 300	06/13→12/16 01/10→12/16 05/14→12/16 01/10→12/16 02/10→12/14 06/13→12/16 04/11→06/16 07/14→12/16 04/11→12/14 02/13→12/16 05/14→12/16 06/13→12/16 06/11→06/13 06/13→12/16 09/11→12/16		for left-hand drive vehicles	24.2025-2521.3	011169	ATE Ø1 25.4 Ø2 20.6 without brake fluid reservoir
E 250 CDI / BlueTEC / d E 250 CGI E 350 CDI E 350 CGI E 500	150 150 170 215 285	01/09→12/16 01/09→12/16 01/09→06/11 01/09→12/11 01/09→12/16		05/09→; for left-hand drive vehicles	24.2025-2521.3	011169	ATE Ø1 25.4 Ø2 20.6 without brake fluid reservoir
<b>MERCEDES-BENZ - E-CLASS T-Model (S214) 07/23→</b>							
 <b>Brake Pad Set, disc brake</b>							
E 200 E 200 4-matic E 220 d E 220 d 4-matic E 300 de E 300 de 4-matic E 300 e E 450 4-matic E 450 d 4-matic	150 150 145 145 230 230 230 280 270	07/23→ 02/24→ 07/23→ 10/23→ 10/23→ 10/23→ 07/23→ 10/23→ 10/23→	←	+SA B1E; for brake disc diameter [mm]: 370	13.0460-4727.2	604727	BRE + WE / - WK
<b>MERCEDES-BENZ - GLC (X254) 06/22→</b>							
 <b>Brake Pad Set, disc brake</b>							
180 200 4-matic 220d 4-matic 300 4-matic 300d 4-matic 300de 4-matic 300e 4-matic 400e 4-matic 450d 4-matic	125 150 145 190 198 245 230 280 270	06/22→ 06/22→ 09/22→ 06/22→ 09/22→ 09/22→ 09/22→ 09/22→ 10/23→	←	for vehicles with sports brake system	13.0460-4727.2	604727	BRE + WE / - WK
300e 4-matic 400e 4-matic 450d 4-matic	245 230 280 270	09/22→ 09/22→ 09/22→ 10/23→	←		13.0460-4727.2	604727	BRE + WE / - WK
<b>MERCEDES-BENZ - GLC Coupe (C254) 06/22→</b>							
 <b>Brake Pad Set, disc brake</b>							
180 200 4-matic →	125 150	06/22→ 07/23→	←	for vehicles with sports brake system	13.0460-4727.2	604727	BRE + WE / - WK














	kW					! #		
<b>MERCEDES-BENZ - GLC Coupe (C254) 06/22→</b>								
 <b>Brake Pad Set, disc brake</b>								
220d 4-matic 300 4-matic 300d 4-matic	145 190 198	07/23→ 07/23→ 07/23→	←	for vehicles with sports brake system		13.0460-4727.2	604727	BRE + WE / - WK
300de 4-matic 300e 4-matic 400e 4-matic 450d 4-matic	245 230 280 270	07/23→ 07/23→ 07/23→ 10/23→	←			13.0460-4727.2	604727	BRE + WE / - WK
<b>MERCEDES-BENZ - GLK-CLASS (X204) 06/08→12/15</b>								
 <b>Brake Master Cylinder</b>								
200 200 CDI	135 100 - 105	08/13→06/15 07/10→06/15		for left-hand drive vehicles		24.2025-2521.3	011169	ATE Ø1 25.4 Ø2 20.6 without brake fluid reservoir
250 250 4-matic 250 CDI 4-matic 300 4-matic	155 155 150 170 - 185	08/13→06/15 08/13→06/15 09/09→06/15 07/09→12/15						
350 350 CDI 4-matic	200 165 - 195	04/09→06/15 07/09→06/15						
220 CDI 220 CDI 4-matic	120 - 125 125	12/08→06/15 12/08→06/15		04/09→; for left-hand drive vehicles		24.2025-2521.3	011169	ATE Ø1 25.4 Ø2 20.6 without brake fluid reservoir
280 4-matic 320 CDI 4-matic 350 4-matic	170 165 200 - 225	06/08→06/09 06/08→06/15 06/08→06/15		09/08→; for left-hand drive vehicles		24.2025-2521.3	011169	ATE Ø1 25.4 Ø2 20.6 without brake fluid reservoir
<b>MERCEDES-BENZ - MARCO POLO Camper (W447) 03/15→</b>								
 <b>Cable Pull, parking brake</b>								
160 CDI 170 CDI 180 CDI 200 CDI 200 CDI 4-matic 220 CDI 220 CDI 4-matic 250 CDI 250 CDI 4-matic 300 CDI 300 CDI 4-matic	65 75 84 100 100 120 120 140 140 174 - 176 174 - 176	03/15→ 06/20→ 03/15→ 03/15→ 03/15→ 03/15→ 03/15→ 03/15→ 03/15→ 03/19→ 03/19→ 03/19→ 03/19→	☐			24.3727-3801.2	583801	L= 1280
<b>MERCEDES-BENZ - S-CLASS (V223) 09/20→</b>								
 <b>Brake Pad Set, disc brake</b>								
S 350 d S 350 d 4-matic S 350 d Mild Hybrid S 350 d Mild Hybrid 4-matic S 400 d 4-matic S 450 d Mild Hybrid 4-matic S 450 e S 450 EQ Boost S 450 EQ Boost 4-matic S 500 EQ Boost 4-matic S 580 4-matic S 580 e S 580 e 4-matic	210 210 230 230 243 270 300 270 270 - 280 320 - 330 370 375 375	09/20→ 09/20→ 05/23→ 05/23→ 09/20→ 05/23→ 05/22→ 07/21→ 10/20→ 09/20→ 05/21→ 07/21→ 07/21→	←	for vehicles without sports brake system; not for armoured vehicles		13.0460-4727.2	604727	BRE + WE / - WK
<b>MERCEDES-BENZ - S-CLASS (W223) 09/20→</b>								
 <b>Brake Pad Set, disc brake</b>								
S 350 d S 350 d 4-matic S 400 d 4-matic S 450 EQ Boost S 450 EQ Boost 4-matic S 500 EQ Boost 4-matic S 580 4-matic S 580 e	210 210 243 270 270 - 280 320 - 330 370 375	09/20→06/23 09/20→06/23 09/20→ 07/21→ 10/20→ 09/20→ 05/21→ 07/21→	←	for vehicles without sports brake system; not for armoured vehicles		13.0460-4727.2	604727	BRE + WE / - WK
→								














	kW			 	! #		
<b>MERCEDES-BENZ - S-CLASS (W223) 09/20→</b>							
 <b>Brake Pad Set, disc brake</b>							
S 350 d Mild Hybrid	230	06/23→	←	for vehicles without sports brake system		13.0460-4727.2 604727	BRE + WE / - WK
S 350 d Mild Hybrid 4-matic	230	06/23→					
S 450 d Mild Hybrid 4-matic	270	05/23→					
S 450 e	300	05/22→					
S 580 e 4-matic	375	11/21→					
<b>MERCEDES-BENZ - S-CLASS (Z223) 04/21→</b>							
 <b>Brake Pad Set, disc brake</b>							
S 580 Maybach EQ Boost 4-matic	370	08/21→	←			13.0460-4727.2 604727	BRE + WE / - WK
<b>MERCEDES-BENZ - VITO Mixto (Double Cabin) (W447) 10/14→</b>							
 <b>Cable Pull, parking brake</b>							
109 CDI	65	10/14→		☐		24.3727-3801.2 583801	L= 1280
110 CDI	75	09/19→					
111 CDI	84	10/14→					
114 CDI	100	10/14→					
114 CDI 4-matic	100	07/15→					
116 CDI	120	10/14→					
116 CDI 4-matic	120	07/15→					
119 BlueTEC	140	10/14→					
119 BlueTEC 4-matic	140	07/15→					
119 CDI	140	03/19→					
119 CDI 4-matic	140	03/19→					
124 CDI	174 -	04/20→					
	176						
124 CDI 4-matic	174 -	04/20→					
	176						
<b>MERCEDES-BENZ - VITO Tourer (W447) 10/14→</b>							
 <b>Cable Pull, parking brake</b>							
109 CDI / 109 BlueTEC	65	10/14→		☐		24.3727-3801.2 583801	L= 1280
110 CDI	75	09/19→					
111 CDI / 111 BlueTEC	84	10/14→					
114 CDI / 114 BlueTEC	100	10/14→					
114 CDI / 114 BlueTEC 4-matic	100	07/15→					
114 CDI	100	03/19→					
114 CDI 4-matic	100	03/19→					
116 CDI / 116 BlueTEC	120	10/14→					
116 CDI / 116 BlueTEC 4-matic	120	07/15→					
116 CDI	120	03/19→					
116 CDI 4-matic	120	03/19→					
119 CDI / 119 BlueTEC	140	10/14→					
119 CDI / 119 BlueTEC 4-matic	140	12/14→					
119 CDI	140	03/19→					
119 CDI 4-matic	140	03/19→					
124 CDI	174 -	04/20→					
	176						
124 CDI 4-matic	174 -	04/20→					
	176						
2.0	155	01/16→					
<b>MERCEDES-BENZ - VITO Van (W447) 10/14→</b>							
 <b>Cable Pull, parking brake</b>							
109 CDI	65	10/14→		☐		24.3727-3801.2 583801	L= 1280
110 CDI	75	09/19→					
111 CDI	84	10/14→					
114 CDI	100	10/14→					
114 CDI 4x4	100	07/15→					
116 CDI	120	10/14→					
116 CDI 4x4	120	07/15→					
119 CDI / BlueTEC	140	10/14→					
119 CDI / BlueTEC 4x4	140	07/15→					
119 CDI	140	04/20→					
119 CDI 4x4	140	04/20→					
2.0	155	09/15→					
<b>MINI - MINI (F55) 09/13→</b>							
 <b>Brake Caliper</b>							
Cooper S	131	11/20→	←	☐		24.3541-9958.5 241708	TRW without holder


























	kw					! #		
<b>MINI - MINI (F56) 12/13→</b>								
 <b>Brake Caliper</b>								
Cooper S	131	11/20→	←	☐		24.3541-9958.5	241708	TRW without holder
<b>MINI - MINI (F66, F65) 03/24→</b>								
 <b>Brake Pad Set, disc brake</b>								
Cooper C Cooper S	115 150	03/24→ 03/24→	←		for vehicles without JCW sport brakes	13.0470-5574.2	LD5574	+ WE / - WK + Zub Ceramic
<b>MINI - MINI ACEMAN (J05) 04/24→</b>								
 <b>Brake Pad Set, disc brake</b>								
E	135	04/24→	←		for vehicles without JCW sport brakes	13.0470-5574.2	LD5574	+ WE / - WK + Zub Ceramic
<b>MINI - MINI CLUBMAN (F54) 11/14→</b>								
 <b>Brake Caliper</b>								
Cooper S	120 - 141	11/14→	←		07/15→; ☐	24.3541-9958.5	241708	TRW without holder
Cooper S JCW	155	11/14→06/18						
Cooper S Cooper S ALL4	131 131 - 141	11/20→ 03/16→	←	☐		24.3541-9958.5	241708	TRW without holder
Cooper SD ALL4	140	03/16→01/24						
Cooper S ALL4 Cooper SD ALL4 Cooper S JCW ALL4	120 120 155	04/15→ 04/15→07/19 11/14→	←		01/16→; ☐	24.3541-9958.5	241708	TRW without holder
Cooper SD	120 - 140	02/15→01/24	←		11/15→; ☐	24.3541-9958.5	241708	TRW without holder
<b>MINI - MINI Convertible (F57) 11/14→</b>								
 <b>Brake Caliper</b>								
Cooper S	131	11/20→	←	☐		24.3541-9958.5	241708	TRW without holder
<b>MINI - MINI COOPER (J01) 11/23→</b>								
 <b>Brake Pad Set, disc brake</b>								
Cooper E Cooper SE	135 160	11/23→ 11/23→	←		for vehicles without JCW sport brakes	13.0470-5574.2	LD5574	+ WE / - WK + Zub Ceramic
<b>MINI - MINI COUNTRYMAN (F60) 10/16→</b>								
 <b>Brake Caliper</b>								
Cooper Cooper ALL4 Cooper D	100 100 100 - 110	10/16→ 10/16→ 10/16→	←	☐		24.3541-9958.5	241708	TRW without holder
Cooper D ALL4	100 - 110	10/16→						
<b>MINI - MINI COUNTRYMAN (U25) 11/23→</b>								
 <b>Brake Pad Set, disc brake</b>								
D E	120 150	11/23→ 03/24→	←		for vehicles without JCW sport brakes	13.0470-5574.2	LD5574	+ WE / - WK + Zub Ceramic
<b>NISSAN - NAVARA (D22) 04/08→</b>								
 <b>Brake Drum</b>								
2.5 dCi 2.5 dCi 4x4	98 98	04/08→ 04/08→	→			24.0229-5005.1	480343	Ø 336 Inner brake drum height [mm] 72 / 296.5
<b>NISSAN - NAVARA (D40) 10/04→</b>								
 <b>Brake Drum</b>								
2.5 D 4WD 2.5 dCi	98 106 - 128	09/08→ 07/05→	→			24.0229-5005.1	480343	Ø 336 Inner brake drum height [mm] 72 / 296.5
2.5 dCi 4WD	106 - 140	07/05→						
2.5 dCi 4x4 3.0 dCi 4WD 4.0 4.0 4WD	120 170 198 198	02/12→12/16 02/10→ 10/04→11/09 10/04→						
<b>NISSAN - NAVARA NP300 Platform/Chassis (D23) 01/15→</b>								
 <b>Brake Drum</b>								
2.3 dCi 2.3 dCi 4x4	120 120	01/15→ 01/15→	→			24.0229-5005.1	480343	Ø 336 Inner brake drum height [mm] 72 / 296.5






















	kW			 	! #		
<b>NISSAN - NAVARA Pickup (D23, D23T) 07/14→</b>							
 <b>Brake Drum</b>							
2.3 dCi	120	01/15→	→			24.0229-5005.1 480343	Ø 336 Inner brake drum height [mm] 72 / 296.5
2.3 dCi 4x4	118 - 140	01/15→					
2.5 dCi	120	07/14→					
2.5 dCi 4x4	120 - 140	07/14→					
<b>NISSAN - NAVARA Platform/Chassis (D40) 07/08→</b>							
 <b>Brake Drum</b>							
2.5 dCi	140	03/10→	→			24.0229-5005.1 480343	Ø 336 Inner brake drum height [mm] 72 / 296.5
2.5 dCi 4WD	106 - 126	08/08→					
3.0 dCi	170	03/10→					
<b>NISSAN - NV200 / EVALIA Bus 07/10→</b>							
 <b>Brake Drum</b>							
1.5 dCi 110	81	04/11→	→			24.0222-9006.1 480352	Ø 265 Inner brake drum height [mm] 57.2 / 230
1.5 dCi 85	63	07/10→					
1.5 dCi 90	66	04/11→					
1.6 16V	81	07/10→					
<b>NISSAN - NV200 Van 02/10→</b>							
 <b>Brake Drum</b>							
1.5 dCi 105	78	07/10→10/13	→			24.0222-9006.1 480352	Ø 265 Inner brake drum height [mm] 57.2 / 230
1.5 dCi 110	81	04/11→					
1.5 dCi 85	63	02/10→					
1.5 dCi 90	66	04/11→					
1.6 16V	81	02/10→					
<b>NISSAN - TERRANO (D10) 08/13→</b>							
 <b>Wheel Speed Sensor</b>							
1.6	75 - 84	03/14→	←		2	24.0710-2233.3 360753	L= 707
1.6 4x4	75 - 84	03/14→					
2.0	98	03/14→					
2.0 4x4	98 - 105	03/14→					
<b>OPEL - CORSA F (P2JO) 07/19→</b>							
 <b>Brake Drum</b>							
1.2	55 - 96	07/19→	→			24.0220-3059.1 480347	Ø 239 Inner brake drum height [mm] 44 / 204
1.2 MHEV	74	08/23→					
1.2 Turbo Hybrid	100	01/24→					
1.5	75	07/19→					
<b>OPEL - CORSA F Hatchback Van 07/19→</b>							
 <b>Brake Drum</b>							
1.2	55	07/19→	→			24.0220-3059.1 480347	Ø 239 Inner brake drum height [mm] 44 / 204
1.5	75	07/19→					
<b>OPEL - ROCKS-E 10/21→</b>							
 <b>Brake Drum</b>							
Electric	6	10/21→	→			24.0220-3059.1 480347	Ø 239 Inner brake drum height [mm] 44 / 204
<b>PEUGEOT - 208 II (UB_, UP_, UW_, UJ_) 06/19→</b>							
 <b>Brake Drum</b>							
1.2 Hybrid 100 e-208	74 - 115	08/23→ 01/23→	→	Inner brake drum diameter [inch]: 8		24.0220-3059.1 480347	Ø 239 Inner brake drum height [mm] 44 / 204
1.2 PureTech 100	74	06/19→	→			24.0220-3059.1 480347	Ø 239 Inner brake drum height [mm] 44 / 204
1.2 PureTech 130	96	06/19→					
1.2 PureTech 75	55	06/19→					
1.2 VTi 82	60	06/19→					
1.5 BlueHDI 100	75	06/19→					
1.5 BlueHDI 130	96	09/19→					
1.6 HDI 90	68	10/19→					
1.6 VTi 115 e-208	85 - 100	11/19→ 06/19→					
















	kW					! #			
<b>PEUGEOT - 2008 II (UD_, US_, UY_, UJ_, UR_, UC_) 08/19→</b>									
 <b>Brake Hose</b>									
1.2 PureTech 100 1.2 PureTech 130 1.2 THP / PureTech 155 1.5 BlueHDi 100 1.5 BlueHDi 110 1.5 BlueHDi 130 e-2008	74 96 114 75 81 96 100	11/19→ 08/19→ 11/19→ 08/19→ 01/21→ 08/19→ 09/19→	←	for brake disc diameter [mm]: 302; 		24.5176-0500.3	331906	L= 530	
<b>POLESTAR - POLESTAR 2 (534) 02/19→</b>									
 <b>Brake Disc</b>									
EV	165 - 350	04/19→	→	Brake Size: 17"		24.0420-0246.1	ED202460	Ø 320 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 17.5 Vented + S	
<b>PORSCHE - 356 Cabriolet/Speedster 01/50→12/65</b>									
 <b>Brake Hose</b>									
1300 1300 S 1500 1500 S	32 44 44 51	01/50→12/55 01/50→12/55 01/50→12/55 01/50→12/55	→	01/55→		2	24.5101-0520.3	331856	L= 520
A 1500 GS Carrera A 1600 GS Carrera	73 77	01/55→12/61 01/55→12/61	→	→ 12/59		2	24.5101-0520.3	331856	L= 520
A 1500 GS Carrera	81	01/55→12/59	→			2	24.5101-0520.3	331856	L= 520
<b>RENAULT - ALASKAN 10/16→</b>									
 <b>Brake Drum</b>									
2.3 dCi 163 4x4 2.3 dCi 190 4x4	120 140	09/17→ 09/17→	→			24.0229-5005.1	480343	Ø 336 Inner brake drum height [mm] 72 / 296.5	
<b>RENAULT - ARKANA I (LCM_, LDN_) 03/19→</b>									
 <b>Wheel Speed Sensor</b>									
1.3 TCe 150 1.3 TCe 150 4x4 1.6 1.6 4x4	110 110 84 84	08/19→ 08/19→ 08/19→ 08/19→	←			2	24.0710-2233.3	360753	L= 707
<b>RENAULT - DUSTER (HM_) 10/17→</b>									
 <b>Wheel Speed Sensor</b>									
1.3 TCe 150 4x4 1.5 dCi 110 1.5 dCi 110 4x4 1.6 S Ce 115 1.6 S Ce 115 4x4 2.0 4x4	110 80 80 84 84 105	11/21→07/24 01/18→07/24 01/18→07/24 01/18→07/24 07/19→07/24 11/21→07/24	←			2	24.0710-2233.3	360753	L= 707
<b>RENAULT - DUSTER (HS_) 01/11→</b>									
 <b>Wheel Speed Sensor</b>									
1.5 dCi 1.5 dCi 4x4 1.6 16V 1.6 16V 4x4 2.0 2.0 4x4	63 66 - 80 75 - 84 75 - 84 98 99 - 105	06/11→01/18 06/11→01/18 06/11→01/18 06/11→01/18 02/12→01/18 01/11→01/18 10/11→01/18	←			2	24.0710-2233.3	360753	L= 707
2.0	105	10/11→01/18	←	02/12→		2	24.0710-2233.3	360753	L= 707
<b>RENAULT - FLUENCE (L3_) 02/10→</b>									
 <b>Wheel Speed Sensor</b>									
1.5 dCi 1.6 1.6 16V 1.6 dCi 1.6 Flex 1.6 LPG 16V 2.0 2.0 16V Z.E.	63 - 81 84 - 86 78 - 82 96 85 81 105 101 - 103 70	02/10→ 01/13→ 02/10→ 01/13→ 01/12→11/14 01/12→ 05/14→ 02/10→ 02/12→	←			2	24.0710-2233.3	360753	L= 707













	kW			 	! #		
<b>RENAULT - GRAND SCÉNIC III (JZ0/1_) 02/09→09/16</b>							
 <b>Wheel Speed Sensor</b>							
1.2 TCe	85 - 96	04/12→09/16	←		2	24.0710-2233.3 360753	L= 707
1.4 16V	96	02/09→09/16					
1.5 dCi	63 - 81	02/09→09/16					
1.6 16V	81	02/09→09/16					
1.6 16V Bifuel	79 - 81	02/09→09/16					
1.6 dCi	96	04/11→09/16					
1.6 E85	81	02/09→09/16					
1.9 dCi	96	02/09→09/16					
2.0 16V	103	02/09→09/16					
2.0 dCi	110 - 118	02/09→09/16					
1.2 TCe	97	01/13→09/16	←	03/13→	2	24.0710-2233.3 360753	L= 707
<b>RENAULT - KAPTUR (H5_) 03/16→</b>							
 <b>Wheel Speed Sensor</b>							
1.3 TCe 150	110	10/21→	←		2	24.0710-2233.3 360753	L= 707
1.3 TCe 150 4x4	110	10/21→					
1.6	84	03/16→					
2.0 4WD	105	03/16→					
<b>RENAULT - MEGANE III Combi Van (KZ0/1) 01/09→08/15</b>							
 <b>Wheel Speed Sensor</b>							
1.5 dCi	63 - 81	01/09→08/15	←		2	24.0710-2233.3 360753	L= 707
<b>RENAULT - MEGANE III Coupe (DZ0/1_) 11/08→09/16</b>							
 <b>Wheel Speed Sensor</b>							
1.2 TCe	85 - 97	03/12→08/15	←		2	24.0710-2233.3 360753	L= 707
1.4 TCe	96	04/09→08/15					
1.5 dCi	63 - 81	11/08→08/15					
1.6 16V	74 - 81	11/08→08/15					
1.6 16V Bifuel	81	11/08→08/15					
1.6 dCi	96	04/11→08/15					
1.9 dCi	96	11/08→08/15					
2.0 CVT	103	05/09→08/15					
2.0 dCi	110 - 120	04/09→08/15					
2.0 TCe	132 - 140	11/08→08/15					
2.0 TCe 220	162	11/13→08/15					
<b>RENAULT - MEGANE III Grandtour (KZ0/1) 11/08→01/16</b>							
 <b>Wheel Speed Sensor</b>							
1.2 TCe	85 - 97	03/12→01/16	←		2	24.0710-2233.3 360753	L= 707
1.4 TCe	96	05/09→08/15					
1.5 dCi	63 - 81	02/09→08/15					
1.6 16V	74 - 81	05/09→08/15					
1.6 BiFuel	81	11/08→08/15					
1.6 dCi	96	04/11→08/15					
1.9 dCi	96	05/09→08/15					
2.0 CVT	103	05/09→08/15					
2.0 dCi	110 - 120	04/09→08/15					
2.0 TCe	140 - 162	09/12→01/16					
2.0 TCe	132	11/08→08/15	←	05/09→	2	24.0710-2233.3 360753	L= 707
<b>RENAULT - MEGANE III Hatchback (BZ0/1_, B3_) 11/08→</b>							
 <b>Wheel Speed Sensor</b>							
1.2 TCe	85 - 97	03/12→01/16	←		2	24.0710-2233.3 360753	L= 707
1.4 TCe	96	04/09→08/15					
1.5 dCi	66 - 81	11/08→01/16					
1.6	86	01/14→01/16					
1.6 16V	74 - 82	11/08→03/17					
→							















	kw			 	! #		
<b>RENAULT - MEGANE III Hatchback (BZ0/1_, B3_) 11/08→</b>							
 <b>Wheel Speed Sensor</b>							
1.6 16V BiFuel 1.6 16V Hi-Flex 1.6 dCi 1.9 dCi 2.0 2.0 CVT 2.0 dCi  2.0 TCe 2.0 TCe 220	81 81 96 96 105 103 110 - 120 132 - 140 162	05/09→08/15 11/08→08/15 04/11→08/15 11/08→01/16 01/11→08/15 02/09→08/15 04/09→08/15  11/08→08/15 11/13→01/16	←		2	24.0710-2233.3 360753	L= 707
1.5 dCi	63	11/08→08/15	←	12/09→	2	24.0710-2233.3 360753	L= 707
1.6 16V	85	01/13→08/15	←	10/15→	2	24.0710-2233.3 360753	L= 707
<b>RENAULT - MEGANE III Hatchback Van (BZ_) 11/08→08/15</b>							
 <b>Wheel Speed Sensor</b>							
1.5 dCi	66 - 81	11/08→08/15	←		2	24.0710-2233.3 360753	L= 707
<b>RENAULT - MEGANE CC (EZ0/1_) 06/10→08/15</b>							
 <b>Wheel Speed Sensor</b>							
1.2 TCe 1.4 TCe 1.5 dCi  1.6 16V 1.6 16V Hi-Flex 1.6 dCi 1.9 dCi 2.0 CVT 2.0 dCi 2.0 TCe	85 96 78 - 81 81 81 96 96 103 118 132	09/12→08/15 06/10→08/15 06/10→08/15  06/10→08/15 06/10→08/15 04/11→08/15 06/10→08/15 06/10→08/15 06/10→08/15 06/10→08/15	←		2	24.0710-2233.3 360753	L= 707
1.2 TCe	97	01/13→08/15	←	04/13→	2	24.0710-2233.3 360753	L= 707
<b>RENAULT - SCÉNIC III (JZ0/1_) 12/08→09/16</b>							
 <b>Wheel Speed Sensor</b>							
1.2 TCe  1.4 16V 1.5 dCi  1.6 16V 1.6 16V Bifuel 1.6 dCi 1.9 dCi 2.0 16V 2.0 dCi	85 - 96 96 63 - 81 81 79 96 96 101 118	04/12→09/16  02/09→09/16 04/09→09/16  02/09→09/16 04/12→12/13 04/11→09/16 02/09→09/16 12/08→09/16 04/09→09/16	←		2	24.0710-2233.3 360753	L= 707
1.2 TCe	97	01/13→09/16	←	03/13→	2	24.0710-2233.3 360753	L= 707
1.5 dCi 2.0 16V 2.0 dCi	78 103 110	02/09→09/16 02/09→09/16 02/09→09/16	←	04/09→	2	24.0710-2233.3 360753	L= 707
1.6 16V Bifuel 1.6 E85	81 81	02/09→09/16 02/09→09/16	←	06/09→	2	24.0710-2233.3 360753	L= 707
<b>RENAULT - SCÉNIC III VAN (JZ0/1_) 12/08→09/16</b>							
 <b>Wheel Speed Sensor</b>							
1.4 TCe 1.5 dCi  1.6 dCi 1.6 VVT 1.9 dCi	96 70 - 81 96 81 96	01/13→09/16 04/09→09/16  01/13→09/16 01/13→09/16 01/13→09/16	←		2	24.0710-2233.3 360753	L= 707
<b>SEAT - ARONA (KJ7, KJP) 07/17→</b>							
 <b>Brake Drum</b>							
1.0 TGi 1.0 TSI  1.5 TSI 1.6 SRE 1.6 TDI	66 70 - 85 110 81 70 - 85	11/18→ 07/17→  07/17→ 07/17→ 07/17→	→	+PR 1KA		24.0222-8048.1 480341	Ø 278 Inner brake drum height [mm] 47.3 / 229.8













	kW					! #		
<b>SEAT - EXEO (3R2) 12/08→05/13</b>								
 <b>Wheel Speed Sensor</b>								
1.6 1.8 T 2.0 TDI	75 110 88 - 125	03/09→09/10 12/08→05/10 12/08→05/13	➡	04/09→; for vehicles with headlight levelling; 			24.0710-2236.3 360749	L= 1460
2.0 TFSI	147	03/09→05/13	➡	04/09→; for vehicles without headlight levelling	2		24.0710-2236.3 360749	L= 1460
1.8 TSI	88 - 118	05/10→05/13	➡	for vehicles with headlight levelling; 			24.0710-2236.3 360749	L= 1460
2.0 TFSI	155	05/10→05/13	➡	for vehicles without headlight levelling	2		24.0710-2236.3 360749	L= 1460
<b>SEAT - EXEO ST (3R5) 05/09→05/13</b>								
 <b>Wheel Speed Sensor</b>								
1.6 1.8 T 1.8 TSI	75 110 88 - 118	06/09→09/10 06/09→05/10 05/10→05/13	➡	for vehicles with headlight levelling; 			24.0710-2236.3 360749	L= 1460
2.0 TDI	88 - 125	05/09→05/13	➡	for vehicles without headlight levelling	2		24.0710-2236.3 360749	L= 1460
2.0 TFSI	147	06/09→05/13	➡	for vehicles without headlight levelling; 			24.0710-2236.3 360749	L= 1460
2.0 TFSI	155	05/10→05/13	➡	for vehicles without headlight levelling	2		24.0710-2236.3 360749	L= 1460
<b>SEAT - IBIZA IV (6J5, 6P1) 03/08→12/17</b>								
 <b>Cable Pull, parking brake</b>								
1.0 1.0 TSI	55 70 - 81	05/15→06/17 05/15→06/17		+PR 1KT / 1KV; Disc Brake; 	2		24.3727-3423.2 583423	L= 1640
1.2 TSI	66 - 81	05/15→06/17						
1.4 TDI	55 - 77	05/15→06/17						
1.4 TSI	110	11/15→06/17						
1.6	81	07/15→06/17						
1.2 1.2 TDI 1.2 TSI	44 55 63 - 77	07/09→05/15 06/10→05/15 09/10→05/15		Disc Brake; 	2		24.3727-3423.2 583423	L= 1640
1.4 TDI	59	07/08→06/10						
1.4 TSI	110	06/09→05/15						
1.6 LPG	60	05/11→05/15						
1.9 TDI	66	07/08→06/10						
2.0	85	10/08→05/15						
2.0 TDI	105	01/10→05/15						
1.2 1.2 LPG 1.4 1.4 LPG 1.6 1.9 TDI	51 51 63 63 77 77	03/08→05/15 03/08→05/11 03/08→05/15 03/08→05/11 05/08→03/12 03/08→06/10		07/08→; Disc Brake; 	2		24.3727-3423.2 583423	L= 1640
1.4 TSI	103	10/13→05/15		12/13→; Disc Brake; 	2		24.3727-3423.2 583423	L= 1640
1.6 TDI	55 - 77	05/09→05/15		06/09→; Disc Brake; 	2		24.3727-3423.2 583423	L= 1640
<b>SEAT - IBIZA IV Hatchback Van (6J1) 04/08→05/15</b>								
 <b>Cable Pull, parking brake</b>								
1.2 1.2 TDI	51 55	04/08→05/15 05/10→05/15		Disc Brake; 	2		24.3727-3423.2 583423	L= 1640
1.6 TDI	66	05/09→05/15		06/09→; Disc Brake; 	2		24.3727-3423.2 583423	L= 1640
<b>SEAT - IBIZA IV SC (6J1, 6P5) 06/08→12/18</b>								
 <b>Cable Pull, parking brake</b>								
1.0 1.0 TSI	55 70 - 81	05/15→12/16 05/15→12/16		+PR 1KT / 1KV; Disc Brake; 	2		24.3727-3423.2 583423	L= 1640
1.2 TSI	66 - 81	05/15→12/16						
1.4 TDI	55 - 77	05/15→12/16						
1.4 TSI	110	11/15→12/16						
1.6	81	07/15→12/16						
1.8 TSI Cupra	141	11/15→12/16						
1.2 1.2 TDI 1.2 TSI	44 - 51 55 63 - 77	07/08→05/15 05/10→05/15 09/10→05/15		Disc Brake; 	2		24.3727-3423.2 583423	L= 1640
➔								



















	kw			 	! #		
<b>SEAT - IBIZA IV SC (6J1, 6P5) 06/08→12/18</b>							
 <b>Cable Pull, parking brake</b>							
1.4 1.4 LPG 1.4 TDI 1.4 TSI 1.4 TSI Cupra 1.6 1.6 LPG 1.6 TDI 1.9 TDI 2.0 2.0 TDI	63 63 59 110 132 77 60 55 66 - 77 85 105	07/08→05/15 07/08→05/11 07/08→06/10 01/09→05/15 06/09→05/15 07/08→05/15 05/11→05/15 05/10→06/10 06/08→06/10 10/08→05/15 01/10→05/15		Disc Brake; 	2	24.3727-3423.2 583423	L= 1640
1.4 TSI 1.6 TDI	103 66 - 77	10/13→05/15 05/09→05/15		12/13→; Disc Brake;  06/09→; Disc Brake; 	2	24.3727-3423.2 583423	L= 1640 L= 1640
<b>SEAT - IBIZA IV ST (6J8, 6P8) 03/10→07/16</b>							
 <b>Cable Pull, parking brake</b>							
1.0 1.0 TSI 1.2 TSI 1.4 TDI 1.4 TSI	55 70 - 81 66 - 81 55 - 77 110	05/15→07/16 05/15→07/16 05/15→07/16 05/15→07/16 11/15→07/16		+PR 1KT / 1KV; Disc Brake; 	2	24.3727-3423.2 583423	L= 1640
1.2 1.2 TDI 1.2 TSI 1.4 1.4 TSI 1.6 1.6 TDI 1.4 TSI	44 - 51 55 63 - 77 63 110 77 66 - 77 103	05/10→05/15 04/10→05/15 09/10→05/15 03/10→05/15 02/12→05/15 02/12→05/15 03/10→05/15 10/13→05/15		Disc Brake;        12/13→; Disc Brake; 	2	24.3727-3423.2 583423	L= 1640       L= 1640
<b>SEAT - IBIZA V (KJ1, KJG) 01/17→</b>							
 <b>Brake Drum</b>							
1.0 MPI 1.0 TGI 1.0 TSI 1.5 TSI 1.6 SRE 1.6 TDI	48 - 59 66 70 - 85 110 81 59 - 85	01/17→ 11/17→ 01/17→ 07/17→ 05/17→ 09/17→		+PR 1KA		24.0222-8048.1 480341	Ø 278 Inner brake drum height [mm] 47.3 / 229.8
<b>SKODA - FABIA III (NJ3) 08/14→06/21</b>							
 <b>Cable Pull, parking brake</b>							
1.0 1.0 TSI 1.2 TSI 1.4 TDI 1.4 TSI R5 1.6	44 - 55 70 - 81 66 - 81 55 - 77 92 81	08/14→06/21 08/14→06/21 08/14→06/21 08/14→06/21 02/18→06/21 01/15→06/21		+PR 1KK / 1KT / 2EJ; Disc Brake; 	2	24.3727-3423.2 583423	L= 1640
<b>SKODA - FABIA III Estate (NJ5) 08/14→12/22</b>							
 <b>Cable Pull, parking brake</b>							
1.0 1.0 TSI 1.2 TSI 1.4 TDI 1.6	44 - 55 70 - 81 66 - 81 55 - 77 81	10/14→12/22 08/14→12/22 10/14→12/22 10/14→12/22 01/15→12/22		+PR 1KK / 1KT / 2EJ; Disc Brake; 	2	24.3727-3423.2 583423	L= 1640

	kW			 	! #		
<b>SKODA - FABIA III Praktik (NJ5) 08/14→12/22</b>							
 <b>Cable Pull, parking brake</b>							
1.0	44 - 55	10/14→12/22		+PR 1KK / 1KT / 2EJ; Disc Brake; ↓	2	24.3727-3423.2 583423	L= 1640
1.2 TSI	66 - 81	10/14→12/22					
1.4 TDI	55 - 77	10/14→12/22					
<b>SKODA - FABIA IV (PJ3) 06/21→</b>							
 <b>Brake Drum</b>							
1.0 MPI	48 - 59	06/21→	➔	+PR 1KA		24.0222-8048.1 480341	Ø 278 Inner brake drum height [mm] 47.3 / 229.8
1.0 TSI	70 - 85	06/21→					
1.5 TSI	110	11/21→					
1.6	81	06/21→					
<b>SKODA - KAMIQ (NW4) 07/19→</b>							
 <b>Brake Drum</b>							
1.0 TGI CNG	66	11/19→	➔	+PR 1KA		24.0222-8048.1 480341	Ø 278 Inner brake drum height [mm] 47.3 / 229.8
1.0 TSI	70 - 85	07/19→					
1.5 TSI	110	07/19→					
1.6 SRE	81	07/19→					
1.6 TDI	70 - 85	07/19→					
<b>SKODA - SCALA (NW1) 02/19→</b>							
 <b>Brake Drum</b>							
1.0 TGI CNG	66	11/19→	➔	+PR 1KA		24.0222-8048.1 480341	Ø 278 Inner brake drum height [mm] 47.3 / 229.8
1.0 TSI	70 - 85	02/19→					
1.5 TSI	110	02/19→					
1.6 SRE	81	02/19→					
1.6 TDI	70 - 85	02/19→					
<b>SMART - FORTWO Cabrio (451) 01/07→</b>							
 <b>Cable Pull, parking brake</b>							
0.8 CDi	33	01/07→		04/07→; Drum Brake; ↓	1	24.3727-0497.2 580497	L2= 1028
1.0	52	01/07→					
1.0 Turbo	62	01/07→					
0.8 CDi	40	08/09→		Drum Brake; ↓	1	24.3727-0497.2 580497	L2= 1028
1.0 Brabus	72 - 88	01/08→					
1.0 Turbo Brabus electric drive	75 - 20	07/10→					
electric drive Brabus	55 - 60	11/09→					
01/13→							
<b>SMART - FORTWO Coupe (451) 01/07→</b>							
 <b>Cable Pull, parking brake</b>							
0.8 CDi	33	01/07→		04/07→; Drum Brake; ↓	1	24.3727-0497.2 580497	L2= 1028
1.0	45 - 52	01/07→					
1.0 Turbo	62	01/07→					
0.8 CDi	40	08/09→		Drum Brake; ↓	1	24.3727-0497.2 580497	L2= 1028
1.0 Brabus	72	01/08→					
1.0 Turbo Brabus electric drive	75 - 20	07/10→					
electric drive Brabus	55 - 60	11/09→					
01/13→							
<b>SUBARU - JUSTY IV 01/07→</b>							
 <b>Brake Drum</b>							
1.0	51	01/07→	➔	09/07→ 05/11		24.0218-0052.1 480351	Ø 220 Inner brake drum height [mm] 33.6 / 181
1.0 BiFuel	51	09/07→03/12	➔	→ 05/11		24.0218-0052.1 480351	Ø 220 Inner brake drum height [mm] 33.6 / 181
1.3 AWD	67	03/08→					
<b>SUZUKI - SWIFT IV (FZ, NZ) 10/10→04/17</b>							
 <b>Brake Drum</b>							
1.2	63 - 69	10/10→04/17	➔			24.0220-0052.1 480338	Ø 242 Inner brake drum height [mm] 35 / 202
1.2 4WD	67	08/12→04/17					
→							

	kW			 	! #		
<b>SUZUKI - SWIFT IV (FZ, NZ) 10/10→04/17</b>							
 <b>Brake Drum</b>							
1.2 4x4	66 - 69	10/10→04/17	→			<b>24.0220-0052.1 480338</b>	Ø 242 Inner brake drum height [mm] 35 / 202
1.2 VVT	61	06/15→04/17					
1.3 DDiS	55	10/10→04/17					
1.4	70	02/11→04/17					
1.6	100	01/12→04/17					
<b>TESLA - MODEL X 09/13→</b>							
 <b>Brake Pad Set, disc brake</b>							
100D AWD	386	08/17→	←			<b>13.0480-4716.2 EP4716</b>	BRE + WK
60D AWD	386	06/16→					
75D AWD	386	06/16→					
90D AWD	386	09/15→					
EV AWD	386 - 599	05/19→					
P100D AWD	568	10/16→					
P90D AWD	568	09/15→					
 <b>Brake Disc</b>							
100D AWD	386	08/17→	←			<b>24.0432-0195.1 ED32195</b>	Ø 355 Brake Disc Thickness [mm] 32 Minimum thickness [mm] 30 Vented
60D AWD	386	06/16→					
75D AWD	386	06/16→					
90D AWD	386	09/15→					
EV AWD	386 - 599	05/19→					
P100D AWD	568	10/16→					
P90D AWD	568	09/15→					
<b>TESLA - MODEL S 09/12→</b>							
 <b>Brake Pad Set, disc brake</b>							
100D AWD	310 - 386	06/17→	←			<b>13.0480-4716.2 EP4716</b>	BRE + WK
60	225 - 350	11/13→					
60D AWD	245 - 386	10/14→					
70	235 - 350	09/15→					
70D AWD	245 - 386	04/15→					
75	235 - 350	11/16→					
75D AWD	245 - 386	06/16→					
85	270 - 285	09/12→02/16					
85D AWD	276 - 386	01/14→02/16					
90	270 - 285	09/12→					
90D AWD	310 - 386	09/15→					
EV AWD	386 - 599	06/19→					
P100D AWD	450 - 568	10/16→					
P85	310 - 350	05/13→12/14					
P85D AWD	515 - 568	10/14→02/16					
P90D AWD	345 - 568	09/15→					
 <b>Brake Disc</b>							
100D AWD	310 - 386	06/17→	←			<b>24.0432-0195.1 ED32195</b>	Ø 355 Brake Disc Thickness [mm] 32 Minimum thickness [mm] 30 Vented
60	225 - 350	11/13→					
60D AWD	245 - 386	10/14→					
70	235 - 350	09/15→					
70D AWD	245 - 386	04/15→					
75	235 - 350	11/16→					
75D AWD	245 - 386	06/16→					
85	270 - 285	09/12→02/16					
→							

	kW			 	! #			
<b>TESLA - MODEL S 09/12→</b>								
 <b>Brake Disc</b>								
85D AWD	276 - 386	01/14→02/16	←			24.0432-0195.1	ED32195.1	Ø 355 Brake Disc Thickness [mm] 32 Minimum thickness [mm] 30 Vented
90	270 - 285	09/12→						
90D AWD	310 - 386	09/15→						
EV AWD	386 - 599	06/19→						
P100D AWD	450 - 568	10/16→						
P85	310 - 350	05/13→12/14						
P85D AWD	515 - 568	10/14→02/16						
P90D AWD	345 - 568	09/15→						
<b>TOYOTA - bB II (QNC2_) 12/05→06/16</b>								
 <b>Brake Drum</b>								
1.3	68	12/05→06/16	→			24.0218-0052.1	480351	Ø 220 Inner brake drum height [mm] 33.6 / 181
1.5	80	01/06→06/16						
<b>TOYOTA - YARIS (_P9_) 01/05→12/14</b>								
 <b>Brake Drum</b>								
1.0 GPL	51	01/06→12/11	→	Vehicle Production Country France		24.0220-3055.1	480339	Ø 243 Inner brake drum height [mm] 45.6 / 204
1.0 VVT-i	51 - 52	08/05→12/11						
1.33 VVT-i	73 - 74	11/08→12/11						
1.3 4WD	64	01/05→11/10						
1.3 VVT-i	63	11/05→12/12						
1.4 D-4D	66	08/05→12/12						
1.3 VVT-i	64	08/05→11/10	→	01/06→; Vehicle Production Country France		24.0220-3055.1	480339	Ø 243 Inner brake drum height [mm] 45.6 / 204
1.5	81	01/05→09/08						
1.5	80	11/05→12/14	→	01/06→ 08/11; Vehicle Production Country France		24.0220-3055.1	480339	Ø 243 Inner brake drum height [mm] 45.6 / 204
<b>TOYOTA - YARIS (_P13_) 12/10→06/20</b>								
 <b>Brake Drum</b>								
1.0	51	12/10→06/20	→	Vehicle Production Country France; -		24.0220-3055.1	480339	Ø 243 Inner brake drum height [mm] 45.6 / 204
1.3	63 - 73	12/10→03/17		ESP				
1.3 4WD	70	12/10→01/20						
1.5	80	12/10→01/20						
1.0	53	06/18→06/20	→			24.0220-3055.1	480339	Ø 243 Inner brake drum height [mm] 45.6 / 204
1.5	82	03/17→06/20						
1.5 Hybrid	74	04/15→03/17						
1.4 D	66	09/11→05/18	→	- ESP		24.0220-3055.1	480339	Ø 243 Inner brake drum height [mm] 45.6 / 204
<b>TOYOTA - YARIS (_P21_, _PA1_, _PH1_) 02/20→</b>								
 <b>Brake Drum</b>								
1.0	53	02/20→	→			24.0220-3056.1	480342	Ø 239 Inner brake drum height [mm] 45.2 / 204
1.5	88 - 92	02/20→						
<b>TOYOTA - YARIS Hatchback Van (_P13_) 10/12→06/20</b>								
 <b>Brake Drum</b>								
1.0 VVTi	51	07/14→06/20	→	Vehicle Production Country France; -		24.0220-3055.1	480339	Ø 243 Inner brake drum height [mm] 45.6 / 204
1.3 VVTi	73	10/12→03/17		ESP				
1.0 VVTi	53	06/18→06/20	→			24.0220-3055.1	480339	Ø 243 Inner brake drum height [mm] 45.6 / 204
1.4 D4d	66	07/14→05/18						
1.5 VVTi	82	03/17→06/20						
<b>TOYOTA - YARIS Saloon (_P9_) 08/05→12/13</b>								
 <b>Brake Drum</b>								
1.5	80	01/06→12/13	→	→ 08/11; Vehicle Production Country France		24.0220-3055.1	480339	Ø 243 Inner brake drum height [mm] 45.6 / 204

	kW			 	! #		
<b>VAUXHALL - CORSA Mk V (F) 07/19→</b>							
 <b>Brake Drum</b>							
1.2	55 - 96	07/19→	➔			<b>24.0220-3059.1 480347</b>	Ø 239 Inner brake drum height [mm] 44 / 204
1.2 Turbo Hybrid	100	01/24→					
1.5	75	07/19→					
<b>VOLVO - C30 (533) 09/06→12/13</b>							
 <b>Brake Master Cylinder</b>							
1.6	74	10/06→12/12		for left-hand drive vehicles		<b>24.2123-3593.3 011175</b>	ATE Ø 23.8 without brake fluid reservoir
1.6 D	80	10/06→12/12					
1.8	92	10/06→12/12					
2.0	107	10/06→12/12					
2.0 D	100	10/06→12/12					
2.0 FlexFuel	107	01/10→12/12					
2.4 i	125	10/06→12/12					
D5	120 - 132	10/06→12/12					
Electric	82 - 89	12/10→12/12					
T5	162 - 184	10/06→12/13					
1.8 FlexFuel	92	01/07→12/12		04/07→; for left-hand drive vehicles		<b>24.2123-3593.3 011175</b>	ATE Ø 23.8 without brake fluid reservoir
<b>VOLVO - C70 II Convertible (542) 03/06→12/13</b>							
 <b>Brake Master Cylinder</b>							
2.0 D	100	01/08→10/09		06/08→; for left-hand drive vehicles		<b>24.2123-3593.3 011175</b>	ATE Ø 23.8 without brake fluid reservoir
2.4	103	03/06→10/09		for left-hand drive vehicles		<b>24.2123-3593.3 011175</b>	ATE Ø 23.8 without brake fluid reservoir
2.4 D	120	03/07→06/13					
2.4 i	125	03/06→10/09					
D5	132	03/06→06/13					
T5	162 - 169	03/06→06/13					
<b>VOLVO - S40 II Sedan (544) 12/03→12/12</b>							
 <b>Brake Master Cylinder</b>							
1.6	74	01/05→12/12		→ 05/12; for left-hand drive vehicles		<b>24.2123-3593.3 011175</b>	ATE Ø 23.8 without brake fluid reservoir
1.6 D	81	01/05→12/12					
2.0	107	10/06→12/12					
2.0 F	107	10/09→12/12					
T5	169	03/07→12/12					
1.8	92	04/04→12/10		for left-hand drive vehicles		<b>24.2123-3593.3 011175</b>	ATE Ø 23.8 without brake fluid reservoir
2.0 CDI	98	07/05→12/06					
2.0 D	100	01/04→12/10					
2.4	103 - 125	01/04→12/12					
2.4 CDI	120	03/07→12/10					
D4	96	07/05→12/06					
D5	132	03/06→12/10					
T5	162	01/04→12/07					
T5 AWD	162 - 169	04/04→12/10					
1.8 FlexFuel	92	01/06→12/10		04/07→; for left-hand drive vehicles		<b>24.2123-3593.3 011175</b>	ATE Ø 23.8 without brake fluid reservoir
<b>VOLVO - V50 Wagon (545) 12/03→12/12</b>							
 <b>Brake Master Cylinder</b>							
1.6	74	01/05→12/12		→ 05/12; for left-hand drive vehicles		<b>24.2123-3593.3 011175</b>	ATE Ø 23.8 without brake fluid reservoir
1.6 D	80	03/05→12/12					
2.0	107	10/06→12/12					
2.0 FlexFuel	107	01/10→12/12					
T5	169	03/07→12/12					
1.6 D	81	01/05→12/11		for left-hand drive vehicles		<b>24.2123-3593.3 011175</b>	ATE Ø 23.8 without brake fluid reservoir
1.8	92	04/04→12/10					
1.8 BiFuel	93	01/09→09/10					
1.8 FlexFuel	92	01/05→12/10					
2.0 CDI	98	12/03→12/06					
2.0 D	100	04/04→12/10					
2.0 D4	96	07/05→12/06					
2.4	103 - 125	04/04→12/10					
2.4 AWD	125	08/06→12/09					
2.4 Tdi	120	05/07→12/10					
D5	132	03/06→12/10					
T5	162	04/04→12/07					
T5 AWD	162 - 169	04/04→12/10					


	kW			 	! #		
<b>VW - POLO V (6R1, 6C1) 03/09→06/22</b>							
 <b>Cable Pull, parking brake</b>							
1.0	44 - 55	01/14→10/17		+PR 1KK / 1KT / 1KV / 2EJ; Disc Brake; 	2	24.3727-3423.2 583423	L= 1640
1.0 TSI	70 - 81	11/14→10/17					
1.2	44 - 55	06/09→02/18					
1.2 TDI	55	10/09→05/14					
1.2 TSI	66 - 81	11/09→05/22					
1.2 TSI 16V	66	02/14→10/17					
1.4	63	03/09→05/14					
1.4 BiFuel	60	03/10→01/11					
1.4 GTI	132	05/10→05/14					
1.4 TDI	55 - 77	02/14→10/17					
1.4 TSI	103 - 110	10/12→10/17					
1.6	66 - 81	07/14→10/17					
1.6 BiFuel	60	01/11→05/14					
1.6 TDI	55 - 77	06/09→08/15					
1.8 GTI	141	11/14→10/17					
1.8 GTI 230	169	04/16→10/17					
2.0 R WRC	162	08/13→05/14					
1.6	77	01/10→05/22		07/14→; +PR 1KK / 1KT / 1KV / 2EJ; Disc Brake; 	2	24.3727-3423.2 583423	L= 1640
<b>VW - POLO V Hatchback Van (6R1, 6C1) 03/09→10/17</b>							
 <b>Cable Pull, parking brake</b>							
1.0	44 - 55	01/14→10/17		+PR 1KK / 1KT / 1KV / 2EJ; Disc Brake; 	2	24.3727-3423.2 583423	L= 1640
1.0 TSI	70 - 81	11/14→10/17					
1.2	44 - 51	03/09→05/14					
1.2 TDi	55	10/09→05/14					
1.2 TSi	66 - 77	11/09→05/14					
1.2 TSI	66 - 81	01/14→10/17					
1.4	63	03/09→05/14					
1.4 GTi	132	05/10→05/14					
1.4 TDI	55 - 77	02/14→10/17					
1.4 TSI	110	05/14→10/17					
1.6 TDi	55 - 77	06/09→05/14					
<b>VW - POLO V Saloon (602, 604, 612, 614) 05/09→</b>							
 <b>Cable Pull, parking brake</b>							
1.2 TSI	77	04/14→05/22		+PR 1KK / 1KT / 1KV / 2EJ; Disc Brake; 	2	24.3727-3423.2 583423	L= 1640
1.4 TSi	92	05/16→03/20					
1.6	66 - 81	05/15→03/20					
1.4	63	12/10→05/22		07/14→; +PR 1KK / 1KT / 1KV / 2EJ; Disc Brake; 	2	24.3727-3423.2 583423	L= 1640
1.6	63 - 77	05/10→05/22					
<b>VW - POLO VI (AW1, BZ1, AE1) 06/17→</b>							
 <b>Brake Drum</b>							
1.0	48 - 55	06/17→08/21	➡	09/17→; +PR 1KA		24.0222-8048.1 480341	Ø 278 Inner brake drum height [mm] 47.3 / 229.8
1.0 TSI	70	06/17→					
1.0 MPi	59	09/18→	➡	+PR 1KA		24.0222-8048.1 480341	Ø 278 Inner brake drum height [mm] 47.3 / 229.8
1.0 TGI	66	09/17→					
1.0 TSI	81 - 85	09/17→					
1.5 TSI	110	10/18→08/21					
1.6 MSi	81	09/17→					
1.6 TDI	59 - 70	11/17→02/21					
2.0 GTI	147	11/17→11/21					
<b>VW - POLO VIVO Hatchback (6S1, 6S3) 02/10→03/19</b>							
 <b>Cable Pull, parking brake</b>							
1.4	55	03/10→03/19		07/14→; +PR 1KK / 1KT / 1KV / 2EJ; Disc Brake; 	2	24.3727-3423.2 583423	L= 1640

**VW - TAIGO (CS1) 09/21→**

 **Brake Drum**

1.0 TSI	70 -	09/21→	➔	+PR 1KA	<b>24.0222-8048.1</b>	<b>480341</b>	Ø 278 Inner brake drum height [mm] 47.3 / 229.8
1.5 TSI	85	09/21→					
	110						

**VW - T-CROSS (C11, D31) 12/18→**

 **Brake Drum**

1.0 TSi	70 -	12/18→	➔	+PR 1KA	<b>24.0222-8048.1</b>	<b>480341</b>	Ø 278 Inner brake drum height [mm] 47.3 / 229.8
1.0 TSI	85						
1.5 TSI	81	06/20→					
1.6 TDi	110	01/20→					
	70	12/18→					


















- EN** Technical translations
- DE** Technische Übersetzungen
- ES** Traducciones técnicas
- FR** Traductions techniques
- IT** Traduzioni tecniche

**3/2026**



# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

EN		EN	
	Brake Master Cylinder	17"	17"
		18	18
	Brake Hose	2.5	2.5
		3	3
	Cable Pull, parking brake	<b>AKE</b>	Brake System, Akebono
	Brake Caliper	<b>Article Number of recommended accessories</b>	Article Number of recommended accessories
	Brake Drum	<b>B</b>	Coated
	Brake Pad Set, disc brake	<b>Bolt Hole Circle Ø [mm]</b>	Bolt Hole Circle Ø [mm]
	Brake Disc	<b>Bore Diameter [mm]</b>	Bore Diameter [mm]
	Wheel Speed Sensor	<b>Brake Disc Thickness [mm]</b>	Brake Disc Thickness [mm]
	Rear	<b>Brake Size</b>	Brake Size
	Rear Axle Left	<b>BRE</b>	Brake System, Brembo
	Rear Axle Right	<b>Centering Diameter [mm]</b>	Centering Diameter [mm]
	Left Rear	<b>Disc Brake</b>	Disc Brake
	Front	<b>Drum Brake</b>	Drum Brake
	Front Axle Left	<b>- eFSB</b>	for vehicles without electric parking brake
	Front Axle Right	<b>Electric-pneumatic</b>	Electric-pneumatic
		<b>- ESP</b>	for vehicles without ESP
/	max. brake drum reboring dimension [mm]	<b>Exchange Part</b>	Exchange Part
<b>+ eFSB</b>	for vehicles with electric parking brake	<b>Filling Hose Length [m]</b>	Filling Hose Length [m]
<b>+ ESP</b>	for vehicles with ESP	<b>Flange Hole Diameter [mm]</b>	Flange Hole Diameter [mm]
<b>+PR</b>	for PR number	<b>for brake disc diameter [mm]</b>	for brake disc diameter [mm]
<b>+ S</b>	with bolts/screws	<b>for left-hand drive vehicles</b>	for left-hand drive vehicles
<b>+SA</b>	for special equipment code		
<b>+ WE</b>	prepared for wear warning indicator		
<b>+ WK</b>	incl. wear warning contact with acoustic wear warning		
<b>+ Zub</b>	with accessories		

# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

EN		EN	
<b>for vehicles with aerodynamic pack</b>	for vehicles with aerodynamic pack	<b>Height 2 [mm]</b>	Height 2 [mm]
<b>for vehicles with headlight levelling</b>	for vehicles with headlight levelling	<b>Inner brake drum diameter [inch]</b>	Inner brake drum diameter [inch]
<b>for vehicles with headlight levelling (automatic)</b>	for vehicles with headlight levelling (automatic)	<b>Inner brake drum height [mm]</b>	Inner brake drum height [mm]
<b>for vehicles with M-performance brakes</b>	for vehicles with M-performance brakes	<b>L=</b>	Length [mm]
<b>for vehicles with M-sport brakes</b>	for vehicles with M-sport brakes	<b>L=</b>	Warning Contact Length [mm]
<b>for vehicles without headlight levelling</b>	for vehicles without headlight levelling	<b>L1=</b>	Length 1 [mm]
<b>for vehicles without headlight levelling (automatic)</b>	for vehicles without headlight levelling (automatic)	<b>L2=</b>	Length 2 [mm]
<b>for vehicles without JCW sport brakes</b>	for vehicles without JCW sport brakes	<b>Machining</b>	Machining
<b>for vehicles without M-sport brakes</b>	for vehicles without M-sport brakes	<b>Minimum thickness [mm]</b>	Minimum thickness [mm]
<b>for vehicles without sports brake system</b>	for vehicles without sports brake system	<b>Multi-link Axle</b>	Multi-link Axle
<b>for vehicles with sports brake system</b>	for vehicles with sports brake system	<b>not for armoured vehicles</b>	not for armoured vehicles
<b>for vehicles with sports package</b>	for vehicles with sports package	<b>not for vehicles with reinforced brakes</b>	not for vehicles with reinforced brakes
<b>for vehicles with trailer hitch</b>	for vehicles with trailer hitch	<b>Number of Holes</b>	Number of Holes
<b>France</b>	France	<b>painted</b>	painted
<b>HC</b>	High-carbon	<b>Permissible up to vehicle capacity [kW]</b>	Permissible up to vehicle capacity [kW]
<b>Height [mm]</b>	Height [mm]	<b>Piston Diameter [mm]</b>	Piston Diameter [mm]
<b>Height 1 [mm]</b>	Height 1 [mm]	<b>Rechargeable Battery Capacity [Ah]</b>	Rechargeable Battery Capacity [Ah]
		<b>Rechargeable Battery Pack</b>	Rechargeable Battery Pack
		<b>Rechargeable Battery Voltage [V]</b>	Rechargeable Battery Voltage [V]
		<b>replacement part</b>	replacement part

# Technical translations
















Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

EN		EN	
<b>Republic of Korea (South Korea)</b>	Republic of Korea (South Korea)	Ø	Diameter [mm] Outer brake drum diameter [mm] Inner Diameter [mm] Outer Diameter [mm] Inner brake drum diameter [mm]
<b>Spanner Size 1 [mm]</b>	Spanner Size 1 [mm]		
<b>Spanner Size 2 [mm]</b>	Spanner Size 2 [mm]	Ø1	Diameter 1 [mm]
<b>Support plate diameter [mm]</b>	Support plate diameter [mm]	Ø2	Diameter 2 [mm]
<b>Surface</b>	Surface	→	Construction Year from Vehicle Identification Number (VIN) from
<b>Thickness [mm]</b>	Thickness [mm]	→	Construction Year to Vehicle Identification Number (VIN) to
<b>Total brake drum height [mm]</b>	Total brake drum height [mm]	→ to container size [!]	to container size [!]
<b>TRW</b>	Brake System, Lucas / TRW		
<b>two-piece brake disc</b>	two-piece brake disc		
<b>Vehicle Production Country</b>	Vehicle Production Country		
<b>Vehicle type</b>	Vehicle type		
<b>V•</b>	perforated/vented		
<b>Width [mm]</b>	Width [mm]		
<b>with anti-squeak plate</b>	with anti-squeak plate		
<b>with banjo bolt</b>	with banjo bolt		
<b>with brake caliper screws</b>	with brake caliper screws		
<b>with charger</b>	with charger		
<b>without banjo bolt</b>	without banjo bolt		
<b>without brake fluid reservoir</b>	without brake fluid reservoir		
<b>- WK</b>	excl. wear warning contact		
<b>x</b>	Number of connectors		
<b>Yes</b>	Yes		



# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

DE		DE	
	Hauptbremszylinder	17"	17"
	Bremsschlauch	18	18
	Seilzug, Feststellbremse	2.5	2,5
	Bremssattel	3	3
	Bremstrommel	<b>AKE</b>	Bremssystem, Akebono
	Bremsbelagsatz, Scheibenbremse	<b>Article Number of recommended accessories</b>	Artikelnummer des empfohlenen Zubehörs
	Bremsscheibe	<b>B</b>	beschichtet
	Raddrehzahlsensor	<b>Bolt Hole Circle Ø [mm]</b>	Lochkreis-Ø [mm]
	hinten	<b>Bore Diameter [mm]</b>	Bohrungsdurchmesser [mm]
	Hinterachse links	<b>Brake Disc Thickness [mm]</b>	Bremsscheibendicke [mm]
	Hinterachse rechts	<b>Brake Size</b>	Bremsengröße
	hinten links	<b>BRE</b>	Bremssystem, Brembo
	vorne	<b>Centering Diameter [mm]</b>	Zentrierungsdurchmesser [mm]
	Vorderachse links	<b>Disc Brake</b>	Scheibenbremse
	Vorderachse rechts	<b>Drum Brake</b>	Trommelbremse
/	max. Bremstrommelausdrehmaß [mm]	<b>- eFSB</b>	für Fahrzeuge ohne elektrische Feststellbremse
<b>+ eFSB</b>	für Fahrzeuge mit elektrischer Feststellbremse	<b>Electric-pneumatic</b>	elektrisch-pneumatisch
<b>+ ESP</b>	für Fahrzeuge mit ESP	<b>- ESP</b>	für Fahrzeuge ohne ESP
<b>+PR</b>	für PR-Nummer	<b>Exchange Part</b>	Austauschteil
<b>+ S</b>	mit Schrauben	<b>Filling Hose Length [m]</b>	Füllschlauchlänge [m]
<b>+SA</b>	für Sonderausstattungscode (SA-Code)	<b>Flange Hole Diameter [mm]</b>	Flanschlochdurchmesser [mm]
<b>+ WE</b>	für Verschleißwarnanzeige vorbereitet	<b>for brake disc diameter [mm]</b>	für Bremsscheibendurchmesser [mm]
<b>+ WK</b>	inkl. Verschleißwarnkontakt mit akustischer Verschleißwarnung	<b>for left-hand drive vehicles</b>	für Linkslenker
<b>+ Zub</b>	mit Zubehör		

# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

DE		DE	
<b>for vehicles with aerodynamic pack</b>	für Fahrzeuge mit Aerodynamikpaket	<b>Height 2 [mm]</b>	Höhe 2 [mm]
<b>for vehicles with headlight levelling</b>	für Fahrzeuge mit Leuchtweitenregulierung	<b>Inner brake drum diameter [inch]</b>	Bremstrommeldurchmesser innen [Zoll]
<b>for vehicles with headlight levelling (automatic)</b>	für Fahrzeuge mit Leuchtweitenregulierung (automatisch)	<b>Inner brake drum height [mm]</b>	Bremstrommelhöhe innen [mm]
<b>for vehicles with M-performance brakes</b>	für Fahrzeuge mit M-Performance Bremse	<b>L=</b>	Länge [mm]
<b>for vehicles with M-sport brakes</b>	für Fahrzeuge mit M-Sportbremse	<b>L=</b>	Warnkontaktlänge [mm]
<b>for vehicles without headlight levelling</b>	für Fahrzeuge ohne Leuchtweitenregulierung	<b>L1=</b>	Länge 1 [mm]
<b>for vehicles without headlight levelling (automatic)</b>	für Fahrzeuge ohne Leuchtweitenregulierung (automatisch)	<b>L2=</b>	Länge 2 [mm]
<b>for vehicles without JCW sport brakes</b>	für Fahrzeuge ohne JCW-Sportbremse	<b>Machining</b>	Bearbeitung
<b>for vehicles without M-sport brakes</b>	für Fahrzeuge ohne M-Sportbremse	<b>Minimum thickness [mm]</b>	Mindestdicke [mm]
<b>for vehicles without sports brake system</b>	für Fahrzeuge ohne Sportbremsanlage	<b>Multi-link Axle</b>	Mehrlenkerachse (Multi-link)
<b>for vehicles with sports brake system</b>	für Fahrzeuge mit Sportbremsanlage	<b>not for armoured vehicles</b>	nicht für gepanzerte Fahrzeuge
<b>for vehicles with sports package</b>	für Fahrzeuge mit Sportpaket	<b>not for vehicles with reinforced brakes</b>	nicht für Fahrzeuge mit verstärkter Bremse
<b>for vehicles with trailer hitch</b>	für Fahrzeuge mit Anhängavorrichtung	<b>Number of Holes</b>	Lochanzahl
<b>France</b>	Frankreich	<b>painted</b>	lackiert
<b>HC</b>	hochgekohlt	<b>Permissible up to vehicle capacity [kW]</b>	Zulässig bis Fahrzeugleistung [kW]
<b>Height [mm]</b>	Höhe [mm]	<b>Piston Diameter [mm]</b>	Kolbendurchmesser [mm]
<b>Height 1 [mm]</b>	Höhe 1 [mm]	<b>Rechargeable Battery Capacity [Ah]</b>	Akkukapazität [Ah]
		<b>Rechargeable Battery Pack</b>	Akkupack
		<b>Rechargeable Battery Voltage [V]</b>	Akkuspannung [V]
		<b>replacement part</b>	Austauschteil


















# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

DE		DE	
<b>Republic of Korea (South Korea)</b>	Republik Korea (Südkorea)	Ø	Durchmesser [mm] Bremsstrommeldurchmesser außen [mm] Innendurchmesser [mm] Außendurchmesser [mm] Bremsstrommeldurchmesser innen [mm]
<b>Spanner Size 1 [mm]</b>	Schlüsselweite 1 [mm]		
<b>Spanner Size 2 [mm]</b>	Schlüsselweite 2 [mm]		
<b>Support plate diameter [mm]</b>	Durchmesser Aufnahme [mm]	Ø1	Durchmesser 1 [mm]
<b>Surface</b>	Oberfläche	Ø2	Durchmesser 2 [mm]
<b>Thickness [mm]</b>	Dicke/Stärke [mm]	→	Baujahr ab Fahrgestellnummer (VIN) ab
<b>Total brake drum height [mm]</b>	Bremstrommelhöhe gesamt [mm]	→	Baujahr bis Fahrgestellnummer (VIN) bis
<b>TRW</b>	Bremssystem, Lucas / TRW	→ to container size [!]	bis Gebindegröße [!]
<b>two-piece brake disc</b>	zweiteilige Bremsscheibe		
<b>Vehicle Production Country</b>	Fahrzeugproduktionsland		
<b>Vehicle type</b>	Fahrzeugtyp		
<b>V•</b>	geleht/innenbel.		
<b>Width [mm]</b>	Breite [mm]		
<b>with anti-squeak plate</b>	mit Anti-Quietsch-Blech		
<b>with banjo bolt</b>	mit Hohlschraube		
<b>with brake caliper screws</b>	mit Bremssattelschrauben		
<b>with charger</b>	mit Ladegerät		
<b>without banjo bolt</b>	ohne Hohlschraube		
<b>without brake fluid reservoir</b>	ohne Bremsflüssigkeitsbehälter		
<b>- WK</b>	exkl. Verschleißwarnkontakt		
<b>x</b>	Anschlussanzahl		
<b>Yes</b>	Ja		

# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

ES		ES	
	Cilindro principal de freno	<b>+ Zub</b>	con accesorios
	Tubo flexible de frenos	<b>17"</b>	17"
	Cable de accionamiento, freno de estacionamiento	<b>18</b>	18
	Pinza de freno	<b>2.5</b>	2,5
	Tambor de freno	<b>3</b>	3
	Juego de pastillas de freno	<b>AKE</b>	Sistema de frenos, Akebono
	Disco de freno	<b>Article Number of recommended accessories</b>	Nº art. de accesorio recomendado
	Sensor de velocidad de la rueda	<b>B</b>	revestido
	posterior	<b>Bolt Hole Circle Ø [mm]</b>	corona de agujeros - Ø [mm]
	Eje trasero izquierda	<b>Bore Diameter [mm]</b>	Diámetro de orificio [mm]
	Eje trasero, derecha	<b>Brake Disc Thickness [mm]</b>	Espesor de disco de frenos [mm]
	Atrás izquierda	<b>Brake Size</b>	Tamaño freno
	delante	<b>BRE</b>	Sistema de frenos, Brembo
	Eje delantero, izquierda	<b>Centering Diameter [mm]</b>	Diámetro de centrado [mm]
	Eje delantero, derecha	<b>Disc Brake</b>	Discos
/	distancia máx. de desenroscado de tambor de freno [mm]	<b>Drum Brake</b>	Freno de tambor
<b>+ eFSB</b>	para vehículos con freno de estacionamiento electrónico	<b>- eFSB</b>	para vehículos sin freno de estacionamiento electrónico
<b>+ ESP</b>	para vehículos con ESP	<b>Electric-pneumatic</b>	electroneumático
<b>+PR</b>	Número de PR	<b>- ESP</b>	para vehículos sin ESP
<b>+ S</b>	con tornillos	<b>Exchange Part</b>	Pieza de intercambio
<b>+SA</b>	para código de equipamiento especial	<b>Filling Hose Length [m]</b>	Long. manguera de llenado [m]
<b>+ WE</b>	preparado para indicador de desgaste	<b>Flange Hole Diameter [mm]</b>	Diám. taladro brida [mm]
<b>+ WK</b>	con contacto avisador de desgaste con avisador acústico de desgaste	<b>for brake disc diameter [mm]</b>	para diámetro disco de freno [mm]
		<b>for left-hand drive vehicles</b>	para vehic. dirección izquierda



# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

ES		ES	
<b>for vehicles with aerodynamic pack</b>	para vehículos con paquete aerodinámico	<b>Height 2 [mm]</b>	Altura 2 [mm]
<b>for vehicles with headlight levelling</b>	para vehículos con regulación del alcance de luces	<b>Inner brake drum diameter [inch]</b>	Diámetro interior de tambor de freno [pulgadas]
<b>for vehicles with headlight levelling (automatic)</b>	para veh. con regulación alcance luces (automát.)	<b>Inner brake drum height [mm]</b>	Altura interior de tambor de freno [mm]
<b>for vehicles with M-performance brakes</b>	para vehículos con freno de alto rendimiento M	<b>L=</b>	Longitud [mm]
<b>for vehicles with M-sport brakes</b>	Para vehículos con frenos deportivos M	<b>L=</b>	Longitud contacto de aviso [mm]
<b>for vehicles without headlight levelling</b>	para vehículos sin regulación alcance de luces	<b>L1=</b>	Long. 1 [mm]
<b>for vehicles without headlight levelling (automatic)</b>	para vehículos sin regulación alcance de luces (automática)	<b>L2=</b>	Long. 2 [mm]
<b>for vehicles without JCW sport brakes</b>	para vehículos sin freno deportivo JCW	<b>Machining</b>	Procesamiento
<b>for vehicles without M-sport brakes</b>	Para vehículos sin frenos deportivos M	<b>Minimum thickness [mm]</b>	Espesor mínimo [mm]
<b>for vehicles without sports brake system</b>	para vehículos sin sistema de frenos deportivos	<b>Multi-link Axle</b>	Suspensión multibrazo (Multi-link)
<b>for vehicles with sports brake system</b>	para vehículos con sistema de frenos deportivos	<b>not for armoured vehicles</b>	no para vehículos blindados
<b>for vehicles with sports package</b>	para vehículos con paquete sport	<b>not for vehicles with reinforced brakes</b>	no para vehículos con frenos reforzados
<b>for vehicles with trailer hitch</b>	para vehículos con enganche de remolque	<b>Number of Holes</b>	Número de orificios
<b>France</b>	Francia	<b>painted</b>	barnizado
<b>HC</b>	altamente carbonizado	<b>Permissible up to vehicle capacity [kW]</b>	Permitido hasta la potencia del vehículo [kW]
<b>Height [mm]</b>	Altura [mm]	<b>Piston Diameter [mm]</b>	Diámetro del pistón [mm]
<b>Height 1 [mm]</b>	Altura 1 [mm]	<b>Rechargeable Battery Capacity [Ah]</b>	Capacidad batería [Ah]
		<b>Rechargeable Battery Pack</b>	Powerbank
		<b>Rechargeable Battery Voltage [V]</b>	Voltaje batería [V]
		<b>replacement part</b>	Recambio

# Technical translations
















Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

ES		ES	
<b>Republic of Korea (South Korea)</b>	Rep. Corea (Corea del Sur)	∅	Diámetro [mm] Diámetro exterior del tambor de freno [mm] Diámetro interior [mm] Diámetro exterior [mm] Diámetro interior de tambor de freno [mm]
<b>Spanner Size 1 [mm]</b>	Ancho de llave 1 [mm]		
<b>Spanner Size 2 [mm]</b>	Ancho de llave 2 [mm]		
<b>Support plate diameter [mm]</b>	Diámetro alojamiento [mm]	∅1	Diámetro 1 [mm]
<b>Surface</b>	Superficie	∅2	Diámetro 2 [mm]
<b>Thickness [mm]</b>	Espesor [mm]	→	año construcción desde N.º de chasis (VIN) desde
<b>Total brake drum height [mm]</b>	Altura total de tambor de freno [mm]	→	año construcción hasta N.º de chasis (VIN) hasta
<b>TRW</b>	Sistema de frenos, Lucas / TRW	→ to container size [!]	hasta tamaño de recipiente [!]
<b>two-piece brake disc</b>	disco de freno de dos piezas		
<b>Vehicle Production Country</b>	País producción vehículo		
<b>Vehicle type</b>	Tipo de vehículo		
<b>V•</b>	perforado/ventil. int.		
<b>Width [mm]</b>	Ancho [mm]		
<b>with anti-squeak plate</b>	con chapa antichirrido		
<b>with banjo bolt</b>	con tornillo hueco		
<b>with brake caliper screws</b>	con tornillos pinza freno		
<b>with charger</b>	con cargador		
<b>without banjo bolt</b>	sin tornillo hueco		
<b>without brake fluid reservoir</b>	sin depósito líquido frenos		
<b>- WK</b>	excl. contacto de avisador de desgaste		
<b>x</b>	Número de conexiones		
<b>Yes</b>	sí		



# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

FR		FR	
	Maître-cylindre de frein	<b>+ Zub</b>	avec accessoires
	Flexible de frein	<b>17"</b>	17"
	Tirette à câble, frein de stationnement	<b>18</b>	18
	Étrier de frein	<b>2.5</b>	2,5
	Tambour de frein	<b>3</b>	3
	Kit de plaquettes de frein, frein à disque	<b>AKE</b>	Système de freinage, Akebono
	Disque de frein	<b>Article Number of recommended accessories</b>	Référence de l'accessoire recommandé
	Capteur de vitesse de roue	<b>B</b>	revêtu
	arrière	<b>Bolt Hole Circle Ø [mm]</b>	Cercle de perçage -Ø [mm]
	Essieu arrière gauche	<b>Bore Diameter [mm]</b>	Diamètre de l'alésage [mm]
	Essieu arrière droit	<b>Brake Disc Thickness [mm]</b>	Épaisseur du disque de frein [mm]
	arrière gauche	<b>Brake Size</b>	Dimension des freins
	avant	<b>BRE</b>	Système de freinage, Brembo
	Essieu avant gauche	<b>Centering Diameter [mm]</b>	Diamètre du centrage [mm]
	Essieu avant droit	<b>Disc Brake</b>	Frein à disque
/	dimension max. d'extraction du tambour de frein [mm]	<b>Drum Brake</b>	Frein à tambour
<b>+ eFSB</b>	pour véhicules avec frein d'arrêt électrique	<b>- eFSB</b>	pour véhicules sans frein d'arrêt électrique
<b>+ ESP</b>	pour véhicules avec ESP	<b>Electric-pneumatic</b>	pneumatique-électrique
<b>+PR</b>	pour numéro PR	<b>- ESP</b>	pour véhicules sans ESP
<b>+ S</b>	avec vis/boulons	<b>Exchange Part</b>	Pièce en échange standard
<b>+SA</b>	pour code d'équipement spécial	<b>Filling Hose Length [m]</b>	Tuyau de remplissage [m]
<b>+ WE</b>	préparé pour l'indicateur d'usure	<b>Flange Hole Diameter [mm]</b>	Diamètre du trou de bride [mm]
<b>+ WK</b>	contact de signal d'usure inclu avec indicateur d'usure	<b>for brake disc diameter [mm]</b>	pour diamètre du disque de frein [mm]
		<b>for left-hand drive vehicles</b>	pour véhicules avec direction à gauche

# Technical translations

Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche

FR		FR	
<b>for vehicles with aerodynamic pack</b>	pour véhicules avec un emballage d'aérodynamique	<b>Height 2 [mm]</b>	Hauteur 2 [mm]
<b>for vehicles with headlight levelling</b>	pour véhicules avec réglage mécanique inclinaison	<b>Inner brake drum diameter [inch]</b>	Diamètre intérieur du tambour de frein [pouces]
<b>for vehicles with headlight levelling (automatic)</b>	pour véhicules avec réglage automatique inclinaison phares	<b>Inner brake drum height [mm]</b>	Hauteur intérieure du tambour de frein [mm]
<b>for vehicles with M-performance brakes</b>	pour véhicules avec frein M performance	<b>L=</b>	Longueur [mm]
<b>for vehicles with M-sport brakes</b>	pour véhicules avec système de freinage sport M	<b>L=</b>	Longueur de contacts d'avertissement [mm]
<b>for vehicles without headlight levelling</b>	pour véhicules sans réglage hydraulique inclinaison phares	<b>L1=</b>	Longueur 1 [mm]
<b>for vehicles without headlight levelling (automatic)</b>	pour véhicules sans réglage automatique inclinaison phares	<b>L2=</b>	Longueur 2 [mm]
<b>for vehicles without JCW sport brakes</b>	pour véhicules sans freins JCW sport	<b>Machining</b>	Traitement
<b>for vehicles without M-sport brakes</b>	pour véhicules sans système de freinage sport M	<b>Minimum thickness [mm]</b>	Épaisseur minimum [mm]
<b>for vehicles without sports brake system</b>	pour véhicules sans système de freinage sport	<b>Multi-link Axle</b>	Essieu multibras (multi-link)
<b>for vehicles with sports brake system</b>	pour véhicules avec système de freinage sport	<b>not for armoured vehicles</b>	pas pour véhicules blindés
<b>for vehicles with sports package</b>	pour véhicules avec équipement sport	<b>not for vehicles with reinforced brakes</b>	pas pour véhicules avec frein assisté
<b>for vehicles with trailer hitch</b>	pour véhicules avec attelage de remorque	<b>Number of Holes</b>	Nombre de trous
<b>France</b>	France	<b>painted</b>	peint
<b>HC</b>	à haute teneur en carbone	<b>Permissible up to vehicle capacity [kW]</b>	Autorisé jusqu'à la puissance du véhicule [kW]
<b>Height [mm]</b>	Hauteur [mm]	<b>Piston Diameter [mm]</b>	Diamètre du piston [mm]
<b>Height 1 [mm]</b>	Hauteur 1 [mm]	<b>Rechargeable Battery Capacity [Ah]</b>	Capacité de la batterie [Ah]
		<b>Rechargeable Battery Pack</b>	Batterie
		<b>Rechargeable Battery Voltage [V]</b>	Tension de batterie [V]
		<b>replacement part</b>	Pièce de rechange

















# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

FR		FR		
<b>Republic of Korea (South Korea)</b>	République de Corée (Corée du Sud)	Ø	Diamètre [mm] Diamètre extérieur du tambour de frein [mm] Diamètre intérieur [mm] Diamètre extérieur [mm] Diamètre intérieur du tambour de frein [mm]	
<b>Spanner Size 1 [mm]</b>	Largeur de clé 1 [mm]		Ø1	Diamètre 1 [mm]
<b>Spanner Size 2 [mm]</b>	Largeur de clé 2 [mm]			Ø2
<b>Support plate diameter [mm]</b>	Diamètre réception [mm]	→	Année à partir de Numéro de châssis (VIN) à partir de	
<b>Surface</b>	Surface	→	Année jusqu'à Numéro de châssis (VIN) à	
<b>Thickness [mm]</b>	Épaisseur [mm]	→ to container size [!]	jusqu'à contenu [!]	
<b>Total brake drum height [mm]</b>	Hauteur totale du tambour de frein [mm]			
<b>TRW</b>	Système de freinage, Lucas / TRW			
<b>two-piece brake disc</b>	disque de frein à deux pièces			
<b>Vehicle Production Country</b>	Pays constructeur du véhicule			
<b>Vehicle type</b>	Type de véhicule			
<b>V•</b>	perforé/ventilé de l'intérieur			
<b>Width [mm]</b>	Largeur [mm]			
<b>with anti-squeak plate</b>	avec tôle anti-bruit			
<b>with banjo bolt</b>	avec vis creuse			
<b>with brake caliper screws</b>	avec vis d'étrier de frein			
<b>with charger</b>	avec chargeur			
<b>without banjo bolt</b>	sans vis creuse			
<b>without brake fluid reservoir</b>	sans réservoir du liquide de frein			
<b>- WK</b>	contact de signal d'usure exclu			
<b>x</b>	Nombre de connexions			
<b>Yes</b>	Oui			

# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

IT		IT	
	Cilindro maestro del freno	<b>+ Zub</b>	con accessori
	Flessibile del freno	<b>17"</b>	17"
	Cavo comando, Freno stazionamento	<b>18</b>	18
	Pinza freno	<b>2.5</b>	2,5
	Tamburo freno	<b>3</b>	3
	Kit pastiglie freno, Freno a disco	<b>AKE</b>	Sistema frenante, Akebono
	Disco freno	<b>Article Number of recommended accessories</b>	N° articolo accessorio consigliato
	Sensore velocità ruote	<b>B</b>	rivestito
	posteriore	<b>Bolt Hole Circle Ø [mm]</b>	Cerchio foro-Ø [mm]
	Assale posteriore Sx	<b>Bore Diameter [mm]</b>	Diametro foro [mm]
	Assale posteriore Dx	<b>Brake Disc Thickness [mm]</b>	Spessore disco freno [mm]
	posteriore Sx	<b>Brake Size</b>	Misura freno
	anteriore	<b>BRE</b>	Sistema frenante, Brembo
	Assale anteriore Sx	<b>Centering Diameter [mm]</b>	Diametro centraggio [mm]
	Assale anteriore Dx	<b>Disc Brake</b>	Freno a disco
/	misura max. di rotazione tamburo del freno [mm]	<b>Drum Brake</b>	Freno a tamburo
<b>+ eFSB</b>	per veicoli con freno stazionamento elettrico	<b>- eFSB</b>	per veicoli senza freno stazionamento elettrico
<b>+ ESP</b>	per veicoli con ESP	<b>Electric-pneumatic</b>	elettrico-pneumatico
<b>+PR</b>	per N° PR	<b>- ESP</b>	per veicoli senza ESP
<b>+ S</b>	con bulloni/viti	<b>Exchange Part</b>	Ricambio di rotazione
<b>+SA</b>	per codice modello speciale	<b>Filling Hose Length [m]</b>	Lunghezza flessibile di carico [m]
<b>+ WE</b>	predisposto per visualizzazione avviso usura	<b>Flange Hole Diameter [mm]</b>	Diametro foro flangia [mm]
<b>+ WK</b>	Con contatto segnalazione usura con segnalatore acustico usura	<b>for brake disc diameter [mm]</b>	per diametro disco freno [mm]
		<b>for left-hand drive vehicles</b>	per veicolo con guida a Sx

# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

IT		IT	
<b>for vehicles with aerodynamic pack</b>	per veicoli con pacchetto aerodinamica	<b>Height 2 [mm]</b>	Altezza 2 [mm]
<b>for vehicles with headlight levelling</b>	per veicoli con regolazione della portata dei fari	<b>Inner brake drum diameter [inch]</b>	Diametro tamburo del freno interno [pollici]
<b>for vehicles with headlight levelling (automatic)</b>	per veicoli con regolazione portata dei fari (automatica)	<b>Inner brake drum height [mm]</b>	Altezza tamburo del freno interna [mm]
<b>for vehicles with M-performance brakes</b>	per veicoli con freno M Performance	<b>L=</b>	Lunghezza [mm]
<b>for vehicles with M-sport brakes</b>	per veicoli con freni sportivi M	<b>L=</b>	Lunghezza contatti di segnalazione [mm]
<b>for vehicles without headlight levelling</b>	per veicoli senza regolazione portata dei fari	<b>L1=</b>	Lunghezza 1 [mm]
<b>for vehicles without headlight levelling (automatic)</b>	per veicoli senza regolazione portata dei fari (meccanica)	<b>L2=</b>	Lunghezza 2 [mm]
<b>for vehicles without JCW sport brakes</b>	per veicoli senza freno sportivo JCW	<b>Machining</b>	Lavorazione/Trattamento
<b>for vehicles without M-sport brakes</b>	per veicoli senza freni sportivi M	<b>Minimum thickness [mm]</b>	Spessore min. [mm]
<b>for vehicles without sports brake system</b>	per veicoli senza impianti frenante sportivo	<b>Multi-link Axle</b>	Assale (Multi-link)
<b>for vehicles with sports brake system</b>	per veicoli con impianto frenante sportivo	<b>not for armoured vehicles</b>	Non per veicoli corazzati
<b>for vehicles with sports package</b>	per veicoli con pacchetto sportivo	<b>not for vehicles with reinforced brakes</b>	Non per veicoli con freno rinforzato
<b>for vehicles with trailer hitch</b>	per veicoli con gancio traino	<b>Number of Holes</b>	N° fori
<b>France</b>	Francia	<b>painted</b>	verniciato
<b>HC</b>	ad alto tenore di carbonio	<b>Permissible up to vehicle capacity [kW]</b>	Consentito fino a potenza veicolo [kW]
<b>Height [mm]</b>	Altezza [mm]	<b>Piston Diameter [mm]</b>	Diametro pistone [mm]
<b>Height 1 [mm]</b>	Altezza 1 [mm]	<b>Rechargeable Battery Capacity [Ah]</b>	Capacità batteria [Ah]
		<b>Rechargeable Battery Pack</b>	Batteria
		<b>Rechargeable Battery Voltage [V]</b>	Tensione batteria [V]
		<b>replacement part</b>	Ricambio di rotazione

# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

IT		IT		
<b>Republic of Korea (South Korea)</b>	Repubblica di Corea(Corea del Sud)	Ø	Diametro [mm] Diametro tamburo del freno esterno [mm] Diametro interno [mm] Diametro esterno [mm] Diametro tamburo del freno interno [mm]	
<b>Spanner Size 1 [mm]</b>	Apertura chiave 1 [mm]		Ø1	Diametro 1 [mm]
<b>Spanner Size 2 [mm]</b>	Apertura chiave 2 [mm]			Ø2
<b>Support plate diameter [mm]</b>	Diametro sede [mm]	→	Anno da N° telaio (VIN) da	
<b>Surface</b>	Superficie	→	Anno fino a N° telaio (VIN) fino a	
<b>Thickness [mm]</b>	Spessore [mm]	→ to container size [!]	fino a formato confezione [!]	
<b>Total brake drum height [mm]</b>	Altezza tamburo del freno totale [mm]			
<b>TRW</b>	Sistema frenante, Lucas / TRW			
<b>two-piece brake disc</b>	disco del freno a due pezzi			
<b>Vehicle Production Country</b>	Paese produzione veicolo			
<b>Vehicle type</b>	Tipo veicolo			
<b>V•</b>	perforato/ventilazione interna			
<b>Width [mm]</b>	Larghezza [mm]			
<b>with anti-squeak plate</b>	con lamierino anticigolio			
<b>with banjo bolt</b>	con vite cava			
<b>with brake caliper screws</b>	con bulloni pinza freno			
<b>with charger</b>	con ricaricatore			
<b>without banjo bolt</b>	senza vite cava			
<b>without brake fluid reservoir</b>	senza serbatoio liquido freni			
<b>- WK</b>	senza contatto segnalazione usura			
<b>x</b>	N° raccordi			
<b>Yes</b>	Sì			



**AUMOVIO Aftermarket GmbH**

Guerickestraße 7  
D-60488 Frankfurt am Main  
Tel. +49 (0) 69 7 60 30  
Email: info@ate.de  
www.ate.de

**AUMOVIO Trading Italy S.R.L.**

Via Matteotti, 62  
I-20092 Cinisello Balsamo (MI)  
Tel. +39 02 35680 1  
www.ate-freni.it

**AUMOVIO Trading SAS**

6 rue Jean Moulin  
F-78120 Rambouillet  
Tél. +33 (0) 9 69 37 37 37  
www.ate-freinage.fr

**AUMOVIO Trading Spain S.A**

C/ Sepúlveda, 11  
E-28108 Alcobendas (Madrid)  
Tel. +34 91 657 21 21  
www.frenos-ate.es