

ATE New Parts

ATE Neuteile



6/2026

Bremsen-Ersatzteilprogramm
Brake Parts Program



Brakethrough Technology

EN Table of contents

Index of vehicles
Product details
Applications of vehicles
Technical translations

DE Inhaltsverzeichnis

3	Herstellerverzeichnis
5	Produktdetails
13	Fahrzeugverwendungen
34	Technische Übersetzungen

ES Índice

3	Índice de vehículos	3
5	Descripción del producto	5
13	Aplicaciones	13
34	Traducciones técnicas	34

FR Table des matières

Liste des véhicules
Présentation du produit
Applications
Traductions techniques

IT Sommario

3	Indice autovetture	3
5	Panoramica prodotti	5
13	Applicazioni autoveicoli	13
34	Traduzioni tecniche	34





- EN** Index of vehicles
- DE** Herstellerverzeichnis
- ES** Índice de vehículos
- FR** Liste des véhicules
- IT** Indice autovetture

6/2026





AUDI 14

100 C2 Avant (435, 436)	14
100 C2 Saloon (431, 433, 434)	14
Q4 E-TRON Sportback (F4N)	14
Q4 E-TRON SUV (F4B)	14

BMW 14

5 (G60, G90, G68)	14
-------------------	----

DACIA 14

LOGAN (LS_)	14
LOGAN MCV (KS_)	14
SANDERO (BS_)	15

FORD 15

MONDEO III (B5Y)	15
MONDEO III Saloon (B4Y)	15
MONDEO III Turnier (BWY)	15

HYUNDAI 15

IONIQ 5 (NE)	16
IONIQ 6 (CE)	16
KONA (SX2)	16
SANTA FE IV (TM, TMA)	16
SANTA FE V (MX5)	16

JAGUAR 16

X-TYPE I (X400)	16
X-TYPE I Estate (X400)	16

KIA 16

EV6 (CV)	16
EV9 (MV)	17
SORENTO IV (MQ4, MQ4A)	17

LAND ROVER 17

DEFENDER Cabrio (L316)	17
DEFENDER Pick Up (L316)	17
DEFENDER Platform/Chassis (L316)	17
DEFENDER Station Wagon (L316, L315)	17

MERCEDES-BENZ 17

C-CLASS Coupe (C204)	17
C-CLASS Coupe (CL203)	17
C-CLASS Sedan (W202)	18
C-CLASS Sedan (W203)	18
C-CLASS Sedan (W204)	18
C-CLASS T-Model (S202)	19
C-CLASS T-Model (S203)	19
C-CLASS T-Model (S204)	19
CLC-CLASS (CL203)	19
CLK (C208)	20
CLK (C209)	20
CLK Convertible (A208)	20
CLK Convertible (A209)	20
E-CLASS Convertible (A207)	20
E-CLASS Coupe (C207)	21
E-CLASS Sedan (W210)	21
E-CLASS T-Model (S210)	21
SLC (R172)	22
SLK (R170)	22
SLK (R171)	22
SLK (R172)	22

MINI 22

MINI (R56)	22
MINI CLUBMAN Wagon (R55)	22
MINI Convertible (R57)	23
MINI Coupe (R58)	23
MINI Roadster (R59)	23



NISSAN 23

KUBISTAR Van (X76)	23
--------------------	----

POLESTAR 23

POLESTAR 2 (534)	23
------------------	----

RENAULT 23

19 I (B/C53_)	23
19 I Cabriolet (D53_)	23
19 I Chamade (L53_)	23
19 II (B/C53_)	24
19 II Cabriolet (D53_, 853_)	24
19 II Chamade (L53_)	24
19 II Hatchback Van (S53_)	24
CLIO I (B/C57_, 5/357_)	24
CLIO II (BB_, CB_)	25
CLIO II Hatchback Van (SB0/1/2_)	25
KANGOO (KC0/1_)	25
KANGOO Express (FC0/1_)	26
LOGAN I (LS_)	26
LOGAN I Estate (KS_)	26
MEGANE I (BA0/1_)	26
MEGANE I Cabriolet (EA0/1_)	27
MEGANE I Classic (LA0/1_)	27
MEGANE I Coach (DA0/1_)	28
MEGANE I Grandtour (KA0/1_)	28
MEGANE I Hatchback Van (SA0/1_)	28
Megane I Kombi van (KA_)	28
MEGANE Scénic (JA0/1_)	28
SANDERO/STEPWAY I (BS_)	28
THALIA I (LB_)	28
THALIA II (LU_)	28
TWINGO I (C06_)	29
TWINGO I Hatchback Van (S06_)	29
TWINGO II (CNO_)	29
TWINGO II Hatchback Van (CNO_)	29

SKODA 29

ELROQ (PYL)	29
ENYAQ iV Coupe (5AC)	29
ENYAQ iV SUV (5AZ)	30

TESLA 30

MODEL 3	30
MODEL S	30
MODEL X	30
MODEL Y	31

VOLVO 31

EX30 (416)	31
------------	----

VW 32


ID.4 (E21)	32
ID.5 (E39)	32
ID.7 (ED2)	32
ID.7 Tourer (ED5)	32
ID. Buzz Bus (EBB, EBJ)	32
ID. Buzz Cargo (EBA)	32
LT 28-35 I Bus (281-363)	32
LT 28-35 I Platform/Chassis (281-363)	32
LT 28-35 I Van (281-363)	33
LT 40-55 I Platform/Chassis (293-909)	33
LT 40-55 I Van (291-512)	33



- EN** Product details
- DE** Produktdetails
- ES** Descripción del producto
- FR** Présentation du produit
- IT** Panoramica prodotti

6/2026



13.0470-4730.2**LD4730**

113,3 x 91,2 x 19

**Brake Pad Set, disc brake**

Thickness [mm]: 19

MAPP code available:

Width [mm]: 113.3

Height [mm]: 91.2


Brake System: BRE

Test Mark: E1 90R-02A0479/2554

Wear Warning Contact: + WE / - WK

Permissible up to vehicle capacity [kW]: 225

Article Number of recommended accessories: 24.8190-0844.2

BMW**13.0480-3706.2****EP3706****Brake Pad Set, disc brake**

Thickness [mm]: 17.8

MAPP code available:

Width [mm]: 108.9

Height [mm]: 53.5


Test Mark: E9 90R-02A1782/6009

Wear Warning Contact: + WK

Supplementary Article/Supplementary Info: + Zub

Number of bolts/screws: 4

Supplementary Article/Supplementary Info 2: with brake caliper screws

VOLVO**13.0480-4714.2****EP4714****Brake Pad Set, disc brake**

Thickness [mm]: 15.8

MAPP code available:

Width [mm]: 131.7


Height [mm]: 66.9

Brake System: BRE

Test Mark: E9 90R-02A1765/5696

Wear Warning Contact: + WK

Article Number of recommended accessories: 13.0460-0529.2

TESLA**13.0480-4735.2****EP4735****Brake Pad Set, disc brake**

Thickness [mm]: 16.5

MAPP code available:

Width [mm]: 131.8

Brake System: BRE

Test Mark: E1 90R-02A0921/2571

Wear Warning Contact: + WK


Height 1 [mm]: 84.4

Article Number of recommended accessories: 13.0460-0529.2

TESLA

13.0480-5546.2

EP5546



Brake Pad Set, disc brake

Thickness [mm]: 15.7

MAPP code available:

Width [mm]: 127

Brake System: MAN

Test Mark: E9 90R-02A1766/5805

Wear Warning Contact: + WK


Supplementary Article/Supplementary Info: + Zub

Height 1 [mm]: 53

TESLA

13.0480-5547.2

EP5547



Brake Pad Set, disc brake

Thickness [mm]: 15.7

MAPP code available:

Width [mm]: 132.6

Height [mm]: 49.1

Brake System: MAN

Test Mark: E9 90R-02A1765/5737


Wear Warning Contact: + WK

Supplementary Article/Supplementary Info: + Zub

TESLA

13.0480-5549.2

EP5549



Brake Pad Set, disc brake

Thickness [mm]: 19

MAPP code available:

Width [mm]: 184.6

Height [mm]: 78.4

Brake System: CBI

Test Mark: E1 90R-02A2529/2519

Wear Warning Contact: + WE / + WK

Supplementary Article/Supplementary Info: + Zub

Number of bolts/screws: 4


Warning Contact Length [mm]: 320

Supplementary Article/Supplementary Info 2: with brake caliper screws

AUDI, SKODA, VW

13.0480-5573.2

EP5573



Brake Pad Set, disc brake

Thickness [mm]: 15.7

MAPP code available:

Width [mm]: 123.5

Height [mm]: 51.4

Test Mark: E9 90R-02A1782/5750


Wear Warning Contact: + WK

Supplementary Article/Supplementary Info: + Zub

HYUNDAI, KIA

13.0480-5576.2

EP5576



Brake Pad Set, disc brake

Height 2 [mm]: 67.5

Thickness [mm]: 18.7

MAPP code available:

Width [mm]: 140.5

Test Mark: E1 90R-02A2608/2574

Wear Warning Contact: + WK

Supplementary Article/Supplementary Info: + Zub

Number of bolts/screws: 4


Height 1 [mm]: 73

Supplementary Article/Supplementary Info 2: with brake caliper screws

VOLVO

13.0480-5577.2

EP5577



Brake Pad Set, disc brake

Height 2 [mm]: 74.3

Thickness [mm]: 17.5

MAPP code available:

Width [mm]: 174.2

Test Mark: E1 90R-02A2340/2562

Wear Warning Contact: + WK

Supplementary Article/Supplementary Info: + Zub

Number of bolts/screws: 4


Height 1 [mm]: 81.6

Supplementary Article/Supplementary Info 2: with brake caliper screws

VOLVO

13.0480-7363.2

EP7363



Brake Pad Set, disc brake

Height 2 [mm]: 56.2

Thickness [mm]: 16.2

MAPP code available:

Brake System: ATE

Test Mark: E1 90R-02A2431/2515

Wear Warning Contact: + WE / - WK

Supplementary Article/Supplementary Info: + Zub


Height 1 [mm]: 59.7

Width 1 [mm]: 122.4

POLESTAR

24.0120-0273.1

420273

**Brake Disc**

Bolt Hole Circle Ø [mm]: 114.3

Bore Diameter [mm]: 12.5

Number of Holes: 5

Centering Diameter [mm]: 69

MAPP code available:

Minimum thickness [mm]: 18

Height [mm]: 35

Test Mark: E1 90R-02C0115/1238

Processing: HC L

Brake Disc Thickness [mm]: 20

Brake Disc Type: Vented

Inner Diameter [mm]: 160


Outer Diameter [mm]: 325

Surface: B

HYUNDAI, KIA

24.0121-0118.1

421118

**Brake Disc**

Bolt Hole Circle Ø [mm]: 100

Bore Diameter [mm]: 13

Number of Holes: 4

Centering Diameter [mm]: 61

MAPP code available:

Minimum thickness [mm]: 17.7

Height [mm]: 41

Test Mark: E1 90R-02C0115/1273

Brake Disc Thickness [mm]: 20.6

Brake Disc Type: Vented

Inner Diameter [mm]: 131.8

Outer Diameter [mm]: 258.5


Surface: B

Supplementary Article/Supplementary Info 2: + S

DACIA, NISSAN, RENAULT

24.0130-0280.1

430280


**Brake Disc**

Bolt Hole Circle Ø [mm]: 114.3
 Bore Diameter [mm]: 12.5
 Number of Holes: 5
 Centering Diameter [mm]: 69
 MAPP code available:
 Minimum thickness [mm]: 28
 Height [mm]: 48.4
 Test Mark: E1 90R-02C0115/1083
 Processing: HC L
 Brake Disc Thickness [mm]: 30
 Brake Disc Type: Vented
 Inner Diameter [mm]: 144
 Outer Diameter [mm]: 325
 Surface: B

HYUNDAI, KIA

24.0322-0317.1


522317

**Brake Disc**

Bolt Hole Circle Ø [mm]: 100
 Bore Diameter [mm]: 16.2
 Number of Holes: 4
 Centering Diameter [mm]: 64.2
 MAPP code available:
 Minimum thickness [mm]: 20.4
 Height [mm]: 45.2
 Test Mark: E1 90R-02C0858/1303
 Processing: HC L
 Brake Disc Thickness [mm]: 22
 Brake Disc Type: Vented
 Inner Diameter [mm]: 148
 Outer Diameter [mm]: 316
 Surface: B

MINI


24.0425-0243.1 ED25243



Brake Disc

Bolt Hole Circle Ø [mm]: 114.3
 Bore Diameter [mm]: 16.5
 Number of Holes: 5
 Centering Diameter [mm]: 70.2
 MAPP code available:
 Minimum thickness [mm]: 23
 Height [mm]: 68.2
 Test Mark: E1 90R-02C0115/1332
 Brake Disc Thickness [mm]: 25
 Brake Disc Type: Vented
 Inner Diameter [mm]: 157
 Outer Diameter [mm]: 355
 Surface: B
TESLA

24.0428-0338.1 ED28338



Brake Disc

Bolt Hole Circle Ø [mm]: 120
 Bore Diameter [mm]: 16.5
 Number of Holes: 5
 Centering Diameter [mm]: 70.2
 MAPP code available:
 No. of holes 2: 9
 Minimum thickness [mm]: 26.1
 Height [mm]: 59.9
 Test Mark: E1 90R-02C0115/0861
 Processing: HC
 Brake Disc Thickness [mm]: 28
 Brake Disc Type: Vented
 Inner Diameter [mm]: 164.9
 Outer Diameter [mm]: 365
 Surface: B
TESLA

24.2461-1701.5 241749



Brake Caliper

Exchange Part:
 Brake Caliper Type:
 paired article number: 24.2461-1702.5
 MAPP code available:
 Brake System: AP
 Piston Diameter [mm]: 46

LAND ROVER

241750



Exchange Part:

Brake Caliper Type:

paired article number: 24.2461-1701.5


MAPP code available:

Brake System: AP

Piston Diameter [mm]: 46

LAND ROVER

331839



Spanner Size: 14

Internal Thread [mm]: M10x1


External Thread [mm]: M10x1

Length [mm]: 390

MAPP code available:

AUDI, VW

331857



Spanner Size: 14

Internal Thread [mm]: M10x1


External Thread [mm]: M10x1

Length [mm]: 410

MAPP code available:

MERCEDES-BENZ

331843



Spanner Size: 14

Internal Thread [n

External Thread [mm]: M10x1

Length [mm]: 475

MAPP code availa

FORD, JAGUAR



EN Applications of vehicles

DE Fahrzeugverwendungen

ES Aplicaciones

FR Applications

IT Applicazioni autoveicoli

6/2026

	kW			 	! #		
AUDI - 100 C2 Avant (435, 436) 07/77→02/83							
 Brake Hose							
1.6	63	07/77→02/83	←	08/81→ 07/82	2	24.5102-0360.3 331839	L= 390
			←	08/79→ 07/81	2	24.5102-0360.3 331839	L= 390
			←	→ 07/79	2	24.5102-0360.3 331839	L= 390
2.0	85	08/77→07/80	←	→ 43-82300000	2	24.5102-0360.3 331839	L= 390
AUDI - 100 C2 Saloon (431, 433, 434) 06/76→08/84							
 Brake Hose							
1.6	63	08/76→07/82	←	08/79→ 07/81	2	24.5102-0360.3 331839	L= 390
			←	08/81→	2	24.5102-0360.3 331839	L= 390
			←	→ 07/79	2	24.5102-0360.3 331839	L= 390
2.0	85	06/76→08/78	←	→ 43-82300000	2	24.5102-0360.3 331839	L= 390
AUDI - Q4 E-TRON Sportback (F4N) 06/21→							
 Brake Pad Set, disc brake							
35	125	06/21→	←	+PR 1LC		13.0480-5549.2 EP5549	CBI + WE / + WK + Zub
40	150	06/21→					
45	210	10/23→					
45 quattro	195 -	07/21→					
	210						
50 quattro	220	06/21→					
55 quattro	250	10/23→					
AUDI - Q4 E-TRON SUV (F4B) 07/20→							
 Brake Pad Set, disc brake							
35	125	05/21→	←	+PR 1LC		13.0480-5549.2 EP5549	CBI + WE / + WK + Zub
40	150	03/21→					
45	210	10/23→					
45 quattro	195 -	06/21→					
	210						
50 quattro	220	03/21→					
55 quattro	250	10/23→					
BMW - 5 (G60, G90, G68) 07/23→							
 Brake Pad Set, disc brake							
520 d Mild-Hybrid	128 -	07/23→	←	for vehicles with M-sport brakes		13.0470-4730.2 LD4730	BRE + WE / - WK Ceramic
	145						
520 d xDrive Mild-Hybrid	145	07/23→					
520 i Mild-Hybrid	133 -	07/23→					
	153						
523 d Mild-Hybrid	145	07/23→					
523 d Mild-Hybrid xDrive	145	07/23→					
530e Plug-in Hybrid	220	11/23→					
DACIA - LOGAN (LS_) 08/04→							
 Brake Disc							
1.0 Hi-Flex	56	01/11→10/12	←			24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.4 MPI LPG	55	02/06→12/12					
1.5 dCi	50 -	01/06→12/12					
	63						
1.6	64	09/04→					
1.6 LPG	64	08/04→03/11					
1.2 16V	55	02/06→	←	→ 04/13		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.2 16V LPG	55	02/06→					
1.4	55	09/04→					
1.5 dCi	48 -	09/05→					
	65						
1.6 16V	77	02/06→					
1.6 Bifuel	62	05/10→					
1.6 MPI 85	62	05/10→					
1.6 16V Flexifuel	77	07/10→	←	01/11→ 04/13		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
DACIA - LOGAN MCV (KS_) 02/07→							
 Brake Disc							
1.4	55	02/07→	←	→ 04/13		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.5 dCi	48 -	02/07→					
	65						
1.6	64	02/07→06/13					
1.6 Bifuel	62 -	11/08→					
→	64						

	kW			 	! #		
DACIA - LOGAN MCV (KS_) 02/07→							
 Brake Disc							
1.6 MPI 85	62	05/10→	←	→ 04/13		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.5 dCi	63	09/07→12/12	←			24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
DACIA - SANDERO (BS_) 06/08→06/13							
 Brake Disc							
1.0 Hi-Flex 1.4 1.4 MPI LPG 1.5 dCi 1.6 1.6 16V 1.6 16V Bifuel 1.6 LPG	56 55 53 50 - 63 64 77 77 62	01/11→12/12 06/08→12/12 01/09→12/12 11/08→12/12 06/08→12/12 07/11→12/12 01/11→12/12 05/10→10/12	←			24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.2 16V	55	11/08→06/13	←	02/09→ 02/13		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.2 16V LPG 1.5 dCi 1.6 MPI 85	55 55 - 65 62	11/08→06/13 05/10→06/13 05/10→06/13	←	→ 02/13		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.6 LPG	60	01/11→12/12	←	→ 10/12		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
FORD - MONDEO III (B5Y) 10/00→03/07							
 Brake Hose							
1.8 16V 1.8 SCi 2.0 16V 2.0 16V DI / TDDi / TDCi 2.0 16V TDDi / TDCi 2.0 DI 2.0 TDCi 2.2 TDCi 2.5 V6 24V 3.0 V6 24V ST220	81 - 92 96 107 66 85 92 96 110 - 114 125 150 166	10/00→03/07 06/03→03/07 10/00→03/07 10/00→03/07 10/00→03/07 10/00→03/07 10/01→03/07 09/04→03/07 10/00→03/07 09/04→03/07 04/02→03/07	←		2	24.5140-0445.3 331843	L= 475
FORD - MONDEO III Saloon (B4Y) 10/00→09/07							
 Brake Hose							
1.8 16V 1.8 SCi 2.0 16V 2.0 16V DI / TDDi / TDCi 2.0 16V TDDi / TDCi 2.0 TDCi 2.2 TDCi 2.5 V6 2.5 V6 24V 3.0 V6 24V ST220	81 - 92 96 107 66 85 96 110 - 114 125 125 150 166	10/00→03/07 06/03→03/07 10/00→03/07 10/00→03/07 10/00→03/07 10/01→03/07 09/04→03/07 10/00→03/07 10/00→03/07 09/04→03/07 04/02→03/07	←		2	24.5140-0445.3 331843	L= 475
2.0 DI	92	10/00→03/07	←	10/01→	2	24.5140-0445.3 331843	L= 475
FORD - MONDEO III Turnier (BWY) 10/00→03/07							
 Brake Hose							
1.8 16V 1.8 SCi 2.0 16V 2.0 16V DI / TDDi / TDCi 2.0 16V TDDi / TDCi 2.0 TDCi 2.2 TDCi 2.5 V6 24V 3.0 V6 24V ST220	81 - 92 96 107 66 85 96 110 - 114 125 150 166	10/00→03/07 06/03→03/07 10/00→03/07 10/00→03/07 10/00→03/07 10/01→03/07 09/04→03/07 10/00→03/07 09/04→03/07 04/02→03/07	←		2	24.5140-0445.3 331843	L= 475

	kW			 	! #		
HYUNDAI - IONIQ 5 (NE) 07/20→							
 Brake Pad Set, disc brake							
EV	125 - 168	05/21→	➡			13.0480-5573.2 EP5573	+ WK + Zub
EV All-wheel Drive	173 - 239	05/21→					
N All-wheel Drive	478	11/23→					
HYUNDAI - IONIQ 6 (CE) 10/22→							
 Brake Pad Set, disc brake							
EV	111 - 168	10/22→	➡			13.0480-5573.2 EP5573	+ WK + Zub
EV All-wheel Drive	239	10/22→					
EV	160	07/23→	➡	Rim Size [inch]: 17.0		13.0480-5573.2 EP5573	+ WK + Zub
HYUNDAI - KONA (SX2) 04/23→							
 Brake Disc							
1.0 T-GDi	88	04/23→	⬅	Rim Size [inch]: 17.0		24.0130-0280.1 430280	Ø 325 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28 Vented
1.0 T-GDi Hybrid 48V	88	04/23→					
1.6 GDi Hybrid	95	04/24→					
1.6 T-GDi	102 - 146	04/23→					
1.6 T-GDi 4WD	125 - 146	04/23→					
1.6 T-GDi Hybrid	104	04/23→					
HYUNDAI - SANTA FE IV (TM, TMA) 02/18→							
 Brake Disc							
1.6 T-GDi Hybrid	169	08/20→	⬅	Brake Size: 17"		24.0130-0280.1 430280	Ø 325 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28 Vented
1.6 T-GDi Hybrid	169	08/20→					
HTRAC							
1.6 T-GDi Plug-in-Hybrid	195	03/21→	➡			24.0120-0273.1 420273	Ø 325 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18 Vented
HTRAC							
2.2 CRDi	142 - 148	11/20→					
2.2 CRDi HTRAC	142 - 148	11/20→					
HYUNDAI - SANTA FE V (MX5) 01/24→							
 Brake Disc							
1.6 T-GDi Hybrid	158	06/24→	⬅	Brake Size: 17"		24.0130-0280.1 430280	Ø 325 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28 Vented
1.6 T-GDi Hybrid	158	06/24→					
HTRAC							
1.6 T-GDi PHEV HTRAC	186	06/24→	➡			24.0120-0273.1 420273	Ø 325 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18 Vented
JAGUAR - X-TYPE I (X400) 03/01→11/09							
 Brake Hose							
2.0 D	96	07/03→11/09	⬅		2	24.5140-0445.3 331843	L= 475
2.2 D	107 - 114	10/05→11/09					
2.5 V6 All-wheel Drive	144	06/01→11/09					
2.1 V6	115	03/02→11/09	⬅	→ 10/05	2	24.5140-0445.3 331843	L= 475
3.0 V6 All-wheel Drive	169	06/01→12/08	⬅	→ 11/07	2	24.5140-0445.3 331843	L= 475
JAGUAR - X-TYPE I Estate (X400) 09/03→12/09							
 Brake Hose							
2.0 D	96	02/04→12/09	⬅		2	24.5140-0445.3 331843	L= 475
2.1 V6	115	11/03→03/09					
2.2 D	107 - 114	10/05→12/09					
2.5	144	02/04→12/09					
3.0	169	02/04→12/09					
KIA - EV6 (CV) 07/21→							
 Brake Pad Set, disc brake							
58	125	07/21→	➡			13.0480-5573.2 EP5573	+ WK + Zub
58 AWD	173	07/21→					
77	168	07/21→					
77 GT AWD	430	07/21→					
84 GT AWD	478	06/24→					
ELECTRIC AWD	239	07/21→					

	kW			 	! #		
KIA - EV9 (MV) 06/23→							
 Brake Pad Set, disc brake							
100 100 GT-Line AWD	150 283	06/23→ 06/23→	➡			13.0480-5573.2 EP5573	+ WK + Zub
KIA - SORENTO IV (MQ4, MQ4A) 03/20→							
 Brake Disc							
1.6 T-GDi Hybrid	158 - 169	06/20→	⬅	Brake Size: 17"		24.0130-0280.1 430280	Ø 325 Brake Disc Thickness [mm] 30 Minimum thickness [mm] 28 Vented
1.6 T-GDi Hybrid AWD	158 - 169	06/20→					
1.6 T-GDi Plug-in Hybrid AWD	185 - 195	11/20→	➡			24.0120-0273.1 420273	Ø 325 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18 Vented
2.2 CRDi	142 - 148	03/20→					
2.2 CRDi 4WD	148	03/20→					
2.2 CRDi AWD	142	01/22→					
2.5 MPI	132	04/21→					
2.5 MPI AWD	132	04/21→					
LAND ROVER - DEFENDER Cabrio (L316) 08/90→02/16							
 Brake Caliper							
2.2 Td4 4x4	90	08/11→02/16	➡			24.2461-1701.5 241749	AP
2.4 Td4 4x4	90	05/07→02/16	➡			24.2461-1702.5 241750	AP
LAND ROVER - DEFENDER Pick Up (L316) 01/94→10/17							
 Brake Caliper							
2.2 Td4 4x4	90	08/11→02/16	➡			24.2461-1701.5 241749	AP
2.4 Td4 4x4	90	05/07→02/16	➡			24.2461-1702.5 241750	AP
LAND ROVER - DEFENDER Platform/Chassis (L316) 09/90→02/16							
 Brake Caliper							
2.2 Td4 4x4	90	08/11→02/16	➡			24.2461-1701.5 241749	AP
2.4 TD4 4x4	90	05/07→02/16	➡			24.2461-1702.5 241750	AP
LAND ROVER - DEFENDER Station Wagon (L316, L315) 05/90→10/17							
 Brake Caliper							
2.2 Td4 4x4	90 - 110	08/11→02/16	➡			24.2461-1701.5 241749	AP
2.4 Td4 4x4	103	07/07→02/16	➡			24.2461-1702.5 241750	AP
2.4 Td4 4x4	90	10/06→02/16	➡	05/07→; 		24.2461-1701.5 241749	AP
			➡	05/07→; 		24.2461-1702.5 241750	AP
MERCEDES-BENZ - C-CLASS Coupe (C204) 01/11→							
 Brake Hose							
C 180 C 200 CGI C 220 CDI	115 135 120 - 125	06/11→ 06/11→ 06/11→	⬅		2	24.5140-0385.3 331857	L= 410
C 250 C 250 CDI C 350	150 150 225	06/11→ 06/11→ 06/11→					
MERCEDES-BENZ - C-CLASS Coupe (CL203) 03/01→06/11							
 Brake Hose							
C 160 Kompressor	90	05/02→05/08	⬅	04/05→	2	24.5140-0385.3 331857	L= 410
C 180 C 180 Kompressor C 200 Kompressor C 220 C 220 CDI	95 105 120 120 100 - 110	03/01→05/02 05/02→05/08 03/01→05/08 05/02→05/08 03/01→05/08	⬅		2	24.5140-0385.3 331857	L= 410
C 230 Kompressor	141 - 145	03/01→05/08					
C 30 CDI AMG C 320	170 160	09/02→05/08 09/02→05/08					
C 200 CDI C 200 CGI Kompressor	90 125	03/03→05/08 03/03→05/08	⬅	07/03→	2	24.5140-0385.3 331857	L= 410
C 230 C 350	150 200	01/05→05/08 01/05→05/08	⬅	06/05→	2	24.5140-0385.3 331857	L= 410

	kW			 	! #		
MERCEDES-BENZ - C-CLASS Sedan (W202) 03/93→05/00							
 Brake Hose							
C 180	89 - 90	03/93→05/00	←	A344661 / F331441→	2	24.5140-0385.3 331857	L= 410
C 200	100	01/94→05/00					
C 200 D	55 - 65	03/93→05/00					
C 220 D	55 - 70	08/93→05/00					
C 280	142 - 145	05/93→05/00					
C 200 CDI	75	03/98→05/00	←		2	24.5140-0385.3 331857	L= 410
C 200 Kompressor	132 - 141	10/95→05/00					
C 220 CDI	92	09/97→05/00					
C 230 Kompressor	142	10/95→05/00					
C 240	125	06/97→05/00					
C 250 Turbo-D	110	10/95→05/00					
C 220	110	03/93→05/00	←	→ 08/96; A344661 / F331441→	2	24.5140-0385.3 331857	L= 410
C 230	110	06/96→06/97	←	07/96→	2	24.5140-0385.3 331857	L= 410
C 250 D	83	05/93→05/00	←	→ 08/95; A344661 / F331441→	2	24.5140-0385.3 331857	L= 410
C 36 AMG	206	05/94→05/00	←	→ 08/97; A344661 / F331441→	2	24.5140-0385.3 331857	L= 410
C 43 AMG	225	08/97→05/00	←	09/97→	2	24.5140-0385.3 331857	L= 410
MERCEDES-BENZ - C-CLASS Sedan (W203) 05/00→12/07							
 Brake Hose							
C 180	95	10/00→05/02	←		2	24.5140-0385.3 331857	L= 410
C 180 Kompressor	105	05/02→02/07					
C 200 CDI	75 - 90	09/00→02/07					
C 200 CGI Kompressor	125	07/03→02/07					
C 200 Kompressor	120	05/02→02/07					
C 220 CDI	100 - 105	05/00→02/07					
C 230 Kompressor	141	02/04→02/07					
C 240	125	05/00→02/07					
C 270 CDI	120 - 125	12/00→02/07					
C 30 CDI AMG	170	01/03→02/07					
C 320	160	05/00→02/07					
C 55 AMG	270	02/04→02/07					
C 200 Kompressor	120	05/00→06/02	←	→ 05/02	2	24.5140-0385.3 331857	L= 410
C 220 CDI	110	04/03→02/07	←	02/04→	2	24.5140-0385.3 331857	L= 410
C 230	150	01/05→02/07	←	06/05→	2	24.5140-0385.3 331857	L= 410
C 280	170	01/05→02/07					
C 350	200	01/05→02/07					
C 320 CDI	165	01/05→02/07	←	02/05→	2	24.5140-0385.3 331857	L= 410
C 32 AMG Kompressor	260	02/01→02/07	←	03/01→	2	24.5140-0385.3 331857	L= 410
MERCEDES-BENZ - C-CLASS Sedan (W204) 01/07→01/15							
 Brake Hose							
C 180 CDI	88	04/10→03/14	←		2	24.5140-0385.3 331857	L= 410
C 180 Kompressor	115	01/08→01/14					
C 200	137	05/11→01/14					
C 200 CDI	100	11/09→03/14					
C 220 CDI	120 - 125	10/08→01/14					
C 250 CGI	150	07/09→01/14					
C 300	170 - 185	07/09→01/14					
C 350	225	01/11→01/14					
C 350 CDI	165 - 195	07/09→01/14					
C 350 CGI	215	09/08→01/14					
C 180 CGI	115	01/07→01/14	←	04/09→	2	24.5140-0385.3 331857	L= 410
C 200 CGI	135	01/07→01/14					
C 180 Kompressor	115	01/07→01/09	←	03/07→	2	24.5140-0385.3 331857	L= 410
C 200 CDI	100	01/07→12/09					
C 200 Kompressor	135	01/07→01/14					
C 220 CDI	120 - 125	01/07→11/08					
C 230	150	01/07→01/14					
C 280	170	01/07→01/14					
C 320 CDI	165	01/07→01/14					
C 350	200	01/07→01/14					
C 250 CDI	150	08/08→01/14	←	10/08→	2	24.5140-0385.3 331857	L= 410

	kW			 	! #		
MERCEDES-BENZ - C-CLASS T-Model (S202) 06/96→03/01							
 Brake Hose							
C 180 T	90 - 95	06/96→03/01	←		2	24.5140-0385.3 331857	L= 410
C 200 T	100	06/96→03/01					
C 200 T CDI	75	03/98→03/01					
C 200 T D	65	10/96→03/01					
C 200 T Kompressor	120 - 141	11/96→03/01					
C 220 T CDI	92	09/97→03/01					
C 220 T D	55 - 70	06/96→03/01					
C 230 T Kompressor	142	06/97→09/00					
C 240 T	125	06/97→03/01					
C 250 T Turbo-D	110	06/96→03/01					
C 280 T	145	06/97→03/01					
C 230 T	110	06/96→06/98	← → 06/97		2	24.5140-0385.3 331857	L= 410
C 43 AMG	225	08/97→03/01	← 09/97→		2	24.5140-0385.3 331857	L= 410
MERCEDES-BENZ - C-CLASS T-Model (S203) 03/01→08/07							
 Brake Hose							
C 180	95	03/01→05/02	←		2	24.5140-0385.3 331857	L= 410
C 180 Kompressor	105	05/02→08/07					
C 200 CDI	75 - 90	03/01→08/07					
C 200 CGI Kompressor	125	07/03→08/07					
C 200 Kompressor	120	05/02→08/07					
C 220 CDI	100 - 110	03/01→08/07					
C 230 Kompressor	141	02/04→08/07					
C 240	125	03/01→08/07					
C 270 CDI	120 - 125	03/01→08/07					
C 30 CDI AMG	170	01/03→08/07					
C 320	160	03/01→08/07					
C 320 CDI	165	06/05→08/07					
C 32 AMG Kompressor	260	03/01→08/07					
C 55 AMG	270	02/04→08/07					
C 200 Kompressor	120	03/01→05/02	← → 04/02		2	24.5140-0385.3 331857	L= 410
C 230	150	01/05→08/07	← 06/05→		2	24.5140-0385.3 331857	L= 410
C 280	170	01/05→08/07					
C 350	200	01/05→08/07					
MERCEDES-BENZ - C-CLASS T-Model (S204) 08/07→08/14							
 Brake Hose							
C 180	115	02/12→08/14	←		2	24.5140-0385.3 331857	L= 410
C 180 CDI	88	04/10→08/14					
C 180 CGI	115	11/09→08/14					
C 180 Kompressor	115	01/08→08/14					
C 200 CDI	100	08/10→08/14					
C 220 CDI	120 - 125	12/08→08/14					
C 250	150	02/08→12/12					
C 250 CDI	150	01/09→08/14					
C 250 CGI	150	07/09→08/14					
C 300	170	08/07→08/14					
C 350 CDI	165 - 195	08/07→08/14					
C 350 CGI	225	06/11→08/14					
C 180 Kompressor	115	08/07→08/14	← 09/07→		2	24.5140-0385.3 331857	L= 410
C 200 CDI	100	08/07→12/09					
C 200 Kompressor	135	08/07→08/14					
C 220 CDI	125	08/07→11/08					
C 230	150	08/07→08/14					
C 280	170	08/07→08/14					
C 320 CDI	165	08/07→08/14					
C 350	200	08/07→08/14					
C 200 CGI	135	08/07→08/14	← 04/09→		2	24.5140-0385.3 331857	L= 410
C 220 CDI	120	08/07→11/08	← 09/07→		2	24.5140-0385.3 331857	L= 410
			←		2	24.5140-0385.3 331857	L= 410
MERCEDES-BENZ - CLC-CLASS (CL203) 05/08→06/11							
 Brake Hose							
CLC 160	95	02/09→06/11	← → 10/10		2	24.5140-0385.3 331857	L= 410
CLC 180 Kompressor	105	05/08→06/11					
CLC 200 CDI	90	05/08→06/11					
CLC 200 Kompressor	135	05/08→06/11					
→							

	kW			 	! #		
MERCEDES-BENZ - CLC-CLASS (CL203) 05/08→06/11							
 Brake Hose							
CLC 220 CDI	100 - 110	05/08→06/11	←	→ 10/10	2	24.5140-0385.3 331857	L= 410
CLC 350	200	05/08→06/11					
CLC 230	150	05/08→06/11	←		2	24.5140-0385.3 331857	L= 410
CLC 250	150	06/09→06/11					
MERCEDES-BENZ - CLK (C208) 06/97→12/03							
 Brake Hose							
CLK 200	100	06/97→06/02	←		2	24.5140-0385.3 331857	L= 410
CLK 200 Kompressor	120 - 141	06/97→06/02					
CLK 230 Kompressor	142 - 145	06/97→06/02					
CLK 320	160	06/97→06/02					
CLK 430	205	07/98→06/02					
CLK 55 AMG	255	08/99→06/02					
MERCEDES-BENZ - CLK (C209) 05/02→12/13							
 Brake Hose							
CLK 200 CGI	125	07/03→05/09	←	→ 04/09	2	24.5140-0385.3 331857	L= 410
CLK 200 Kompressor	120 - 135	09/02→05/09					
CLK 240	120 - 125	06/02→05/09					
CLK 270 CDI	125	10/02→05/09					
CLK 320	160	06/02→05/09					
CLK 500	225 - 285	06/02→05/09					
CLK 55 AMG	270	09/02→05/09					
CLK 63 AMG	354 - 373	04/06→05/09					
CLK 220 CDI	100 - 110	01/05→05/09	←	05/05→ 04/09	2	24.5140-0385.3 331857	L= 410
CLK 280	170	01/05→05/09					
CLK 320 CDI	165	01/05→05/09					
CLK 350	200	01/05→05/09					
CLK 270 CDI	120	02/03→06/05	←		2	24.5140-0385.3 331857	L= 410
MERCEDES-BENZ - CLK Convertible (A208) 03/98→03/02							
 Brake Hose							
CLK 200	100	03/98→03/02	←	06/98→	2	24.5140-0385.3 331857	L= 410
CLK 200 Kompressor	141	03/98→06/00					
CLK 230 Kompressor	142	03/98→06/00					
CLK 320	160	03/98→03/02					
CLK 200 Kompressor	120	06/00→03/02	←		2	24.5140-0385.3 331857	L= 410
CLK 230 Kompressor	145	06/00→03/02					
CLK 55 AMG	255	01/00→03/02					
CLK 430	205	09/98→03/02	←	06/99→	2	24.5140-0385.3 331857	L= 410
MERCEDES-BENZ - CLK Convertible (A209) 06/02→12/13							
 Brake Hose							
CLK 200 CGI	125	07/03→03/10	←	→ 12/09	2	24.5140-0385.3 331857	L= 410
CLK 200 Kompressor	135	10/06→03/10					
CLK 500	285	06/06→03/10					
CLK 63 AMG	354	04/06→03/10					
CLK 200 Kompressor	120	02/03→03/10	←	05/03→ 12/09	2	24.5140-0385.3 331857	L= 410
CLK 240	125	02/03→03/10					
CLK 320	160	02/03→03/10					
CLK 500	225	02/03→03/10					
CLK 55 AMG	270	06/02→03/10					
CLK 280	170	01/05→03/10	←	05/05→ 12/09	2	24.5140-0385.3 331857	L= 410
CLK 320 CDI	165	03/05→03/10					
CLK 350	200	01/05→03/10					
CLK 63 AMG	354	09/06→12/09	←		2	24.5140-0385.3 331857	L= 410
MERCEDES-BENZ - E-CLASS Convertible (A207) 01/10→12/16							
 Brake Hose							
E 200	135	03/13→12/16	←		2	24.5140-0385.3 331857	L= 410
E 220 BlueTEC	130	05/14→12/16					
E 250	155	06/13→12/16					
E 300	185	04/11→12/16					
E 320	200	07/14→12/16					
E 350	200 - 225	03/10→12/14					
E 350 BlueTEC/ d	190	05/14→12/16					
→							

	kW			 	! #		
MERCEDES-BENZ - E-CLASS Convertible (A207) 01/10→12/16							
 Brake Hose							
E 350 BlueTEC	185	06/13→12/16	←		2	24.5140-0385.3	331857 L= 410
E 350 CDI	195	04/11→12/13					
E 350 CGI	215	01/10→12/14					
E 400	245	06/13→12/16					
E 500	300	09/11→12/16					
E 200 CGI	135	01/10→12/16	←	03/10→	2	24.5140-0385.3	331857 L= 410
E 220 CDI / BlueTEC / d	125	01/10→12/16					
E 220 CDI	120	02/10→12/16					
E 250 CDI / BlueTEC / d	150	01/10→12/16					
E 250 CGI	150	01/10→12/16					
E 350 CDI	170	01/10→12/11					
E 500	285	01/10→12/11					
MERCEDES-BENZ - E-CLASS Coupe (C207) 01/09→12/16							
 Brake Hose							
E 200	135	06/13→12/16	←		2	24.5140-0385.3	331857 L= 410
E 200 CGI	135	01/10→12/16					
E 220 BlueTEC	130	05/14→12/16					
E 220 CDI / d	125	01/10→12/16					
E 220 CDI	120	02/10→12/14					
E 250	155	06/13→12/16					
E 300	185	04/11→06/16					
E 320	200	07/14→12/16					
E 350	200 - 225	01/10→12/14					
E 350 BlueTEC / d	190	05/14→12/16					
E 350 BlueTEC	185	06/13→12/16					
E 350 CDI	195	06/11→06/13					
E 400	245	06/13→12/16					
E 500	300	09/11→12/16					
E 250 CDI / BlueTEC / d	150	01/09→12/16	←	05/09→	2	24.5140-0385.3	331857 L= 410
E 250 CGI	150	01/09→12/16					
E 350 CDI	170	01/09→06/11					
E 350 CGI	215	01/09→12/11					
E 500	285	01/09→12/16					
MERCEDES-BENZ - E-CLASS Sedan (W210) 06/95→08/03							
 Brake Hose							
E 200	100	06/95→08/00	←		2	24.5140-0385.3	331857 L= 410
E 200 CDI	85	07/99→03/02					
E 200 Kompressor	120	08/00→03/02					
E 220 CDI	100 - 105	07/99→03/02					
E 230	110	06/95→06/97					
E 240	125	08/00→03/02					
E 270 CDI	120 - 125	07/99→03/02					
E 280	142 - 150	01/96→03/02					
E 290 Turbo-D	95	03/96→07/99					
E 300 D	100	06/95→06/97					
E 300 Turbo-D	130	12/96→07/99					
E 320	162 - 165	06/95→03/02					
E 320 CDI	145	07/99→03/02					
E 420	205	01/96→06/97					
E 50 AMG	255	02/96→08/97					
E 200 CDI	75	06/98→03/02	←	07/98→	2	24.5140-0385.3	331857 L= 410
E 220 CDI	92	06/98→07/99					
E 200 D	65	01/96→03/02	←	10/96→; PT	2	24.5140-0385.3	331857 L= 410
E 200 Kompressor	137	06/97→03/02	←	09/97→	2	24.5140-0385.3	331857 L= 410
E 240	125	06/97→08/00					
E 250 Turbo-D	110	06/97→07/99					
E 430	205	06/97→03/02					
E 55 AMG	260	08/97→03/02					
E 220 D	55 - 70	06/95→03/02	←	→ 06/98	2	24.5140-0385.3	331857 L= 410
E 250 D	83	06/95→07/99	←	IT	2	24.5140-0385.3	331857 L= 410
			←	for right-hand drive vehicles	2	24.5140-0385.3	331857 L= 410
MERCEDES-BENZ - E-CLASS T-Model (S210) 06/96→03/03							
 Brake Hose							
E 200 T	100	06/96→08/00	←		2	24.5140-0385.3	331857 L= 410
E 200 T Kompressor	120	08/00→03/03					
E 220 T CDI	100 - 105	05/99→03/03					
E 230 T	110	06/96→06/97					
E 240 T	125	08/00→03/03					
→							

	kW			 	! #		
MERCEDES-BENZ - E-CLASS T-Model (S210) 06/96→03/03							
 Brake Hose							
E 270 T CDI	120 - 125	07/99→03/03	←		2	24.5140-0385.3 331857	L= 410
E 290 T Turbo-D	95	06/96→07/99					
E 300 T Turbo-D	130	12/96→07/99					
E 320 T	165	12/96→03/03					
E 320 T CDI	145	07/99→03/03					
E 420 T	205	06/96→06/97					
E 200 T Kompressor	137	06/97→03/03	←	09/97→	2	24.5140-0385.3 331857	L= 410
E 240 T	125	06/97→03/03					
E 250 T Turbo-D	110	06/97→07/99					
E 430 T	205	06/97→03/03					
E 55 T AMG	260	08/97→03/03					
E 220 T CDI	92	06/98→07/99	←	07/98→	2	24.5140-0385.3 331857	L= 410
E 250 T D	83	06/96→07/99	←	Wheelbase [mm]: 3570	2	24.5140-0385.3 331857	L= 410
			←	Wheelbase [mm]: 2833; IT	2	24.5140-0385.3 331857	L= 410
			←	for right-hand drive vehicles; Wheelbase [mm]: 2833	2	24.5140-0385.3 331857	L= 410
E 280 T	150	12/96→03/03	←	Wheelbase [mm]: 3570	2	24.5140-0385.3 331857	L= 410
MERCEDES-BENZ - SLC (R172) 01/16→							
 Brake Hose							
180	115	01/16→	←		2	24.5140-0385.3 331857	L= 410
200	135	01/16→					
250 d	150	01/16→10/17					
300	180	01/16→					
AMG SLC 43	270 - 287	01/16→					
MERCEDES-BENZ - SLK (R170) 04/96→04/04							
 Brake Hose							
200	100	09/96→03/00	←		2	24.5140-0385.3 331857	L= 410
200 Kompressor	141	10/96→03/00					
230 Kompressor	142	09/96→03/00					
200 Kompressor	120	03/00→04/04	←	→ 03/04	2	24.5140-0385.3 331857	L= 410
230 Kompressor	145	03/00→04/04					
32 AMG Kompressor	260	03/01→04/04					
320	160	03/00→04/04	←	04/00→ 03/04	2	24.5140-0385.3 331857	L= 410
MERCEDES-BENZ - SLK (R171) 03/04→12/15							
 Brake Hose							
200 Kompressor	120 - 135	03/04→02/11	←	→ 01/11	2	24.5140-0385.3 331857	L= 410
300	170	04/09→02/11					
350	200 - 224	06/04→02/11					
55 AMG	265 - 294	06/04→02/11					
MERCEDES-BENZ - SLK (R172) 01/11→							
 Brake Hose							
200	135	02/11→	←		2	24.5140-0385.3 331857	L= 410
250	150	02/11→					
250 CDI / d	150	01/12→					
300	180	07/15→					
350	225	02/11→					
55 AMG	310	01/12→					
MINI - MINI (R56) 11/05→01/14							
 Brake Disc							
Cooper S John Cooper Works	141	11/06→02/10	←	03/08→		24.0322-0317.1 522317	Ø 316 Brake Disc Thickness [mm] 22 Minimum thickness [mm] 20.4 Vented
John Cooper Works	155	11/07→11/13					
John Cooper Works GP	160	09/12→11/13	←			24.0322-0317.1 522317	Ø 316 Brake Disc Thickness [mm] 22 Minimum thickness [mm] 20.4 Vented
MINI - MINI CLUBMAN Wagon (R55) 10/06→12/15							
 Brake Disc							
Cooper S John Cooper Works	141	10/08→02/10	←			24.0322-0317.1 522317	Ø 316 Brake Disc Thickness [mm] 22 Minimum thickness [mm] 20.4 Vented
→							

	kW			 	! #		
MINI - MINI CLUBMAN Wagon (R55) 10/06→12/15							
 Brake Disc							
John Cooper Works	155	11/07→06/14	←	03/08→		24.0322-0317.1 522317	Ø 316 Brake Disc Thickness [mm] 22 Minimum thickness [mm] 20.4 Vented
MINI - MINI Convertible (R57) 10/07→12/15							
 Brake Disc							
John Cooper Works	155	08/08→05/15	←	03/09→ 06/14		24.0322-0317.1 522317	Ø 316 Brake Disc Thickness [mm] 22 Minimum thickness [mm] 20.4 Vented
MINI - MINI Coupe (R58) 12/10→05/15							
 Brake Disc							
John Cooper Works	155	12/10→05/15	←	10/11→		24.0322-0317.1 522317	Ø 316 Brake Disc Thickness [mm] 22 Minimum thickness [mm] 20.4 Vented
MINI - MINI Roadster (R59) 01/11→04/15							
 Brake Disc							
John Cooper Works	155	11/11→04/15	←	02/12→		24.0322-0317.1 522317	Ø 316 Brake Disc Thickness [mm] 22 Minimum thickness [mm] 20.4 Vented
NISSAN - KUBISTAR Van (X76) 08/03→							
 Brake Disc							
1.2 1.5 dCi	44 42 - 60	08/03→ 08/03→	←	→ 08/05; + ABS		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.2 16V	55	04/06→	←	→ 10/09; + ABS		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.4 1.5 dCi 70 1.6 16V dCi 85	55 50 70 62	08/03→10/09 09/05→10/09 08/03→10/09 04/06→10/09	←	+ ABS		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.5 dCi	45	08/05→10/09	←	09/05→; + ABS		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
POLESTAR - POLESTAR 2 (534) 02/19→							
 Brake Pad Set, disc brake							
EV	165 - 300	04/19→	→	Brake Size: 18"; → 24098		13.0480-7363.2 EP7363	ATE + WE / - WK + Zub
			→	Brake Size: 17"		13.0480-7363.2 EP7363	ATE + WE / - WK + Zub
EV	200 - 350	01/23→	→			13.0480-7363.2 EP7363	ATE + WE / - WK + Zub
RENAULT - 19 I (B/C53_) 01/88→09/94							
 Brake Disc							
1.8 16V	99	06/89→04/92	←			24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
RENAULT - 19 I Cabriolet (D53_) 07/91→04/92							
 Brake Disc							
1.8 16V	101	07/91→04/92	←			24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
RENAULT - 19 I Chamade (L53_) 01/88→12/92							
 Brake Disc							
1.7	79	08/88→12/92	←	09/90→		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.8 16V	99 - 101	06/89→04/92	←			24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S

	kW			 	! #		
RENAULT - 19 II (B/C53_) 01/91→06/01							
 Brake Disc							
1.4 1.7	59 54 - 66	01/92→12/95 04/92→12/95	←	01/95→; Automatic Transmission; + ABS	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.8	66	04/92→12/95	←	01/95→; + ABS	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
			←	09/94→	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.8	79	05/94→12/95	←		24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
			←	01/95→; + ABS	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.8 1.8 16V	81 99	04/92→05/94 04/92→12/95	←		24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.8 1.9 dT	65 66	04/92→12/95 04/92→12/95	←	01/95→; + ABS	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
RENAULT - 19 II Cabriolet (D53_, 853_) 04/92→06/01							
 Brake Disc							
1.8 1.8 16V	86 99	01/95→06/01 04/92→06/96	←	→ 03/95	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.8	66	09/93→06/96	←	+ ABS	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.8	79	07/94→06/96	←	09/94→	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.8 16V	101	05/92→04/94	←		24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
RENAULT - 19 II Chamade (L53_) 04/92→08/03							
 Brake Disc							
1.4 1.7	43 - 55	04/92→12/95	←	01/95→; Automatic Transmission; + ABS	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.8	66	04/92→12/95	←				
1.8 1.8 16V	79 99	05/92→12/95 04/92→12/95	←		24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.8	66	04/92→12/95	←	01/95→; + ABS	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
			←	09/94→	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.8	81	04/92→05/94	←	05/92→	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.9 D 1.9 dT	47 66	04/92→12/97 04/92→12/95	←	01/95→; + ABS	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
RENAULT - 19 II Hatchback Van (S53_) 03/92→12/95							
 Brake Disc							
1.9 dT	68	03/92→12/95	←	01/95→; + ABS	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
RENAULT - CLIO I (B/C57_, 5/357_) 05/90→08/99							
 Brake Disc							
1.8 16V	99	01/91→03/96	←	08/91→ 06/94	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
→							

	kW			 	! #		
RENAULT - CLIO I (B/C57_, 5/357_) 05/90→08/99							
 Brake Disc							
Williams	108	01/94→09/98	←		24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
RENAULT - CLIO II (BB_, CB_) 03/98→12/16							
 Brake Disc							
1.0 1.5 dCi	40 42 - 74	02/00→05/01 06/01→12/12	←		24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.6 1.6 16V 1.6 Flex	81 79 81	06/99→02/09 09/98→04/05 05/00→12/06					
1.2	43	09/98→02/10	←	06/01→	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.2 16V	55	06/01→08/16	←	+ ABS; → 12/12	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.2 LPG	43	09/98→06/09	←	+ ABS	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
			←	06/01→	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.4	55	09/98→05/05	←	+ ABS; Automatic Transmission	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.4 16V	70	10/99→09/04	←	→ 07/00; + ABS	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.4 16V 1.6	72 66	02/00→07/08 09/98→05/05	←	+ ABS	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.9 D	47 - 48	09/98→05/05	←	+ ABS; for vehicles with air conditioning	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.9 dTi	59	12/99→05/05	←	02/00→	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
RENAULT - CLIO II Hatchback Van (SB0/1/2_) 09/98→							
 Brake Disc							
1.5 dCi	48 - 60	06/01→	←	→ 12/12	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.5 dCi 1.9 DTi	47 - 59 59	06/01→12/10 02/00→05/01	←		24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.6	79	11/03→	←	→ 04/05	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.9 D	48	02/00→05/01	←	+ ABS	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
RENAULT - KANGOO (KC0/1_) 08/97→							
 Brake Disc							
1.0 1.0 RN 1.6 1.6 16V bivalent	50 43 66 60	01/02→01/07 01/02→01/07 09/99→06/01 06/05→	←		24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.2 D 55 1.9	43 40	08/97→ 08/97→	←	03/98→ 12/07; + ABS	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.2 16V	55	06/01→	←	→ 12/07; + ABS; for vehicles with heavy duty suspension	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.4	55	08/97→	←	03/98→ 12/07; + ABS; for vehicles with heavy duty suspension	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.5 dCi 1.6 16V	42 - 62 70	12/01→ 06/01→03/18	←	→ 12/07	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
→							

	kW			 	! #		
RENAULT - KANGOO (KC0/1_) 08/97→							
 Brake Disc							
1.5 dCi 1.9 dTi	45 59	04/05→06/10 02/00→	←	→ 12/07; + ABS		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.9 RXED	48	09/99→06/01	←	+ ABS		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
D 65 1.9	47	08/97→06/01	←	03/98→; + ABS		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
RENAULT - KANGOO Express (FC0/1_) 08/97→							
 Brake Disc							
1.0 1.2 1.6	43 44 66	01/02→01/07 07/98→07/01 09/99→06/01	←			24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.0	50	01/02→01/07	←	07/03→		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.2 D 55 1.9 D 65 1.9	43 40 47	08/97→ 08/97→ 08/97→	←	03/98→ 12/07; + ABS		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.2 16V 1.5 dCi 1.6 16V 1.6 16V bivalent 1.9 dCi 1.9 dCi 4x4	55 45 - 60 70 60 62 59 - 62	10/01→ 12/01→ 10/01→03/18 06/05→ 07/03→ 10/01→	←	→ 12/07		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.2 BiFuel 1.9 D	43 48	07/98→07/01 09/99→06/03	←	+ ABS		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.4	55	08/97→06/08	←	03/98→ 12/07; + ABS; for vehicles with heavy duty suspension		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.5 dCi 1.9 dTi	42 - 62 59	12/02→ 02/00→	←	→ 12/07; + ABS		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
RENAULT - LOGAN I (LS_) 09/04→							
 Brake Disc							
1.5 dCi 1.6	48 - 63 77	04/06→ 04/07→10/13	←	→ 04/13		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
RENAULT - LOGAN I Estate (KS_) 04/07→							
 Brake Disc							
1.5 dCi 1.6	50 - 66 77	04/07→ 04/07→	←	→ 04/13		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
RENAULT - MEGANE I (BA0/1_) 08/95→12/04							
 Brake Disc							
1.4 16V 1.9 dT 1.9 TDI 2.0 i	70 66 69 80 - 84	03/99→08/03 01/96→08/03 09/96→08/03 01/96→08/03	←	→ 12/02		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.4 e	55	01/96→08/03	←	06/98→ 12/02		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
			←	10/98→ 12/02		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.6 e 1.6 i 1.6 LPG	66 55 66	01/96→03/99 01/96→03/99 08/95→03/99	←	10/98→		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.9 D	69	04/96→02/01	←	09/96→		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.9 D Eco	47	01/96→08/03	←	06/98→ 12/02		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
→							

	kW			 	! #		
RENAULT - MEGANE I (BA0/1_) 08/95→12/04							
 Brake Disc							
1.9 D Eco	47	01/96→08/03	←	10/98→ 12/02	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
			←	→ 12/02	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.9 dT 2.0	76 85	08/98→10/99 05/98→05/01	←		24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.9 dTi	72	03/97→02/01	←		24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
			←	→ 02/99	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
RENAULT - MEGANE I Cabriolet (EA0/1_) 10/96→08/03							
 Brake Disc							
1.4 16V	70	03/99→08/03	←		24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
			←	10/00→	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.6 e	66	10/96→03/99	←	11/97→	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
2.0 2.0 i	84 80	04/97→08/03 03/99→08/03	←		24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
RENAULT - MEGANE I Classic (LA0/1_) 09/96→08/08							
 Brake Disc							
1.4	55	09/96→08/03	←	10/98→ 12/02	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
			←	04/98→ 12/02	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.4 16V 1.9 dT 1.9 TDI	70 66 69	03/99→08/03 09/96→08/03 09/96→08/03	←	→ 12/02	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.6 1.6 16V 1.9 dT 2.0 RT	64 81 76 112	02/00→09/00 09/99→12/01 08/98→10/99 10/96→02/99	←		24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.6 16V	79	03/99→07/03	←	09/99→ 12/02	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.6 e	66	09/96→03/99	←	11/97→	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.6 i	55	09/96→03/99	←	10/98→	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.9 D	47	09/96→08/03	←	10/98→ 12/02	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
			←	09/98→ 12/02	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.9 dTi 2.0	72 85	03/97→02/01 05/98→05/01	←		24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
			←	→ 02/99	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
2.0 i	84	09/96→08/03	←	→ 12/02	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
			←	→ 02/99	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S

	kW			 	! #		
RENAULT - MEGANE I Coach (DA0/1_) 03/96→08/03							
 Brake Disc							
1.4 16V	70	03/99→07/03	←	10/00→ 02/03		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
			←	→ 02/03		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.6 e	66	03/96→03/99	←	11/97→		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.9 dTi	72	03/97→02/01	←	05/97→ 02/99		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
2.0 i	80 - 84	03/96→08/03	←	→ 02/03		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
RENAULT - MEGANE I Grandtour (KA0/1_) 03/99→08/03							
 Brake Disc							
1.4 16V	70	03/99→08/03	←			24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.4 e	55	03/99→08/03					
1.6 e	66	03/99→08/03					
1.9 D	47	04/99→08/03					
RENAULT - MEGANE I Hatchback Van (SA0/1_) 08/95→07/03							
 Brake Disc							
1.9	47	08/95→09/00	←			24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
			←	06/98→		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
			←	10/98→		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
RENAULT - Megane I Kombi van (KA_) 02/00→07/03							
 Brake Disc							
1.4	70	04/01→07/03	←			24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.9 D	47	02/00→09/00					
RENAULT - MEGANE Scénic (JA0/1_) 10/96→12/01							
 Brake Disc							
1.4 i	55	01/97→09/99	←	→ 09/98		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.6 i	55	01/97→09/99					
1.6 e	66	10/96→10/99	←	11/96→ 09/98; Manual Transmission		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
RENAULT - SANDERO/STEPWAY I (BS_) 11/07→							
 Brake Disc							
1.4	55	02/09→07/13	←			24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
1.4 LPG	53	02/09→12/12					
1.6	62 - 82	12/07→					
1.6 Flex	82	08/08→06/14					
RENAULT - THALIA I (LB_) 02/98→02/09							
 Brake Disc							
1.6	82	01/04→12/08	←			24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
RENAULT - THALIA II (LU_) 09/08→06/14							
 Brake Disc							
1.4	72	01/09→12/11	←	Automatic Transmission		24.0121-0118.1 421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S
→							

	kW					! #		
RENAULT - THALIA II (LU_) 09/08→06/14								
Brake Disc								
1.6 16V	77 - 79	09/08→06/14	←		24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S	
RENAULT - TWINGO I (C06_) 03/93→10/12								
Brake Disc								
1.2	43	05/96→06/07	←	09/00→ 10/03	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S	
1.2 16V	44	08/04→06/07	←		24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S	
1.2 16V	55	01/01→06/07	←	→ 10/03; for vehicles without heavy duty suspension	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S	
1.2 LPG	43	09/00→06/07	←	→ 10/03	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S	
1.2 LPG	44	10/03→06/07	←	08/04→	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S	
RENAULT - TWINGO I Hatchback Van (S06_) 03/93→06/12								
Brake Disc								
1.2	55	01/01→06/12	←	→ 10/03; for vehicles without heavy duty suspension	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S	
1.2	43	05/96→08/04	←	09/00→; Manual Transmission	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S	
			←	09/00→; Automatic Transmission	24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S	
RENAULT - TWINGO II (CNO_) 03/07→09/14								
Brake Disc								
1.2 1.2 16V 1.2 TCe 100 1.2 Turbo 1.5 dCi 1.5 dCi 75 1.5 dCi 90	43 55 - 56 75 74 47 - 62 55 63	03/07→09/14 03/07→09/14 02/11→08/13 03/07→09/14 03/07→09/14 10/10→08/14 10/10→09/14	←		24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S	
RENAULT - TWINGO II Hatchback Van (CNO_) 09/10→09/14								
Brake Disc								
1.2 1.5 dCi	55 55	09/10→09/14 10/10→09/14	←		24.0121-0118.1	421118	Ø 258.5 Brake Disc Thickness [mm] 20.6 Minimum thickness [mm] 17.7 Vented + S	
SKODA - ELROQ (PYL) 11/24→								
Brake Pad Set, disc brake								
50 60 85 85x 4x4	125 150 210 220	11/24→ 11/24→ 11/24→ 11/24→	←	+PR 1LC	13.0480-5549.2	EP5549	CBI + WE / + WK + Zub	
SKODA - ENYAQ iV Coupe (5AC) 07/21→								
Brake Pad Set, disc brake								
60 80 80x 4x4 85 85x 4x4 RS 4x4	132 150 195 210 210 220 - 250	07/21→ 07/21→ 07/21→ 10/23→ 10/23→ 07/21→	←	+PR 1LC	13.0480-5549.2	EP5549	CBI + WE / + WK + Zub	

	kW			 	! #		
SKODA - ENYAQ IV SUV (5AZ) 10/20→							
 Brake Pad Set, disc brake							
50	109 - 125	10/20→	←	+PR 1LC		13.0480-5549.2 EP5549	CBI + WE / + WK + Zub
60	132	10/20→					
80	150	10/20→					
80x 4x4	195	10/21→					
85	210	10/23→					
85x 4x4	210	10/23→					
RS 4x4	220 - 250	07/23→					
TESLA - MODEL X 09/13→04/26							
 Brake Pad Set, disc brake							
100D AWD	386	08/17→04/26	→			13.0480-5546.2 EP5546	MAN + WK + Zub
60D AWD	386	06/16→04/26					
75D AWD	386	06/16→04/26					
90D AWD	386	09/15→04/26					
EV AWD	386 - 599	05/19→04/26					
P100D AWD	568	10/16→04/26					
P90D AWD	568	09/15→04/26					
 Brake Disc							
100D AWD	386	08/17→04/26	→			24.0428-0338.1 ED28338	365 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 26.1 Vented
60D AWD	386	06/16→04/26					
75D AWD	386	06/16→04/26					
90D AWD	386	09/15→04/26					
EV AWD	386 - 599	05/19→04/26					
P100D AWD	568	10/16→04/26					
P90D AWD	568	09/15→04/26					
TESLA - MODEL 3 01/17→							
 Brake Pad Set, disc brake							
EV	175 - 239	01/17→	←	for vehicles without sports brake system		13.0480-4714.2 EP4714	BRE + WK
EV AWD	258 - 324	06/18→	←	for vehicles with sports brake system		13.0480-4735.2 EP4735	BRE + WK
			→	for vehicles without sports brake system		13.0480-5547.2 EP5547	MAN + WK + Zub
EV AWD	153	03/22→	←			13.0480-4714.2 EP4714	BRE + WK
			→			13.0480-5547.2 EP5547	MAN + WK + Zub
EV AWD	288 - 331	09/23→	←			13.0480-4714.2 EP4714	BRE + WK
EV AWD	350 - 361	02/19→	←			13.0480-4714.2 EP4714	BRE + WK
			←	for vehicles with sports brake system		13.0480-4735.2 EP4735	BRE + WK
			→			13.0480-5547.2 EP5547	MAN + WK + Zub
EV AWD	366	12/20→	←			13.0480-4735.2 EP4735	BRE + WK
EV Performance AWD	393	02/22→					
EV Performance AWD	340 - 461	06/18→					
TESLA - MODEL S 09/12→04/26							
 Brake Pad Set, disc brake							
100D AWD	310 - 386	06/17→04/26	→			13.0480-5546.2 EP5546	MAN + WK + Zub
60	235 - 350	11/13→04/26					
60D AWD	245 - 386	10/14→04/26					
70	235 - 350	09/15→04/26					
70D AWD	245 - 386	04/15→04/26					
75	235 - 350	11/16→04/26					
75D AWD	245 - 386	06/16→04/26					
90	270 - 285	09/12→04/26					
90D AWD	310 - 386	09/15→04/26					
EV AWD	386 - 599	06/19→04/26					
P100D AWD	450 - 568	10/16→04/26					
P90D AWD	345 - 568	09/15→04/26					
→							

	kW			 	! #		
TESLA - MODEL S 09/12→04/26							
 Brake Disc							
100D AWD	310 - 386	06/17→04/26	➔	→ 01/21		24.0428-0338.1 ED283380	365 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 26.1 Vented
60	235 - 350	11/13→04/26					
60D AWD	245 - 386	10/14→04/26					
70	235 - 350	09/15→04/26					
70D AWD	386	09/15→04/26					
75	235 - 350	11/16→04/26					
75D AWD	245 - 386	06/16→04/26					
90	285	11/15→04/26					
90D AWD	310 - 386	09/15→04/26					
EV AWD	386 - 599	06/19→04/26					
P100D AWD	450 - 568	10/16→04/26					
P90D AWD	345 - 568	09/15→04/26					
60	225	11/13→09/14	➔			24.0428-0338.1 ED283380	365 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 26.1 Vented
60D AWD	276	10/14→04/15					
70D AWD	245	04/15→04/26					
85	270 - 285	09/12→02/16					
85D AWD	276 - 386	01/14→02/16					
90	270	09/12→02/16					
P85	310 - 350	05/13→12/14					
P85D AWD	515 - 568	10/14→02/16					
TESLA - MODEL Y 03/19→01/25							
 Brake Pad Set, disc brake							
EV	188 - 255	03/19→01/25	➔			13.0480-4714.2 EP4714	BRE + WK
EV All-wheel Drive	258 - 331	03/19→01/25	➔			13.0480-5547.2 EP5547	MAN + WK + Zub
EV Performance All-wheel Drive	461	06/24→01/25					
EV Rear-Wheel Drive Long Range	220	09/22→01/25					
Long Range All-wheel Drive	235	04/24→01/25					
Long Range Rear-Wheel Drive	378	04/24→01/25					
EV	255 - 258	01/24→01/25					
EV	220	07/21→01/25	➔			13.0480-4714.2 EP4714	BRE + WK
			➔	for vehicles with sports brake system		13.0480-4735.2 EP4735	BRE + WK
			➔			13.0480-5547.2 EP5547	MAN + WK + Zub
EV Performance All-wheel Drive	321	09/21→01/25	➔			13.0480-4735.2 EP4735	BRE + WK
Long Range All-wheel Drive	378	09/21→01/25					
EV Performance All-wheel Drive	340 - 393	03/19→01/25	➔			13.0480-4735.2 EP4735	BRE + WK
			➔			13.0480-5547.2 EP5547	MAN + WK + Zub
 Brake Disc							
EV	188 - 255	03/19→01/25	➔			24.0425-0243.1 ED252430	355 Brake Disc Thickness [mm] 25 Minimum thickness [mm] 23 Vented
EV All-wheel Drive	258 - 331	03/19→01/25					
EV Performance All-wheel Drive	461	06/24→01/25					
EV Rear-Wheel Drive Long Range	220	09/22→01/25					
Long Range All-wheel Drive	235	04/24→01/25					
Long Range Rear-Wheel Drive	378	04/24→01/25					
EV	255 - 258	01/24→01/25					
VOLVO - EX30 (416) 06/23→							
 Brake Pad Set, disc brake							
Electric Performance AWD	200 - 315	06/23→	➔	Equipment Code: CC04		13.0480-5576.2 EP5576	+ WK + Zub

	kW			 	! #		
VOLVO - EX30 (416) 06/23→							
 Brake Pad Set, disc brake							
Electric Performance AWD	200 315	06/23→ 06/23→	← →	Equipment Code: CC02		13.0480-5577.2 EP5577 13.0480-3706.2 EP3706	+ WK + Zub + WK + Zub
VW - ID.4 (E21) 05/20→							
 Brake Pad Set, disc brake							
GTX GTX 4motion Performance Pro PRO	220 250 150 128 195 -	05/21→ 10/23→ 05/20→ 11/21→ 07/22→	←	+PR 1LC / 1LN		13.0480-5549.2 EP5549	CBI + WE / + WK + Zub
PRO 4motion Pure Pure Performance	210 109 125	09/23→ 01/21→ 01/21→					
VW - ID.5 (E39) 07/21→							
 Brake Pad Set, disc brake							
GTX 4motion Pro Pro Performance Pure	220 - 250 128 - 210 150 125	08/21→ 07/21→ 08/21→ 06/24→	←	+PR 1LC / 1LN		13.0480-5549.2 EP5549	CBI + WE / + WK + Zub
VW - ID.7 (ED2) 06/23→							
 Brake Pad Set, disc brake							
GTX 4motion PRO PRO S	250 210 210	06/24→ 06/23→ 02/24→	←	+PR 1LB / 1LC		13.0480-5549.2 EP5549	CBI + WE / + WK + Zub
VW - ID.7 Tourer (ED5) 02/24→							
 Brake Pad Set, disc brake							
GTX 4motion PRO PRO S	250 210 210	06/24→ 02/24→ 02/24→	←	+PR 1LB / 1LC		13.0480-5549.2 EP5549	CBI + WE / + WK + Zub
VW - ID. Buzz Bus (EBB, EBJ) 05/22→							
 Brake Pad Set, disc brake							
Electric Electric 4motion	150 - 210 250	05/22→ 08/24→	←	+PR 1LC / 1LP / 1LW		13.0480-5549.2 EP5549	CBI + WE / + WK + Zub
VW - ID. Buzz Cargo (EBA) 04/22→							
 Brake Pad Set, disc brake							
Electric Electric 4motion	150 - 210 250	04/22→ 08/24→	←	+PR 1LC / 1LP / 1LW		13.0480-5549.2 EP5549	CBI + WE / + WK + Zub
VW - LT 28-35 I Bus (281-363) 04/75→06/96							
 Brake Hose							
2.0 2.4 2.4 D	55 66 51 -	04/75→09/83 12/82→07/92 01/79→06/96	→	28-D-007274→	1	24.5102-0360.3 331839	L= 390
2.4 i 2.4 TD	55 69 68 - 75	08/89→06/96 12/82→06/96					
VW - LT 28-35 I Platform/Chassis (281-363) 04/75→06/96							
 Brake Hose							
2.0 2.4 2.4 D	55 66 51 -	04/75→09/83 12/82→07/92 12/78→06/96	→	28-D-007274→	1	24.5102-0360.3 331839	L= 390
2.4 D Syncro 2.4 i 2.4 Syncro	51 - 55 69	08/91→07/92 03/94→06/96 08/91→07/94					
2.4 TD 2.4 TD Syncro 2.7 D	70 68 - 75 70 48	12/82→06/96 08/92→04/96 11/75→01/80					

	kW			 	! #		
VW - LT 28-35 I Van (281-363) 04/75→06/96							
 Brake Hose							
2.0	55	04/75→09/83	➡	28-D-007274→	1	24.5102-0360.3	331839 L= 390
2.4	66	12/82→07/92					
2.4 D	51 -	01/79→05/96					
	55						
2.4 i	69	08/89→06/96					
2.4 TD	68 -	02/86→05/96					
	75						
2.4 TD Syncro	70	08/92→04/96					
2.7 D	48	11/75→01/80					
VW - LT 40-55 I Platform/Chassis (293-909) 04/75→06/96							
 Brake Hose							
2.0	55	04/75→09/83	➡	12/82→	1	24.5102-0360.3	331839 L= 390
			➡	28-D-007274→	1	24.5102-0360.3	331839 L= 390
2.4	66 -	08/85→07/89	➡	28-D-007274→	1	24.5102-0360.3	331839 L= 390
	70						
2.4 Syncro	66	12/82→07/89					
2.4 TD	68	08/88→07/91					
2.4 D	51	08/90→06/96	➡		1	24.5102-0360.3	331839 L= 390
2.4 i	69	03/94→06/96					
2.4 TD	70	08/92→06/96	➡	28-D-007274→	1	24.5102-0360.3	331839 L= 390
2.4 D	55	12/78→02/91	➡	12/82→	1	24.5102-0360.3	331839 L= 390
			➡	08/85→	1	24.5102-0360.3	331839 L= 390
			➡	28-D-007274→	1	24.5102-0360.3	331839 L= 390
2.4 TD	75	12/82→09/93	➡	08/85→	1	24.5102-0360.3	331839 L= 390
			➡		1	24.5102-0360.3	331839 L= 390
			➡	28-D-007274→	1	24.5102-0360.3	331839 L= 390
VW - LT 40-55 I Van (291-512) 04/75→06/96							
 Brake Hose							
2.0	55	04/75→09/83	➡	12/82→	1	24.5102-0360.3	331839 L= 390
			➡	28-D-007274→	1	24.5102-0360.3	331839 L= 390
2.4	66	12/82→07/92	➡	08/85→	1	24.5102-0360.3	331839 L= 390
2.4 4WD	66	12/82→07/92					
2.4 D 4WD	55	12/82→07/91	➡		1	24.5102-0360.3	331839 L= 390
2.4 TD 4WD	75	12/82→07/91	➡	28-D-007274→	1	24.5102-0360.3	331839 L= 390
2.4 D	51	07/90→05/96	➡		1	24.5102-0360.3	331839 L= 390
2.4 i	69	01/93→06/96					
2.4 TD	68 -	02/86→08/92	➡	28-D-007274→	1	24.5102-0360.3	331839 L= 390
	75						
2.4 D	55	01/79→07/92	➡	08/85→	1	24.5102-0360.3	331839 L= 390
			➡	12/82→	1	24.5102-0360.3	331839 L= 390
			➡	28-D-007274→	1	24.5102-0360.3	331839 L= 390
2.4 TD	70	06/92→05/96	➡	28-D-007274→	1	24.5102-0360.3	331839 L= 390



- EN** Technical translations
- DE** Technische Übersetzungen
- ES** Traducciones técnicas
- FR** Traductions techniques
- IT** Traduzioni tecniche

6/2026

Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

EN		EN	
	Brake Hose	Centering Diameter [mm]	Centering Diameter [mm]
	Brake Caliper	Equipment Code	Equipment Code
	Brake Pad Set, disc brake	Exchange Part	Exchange Part
	Brake Disc	for right-hand drive vehicles	for right-hand drive vehicles
	Rear Axle Left	for vehicles with air conditioning	for vehicles with air conditioning
	Rear Axle Right	for vehicles with heavy duty suspension	for vehicles with heavy duty suspension
+ ABS	for vehicles with ABS	for vehicles with M-sport brakes	for vehicles with M-sport brakes
+PR	for PR number	for vehicles without heavy duty suspension	for vehicles without heavy duty suspension
+ S	with bolts/screws	for vehicles without sports brake system	for vehicles without sports brake system
+ WE	prepared for wear warning indicator	for vehicles with sports brake system	for vehicles with sports brake system
+ WK	incl. wear warning contact with acoustic wear warning	HC	High-carbon
+ Zub	with accessories	HC L	Alloyed/High-carbon
17.0	17.0	Height [mm]	Height [mm]
17"	17"	Height 1 [mm]	Height 1 [mm]
18"	18"	Height 2 [mm]	Height 2 [mm]
AP	Brake System, AP Lockheed	IT	Italy
Article Number of recommended accessories	Article Number of recommended accessories	L=	Length [mm]
Automatic Transmission	Automatic Transmission	L=	Warning Contact Length [mm]
B	Coated	MAN	Brake System, Mando
B1=	Width 1 [mm]	Manual Transmission	Manual Transmission
Bolt Hole Circle Ø [mm]	Bolt Hole Circle Ø [mm]		
Bore Diameter [mm]	Bore Diameter [mm]		
Brake Disc Thickness [mm]	Brake Disc Thickness [mm]		
Brake Size	Brake Size		
BRE	Brake System, Brembo		

Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

EN		DE	
Minimum thickness [mm]	Minimum thickness [mm]		Bremsschlauch
Number of Holes	Number of Holes		Bremssattel
Permissible up to vehicle capacity [kW]	Permissible up to vehicle capacity [kW]		Bremsbelagsatz, Scheibenbremse
Piston Diameter [mm]	Piston Diameter [mm]		Bremsscheibe
Processing	Processing		Hinterachse links
PT	Portugal		Hinterachse rechts
replacement part	replacement part	+ ABS	für Fahrzeuge mit ABS
Rim Size [inch]	Rim Size [inch]	+PR	für PR-Nummer
Spanner Size	Spanner Size	+ S	mit Schrauben
Surface	Surface	+ WE	für Verschleißwarnanzeige vorbereitet
Thickness [mm]	Thickness [mm]	+ WK	inkl. Verschleißwarnkontakt mit akustischer Verschleißwarnung
Wheelbase [mm]	Wheelbase [mm]	+ Zub	mit Zubehör
Width [mm]	Width [mm]	17.0	17,0
with brake caliper screws	with brake caliper screws	17"	17"
- WK	excl. wear warning contact	18"	18"
Yes	Yes	AP	Bremssystem, AP Lockheed
Ø	Inner Diameter [mm] Outer Diameter [mm]	Article Number of recommended accessories	Artikelnummer des empfohlenen Zubehörs
→	Construction Year from Vehicle Identification Number (VIN) from	Automatic Transmission	Automatikgetriebe
→	Construction Year to Vehicle Identification Number (VIN) to	B	beschichtet
		B1=	Breite 1 [mm]
		Bolt Hole Circle Ø [mm]	Lochkreis-Ø [mm]
		Bore Diameter [mm]	Bohrungsdurchmesser [mm]
		Brake Disc Thickness [mm]	Bremsscheibendicke [mm]
		Brake Size	Bremsengröße
		BRE	Bremssystem, Brembo

Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

DE		DE	
Centering Diameter [mm]	Zentrierungsdurchmesser [mm]	Minimum thickness [mm]	Mindestdicke [mm]
Equipment Code	Ausstattungs-Code	Number of Holes	Lochanzahl
Exchange Part	Austauschteil	Permissible up to vehicle capacity [kW]	Zulässig bis Fahrzeugleistung [kW]
for right-hand drive vehicles	für Rechtslenker	Piston Diameter [mm]	Kolbendurchmesser [mm]
for vehicles with air conditioning	für Fahrzeuge mit Klimaanlage	Processing	Bearbeitung
for vehicles with heavy duty suspension	für Fahrzeuge mit verstärktem Fahrwerk	PT	Portugal
for vehicles with M-sport brakes	für Fahrzeuge mit M-Sportbremse	replacement part	Austauschteil
for vehicles without heavy duty suspension	für Fahrzeuge ohne verstärktes Fahrwerk	Rim Size [inch]	Felgengröße [Zoll]
for vehicles without sports brake system	für Fahrzeuge ohne Sportbremsanlage	Spanner Size	Schlüsselweite
for vehicles with sports brake system	für Fahrzeuge mit Sportbremsanlage	Surface	Oberfläche
HC	hochgekohlt	Thickness [mm]	Dicke/Stärke [mm]
HC L	legiert/hochgekohlt	Wheelbase [mm]	Radstand [mm]
Height [mm]	Höhe [mm]	Width [mm]	Breite [mm]
Height 1 [mm]	Höhe 1 [mm]	with brake caliper screws	mit Bremssattelschrauben
Height 2 [mm]	Höhe 2 [mm]	- WK	exkl. Verschleißwarnkontakt
IT	Italien	Yes	Ja
L=	Länge [mm]	Ø	Innendurchmesser [mm] Außendurchmesser [mm]
L=	Warnkontaktlänge [mm]	→	Baujahr ab Fahrgestellnummer (VIN) ab
MAN	Bremssystem, Mando	→	Baujahr bis Fahrgestellnummer (VIN) bis
Manual Transmission	Schaltgetriebe		

Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

ES		ES	
	Manguera de frenos	Centering Diameter [mm]	Diámetro de centrado [mm]
	Pinza de freno	Equipment Code	Código de equipamiento
	Juego de pastillas de freno	Exchange Part	Pieza de intercambio
	Disco de freno	for right-hand drive vehicles	para vehíc. dirección a la derecha
	Eje trasero izquierda	for vehicles with air conditioning	para vehículos con climatizador
	Eje trasero, derecha	for vehicles with heavy duty suspension	para vehículos con chasis reforzado
+ ABS	para vehículos con ABS	for vehicles with M-sport brakes	Para vehículos con frenos deportivos M
+PR	Número de PR	for vehicles without heavy duty suspension	para vehículos sin chasis reforzado
+ S	con tornillos	for vehicles without sports brake system	para vehículos sin sistema de frenos deportivos
+ WE	preparado para indicador de desgaste	for vehicles with sports brake system	para vehículos con sistema de frenos deportivos
+ WK	con contacto avisador de desgaste con avisador acústico de desgaste	HC	altamente carbonizado
+ Zub	con accesorios	HC L	aleado/alt. carburado
17.0	17,0	Height [mm]	Altura [mm]
17"	17"	Height 1 [mm]	Altura 1 [mm]
18"	18"	Height 2 [mm]	Altura 2 [mm]
AP	Sistema de frenos, AP Lockheed	IT	Italia
Article Number of recommended accessories	Nº art. de accesorio recomendado	L=	Longitud [mm]
Automatic Transmission	Transmisión automática	L=	Longitud contacto de aviso [mm]
B	revestido	MAN	Sistema de frenos, Mando
B1=	Ancho 1 [mm]	Manual Transmission	Caja de cambios manual
Bolt Hole Circle Ø [mm]	corona de agujeros - Ø [mm]		
Bore Diameter [mm]	Diámetro de orificio [mm]		
Brake Disc Thickness [mm]	Espesor de disco de frenos [mm]		
Brake Size	Tamaño freno		
BRE	Sistema de frenos, Brembo		

Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

ES		FR	
Minimum thickness [mm]	Espesor mínimo [mm]		Flexible de frein
Number of Holes	Número de orificios		Étrier de frein
Permissible up to vehicle capacity [kW]	Permitido hasta la potencia del vehículo [kW]		Kit de plaquettes de frein, frein à disque
Piston Diameter [mm]	Diámetro del pistón [mm]		Disque de frein
Processing	Procesamiento		Essieu arrière gauche
PT	Portugal		Essieu arrière droit
replacement part	Recambio	+ ABS	pour véhicules avec système antiblo-cage
Rim Size [inch]	Tamaño de llanta [pulgada]	+PR	pour numéro PR
Spanner Size	Ancho de llave	+ S	avec vis/boulons
Surface	Superficie	+ WE	préparé pour l'indicateur d'usure
Thickness [mm]	Espesor [mm]	+ WK	contact de signal d'usure inclu avec indicateur d'usure
Wheelbase [mm]	Distancia entre ejes [mm]	+ Zub	avec accessoires
Width [mm]	Ancho [mm]	17.0	17,0
with brake caliper screws	con tornillos pinza freno	17"	17"
- WK	excl. contacto de avisador de desgaste	18"	18"
Yes	sí	AP	Système de freinage, AP Lockheed
Ø	Diámetro interior [mm] Diámetro exterior [mm]	Article Number of recommended accessories	Numéro d'article de l'accessoire recommandé
→	año construcción desde N.º de chasis (VIN) desde	Automatic Transmission	Boîte automatique
→	año construcción hasta N.º de chasis (VIN) hasta	B	revêtu
		B1=	Largeur 1 [mm]
		Bolt Hole Circle Ø [mm]	Cercle de perçage -Ø [mm]
		Bore Diameter [mm]	Diamètre de l'alésage [mm]
		Brake Disc Thickness [mm]	Épaisseur du disque de frein [mm]
		Brake Size	Dimension des freins
		BRE	Système de freinage, Brembo

Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

FR		FR	
Centering Diameter [mm]	Diamètre du centrage [mm]	Minimum thickness [mm]	Épaisseur minimum [mm]
Equipment Code	Code d'équipement	Number of Holes	Nombre de trous
Exchange Part	Pièce en échange standard	Permissible up to vehicle capacity [kW]	Autorisé jusqu'à la puissance du véhicule [kW]
for right-hand drive vehicles	pour véhicules avec direction à droite	Piston Diameter [mm]	Diamètre du piston [mm]
for vehicles with air conditioning	pour véhicules avec système de climatisation	Processing	Traitement
for vehicles with heavy duty suspension	pour véhicules avec châssis renforcé	PT	Portugal
for vehicles with M-sport brakes	pour véhicules avec système de freinage sport M	replacement part	Pièce de rechange
for vehicles without heavy duty suspension	pour véhicules sans châssis renforcé	Rim Size [inch]	Dimension de la jante [pouces]
for vehicles without sports brake system	pour véhicules sans système de freinage sport	Spanner Size	Ouverture de la clé
for vehicles with sports brake system	pour véhicules avec système de freinage sport	Surface	Surface
HC	à haute teneur en carbone	Thickness [mm]	Épaisseur [mm]
HC L	allié/carbonisé	Wheelbase [mm]	Empattement [mm]
Height [mm]	Hauteur [mm]	Width [mm]	Largeur [mm]
Height 1 [mm]	Hauteur 1 [mm]	with brake caliper screws	avec vis d'étrier de frein
Height 2 [mm]	Hauteur 2 [mm]	- WK	contact de signal d'usure exclu
IT	Italie	Yes	Oui
L=	Longueur [mm]	Ø	Diamètre intérieur [mm] Diamètre extérieur [mm]
L=	Longeur de contacts d'avertissement [mm]	→	Année à partir de Numéro de châssis (VIN) à partir de
MAN	Système de freinage, Mando	→	Année jusqu'à Numéro de châssis (VIN) à
Manual Transmission	boîte de vitesses manuelle		



Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

IT		IT	
	Flessibile del freno	Centering Diameter [mm]	Diametro centraggio [mm]
	Pinza freno	Equipment Code	Codice dotazione
	Kit pastiglie freno, Freno a disco	Exchange Part	Ricambio di rotazione
	Disco freno	for right-hand drive vehicles	per veicolo con guida a Dx
	Assale posteriore Sx	for vehicles with air conditioning	per veicoli con climatizzatore
	Assale posteriore Dx	for vehicles with heavy duty suspension	per veicoli con autotelaio rinforzato
+ ABS	per veicoli con ABS	for vehicles with M-sport brakes	per veicoli con freni sportivi M
+PR	per N° PR	for vehicles without heavy duty suspension	per veicoli senza autotelaio rinforzato
+ S	con bulloni/viti	for vehicles without sports brake system	per veicoli senza impianti frenante sportivo
+ WE	predisposto per visualizzazione avviso usura	for vehicles with sports brake system	per veicoli con impianto frenante sportivo
+ WK	Con contatto segnalazione usura con segnalatore acustico usura	HC	ad alto tenore di carbonio
+ Zub	con accessori	HC L	legato /ad alto tenore di carbonio
17.0	17,0	Height [mm]	Altezza [mm]
17"	17"	Height 1 [mm]	Altezza 1 [mm]
18"	18"	Height 2 [mm]	Altezza 2 [mm]
AP	Sistema frenante, AP Lockheed	IT	Italia
Article Number of recommended accessories	N° articolo accessorio consigliato	L=	Lunghezza [mm]
Automatic Transmission	Trasmissione automatica	L=	Lunghezza contatti di segnalazione [mm]
B	rivestito	MAN	Sistema frenante, Mando
B1=	Larghezza 1 [mm]	Manual Transmission	Cambio manuale
Bolt Hole Circle Ø [mm]	Cerchio foro-Ø [mm]		
Bore Diameter [mm]	Diametro foro [mm]		
Brake Disc Thickness [mm]	Spessore disco freno [mm]		
Brake Size	Misura freno		
BRE	Sistema frenante, Brembo		

Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

IT	
Minimum thickness [mm]	Spessore min. [mm]
Number of Holes	N° fori
Permissible up to vehicle capacity [kW]	Consentito fino a potenza veicolo [kW]
Piston Diameter [mm]	Diametro pistone [mm]
Processing	Lavorazione/Trattamento
PT	Portogallo
replacement part	Ricambio di rotazione
Rim Size [inch]	Misura cerchione [pollici]
Spanner Size	Apertura chiave
Surface	Superficie
Thickness [mm]	Spessore [mm]
Wheelbase [mm]	Passo ruote [mm]
Width [mm]	Larghezza [mm]
with brake caliper screws	con bulloni pinza freno
- WK	senza contatto segnalazione usura
Yes	Sì
Ø	Diametro interno [mm] Diametro esterno [mm]
→	Anno da N° telaio (VIN) da
→	Anno fino a N° telaio (VIN) fino a



AUMOVIO Aftermarket GmbH

Guerickestraße 7
D-60488 Frankfurt am Main
Tel. +49 (0) 69 7 60 30
Email: info@ate.de
www.ate.de

AUMOVIO Trading Italy S.R.L.

Via Matteotti, 62
I-20092 Cinisello Balsamo (MI)
Tel. +39 02 35680 1
www.ate-freni.it

AUMOVIO Trading SAS

6 rue Jean Moulin
F-78120 Rambouillet
Tél. +33 (0) 9 69 37 37 37
www.ate-freinage.fr

AUMOVIO Trading Spain S.A

C/ Sepúlveda, 11
E-28108 Alcobendas (Madrid)
Tel. +34 91 657 21 21
www.frenos-ate.es